

May 14, 1956

50 Cents

AVIATION WEEK

A McGRAW-HILL
PUBLICATION

Douglas RB-66s for USAF



Avionic Engineering
Manpower Surveyed

Next Satellite Problem:
Getting Data to Earth

First in Constant Speed Drives...



F-100D new electrical concept stemming from Sundstrand Constant Speed Drives



New Electrical Horizons . . .
are opening to design engineers,
through our cooperation between
engines and airframe manufacturers
and Sundstrand. With this new
concept in electrical systems,
depend remarkable advances in
operation and performance
of tomorrow's aircraft.

SUNDSTRAND AVIATION

Division of Sundstrand Machines and Components, 4500 FOREST LUMINOUS, Western United Cities, Anaheim, California
CONSTANT SPEED DRIVES • AIRCRAFT ACCESSORIES



HUGE HELICOPTERS by HUGHES and VERTOL® RELY ON GOODYEAR!

The staunch reliability of Goodyear Aviation Products is dramatically illustrated by their use in two of the world's largest helicopters.

TIRES, WHEELS, BRAKES and ROTOR BRAKES are among Goodyear's contributions to the new XBS-17 heavy-duty cargo transport hawk by the Hughes Tool Company of Culver City, California.

PLUGEL BULLET SEALING FUEL TANKS and OIL CELLS built by Goodyear are milestones of the fuel system of the famous H-21 Work Horse Helicopters produced by Vertol Aircraft Corporation in Moorestown, Pennsylvania, which are also equipped with Goodyear wheels, brakes and tires.

FACILITIES • ABILITIES • EXTRA MEASURE IN PERFORMANCE



Photo: U.S. Air Force Photo; CH-47 Chinook Photo: Goodyear



Dengen, Übertragung und Produktion

CASE HISTORIES

of Water Attenuation Corrections

Walter R. Knott Corporation, 2630 Century Street, Redwood City, California

**AIR FORCE'S
MIGHTIEST BOMBER
EQUIPPED WITH
WEBER EJECTION SEATS**

Light plane in development Boeing's B-52 is the Air Force's largest and last supersonic bomber capable of flying a bomb load to the other side of the world and return. The giant aircraft strategic bombers now in quantity production in Boeing plants at Seattle and Wichita is equipped with Webs plan controls and rare casting heat

Labour costs continue to rise

The Stowaway is designed to be the USAF Service Air Commando's free-hanging bombardier aircraft, so it has the basic type of cockpit seats as this new model, but it's only to pull the gear handle or load himself floating out as space. The seats are built by Weis seats in Bremen's 5-6000 seat-day factory, feature extensive use of Hammered leather for extra durability and light weight. An elegant-aerobatic seat, consisting of a padded seat adjustment pack and simple flexible arm rests can be folded down out of the way to provide extra arm space. The seats feature optional air bags.

Other small diamond tools

During the performance above the notes were put through incentive statistical and functional tests at the Weber and Farnaby and Firing ranges. In production, they are the subject of meticulous quality control. Each note is checked for undue insulation, electrical connections before delivery. Every electrical and mechanical function is carefully tested as an individual article.

Wieber parteciperà alle accademie

Weber is proud to be one of the manufacturers selected to participate in the accelerated E-32 program. Weber also manufactures the forward cross floor and rear assemblies on a exclusive basis to Bimini Webbs.

Microelectromechanical systems (MEMS) have been used to fabricate microfluidic devices for various applications.



IEEE 802.11-2011, IEEE Standard for Local and Metropolitan Area Networks, Part 11: Wireless LAN MAC and Physical Layer Specifications, IEEE-SA Standards Board, 2011.

junction
SECTION
SHATTUCK
FOR 10-102

AVIATION CALENDAR

- May 16**—16th Annual Engineering Series Lecture, speaker meeting William Penn Hotel, Pittsburgh, Pa.
May 17—20-N.Y.C., State Society of Professional Engineers, 5th Annual Engineering in Architecture Conference, Statler Hotel, New York.
May 18-19—16th Annual Designers Show, Hotel Penn, Hotel Wilton, B. C.
May 20—Annual Meeting, Convention in New York Public Auditorium, Worcester County Airport, New York.
May 22—Annual meeting of the Board of Control Engineers Board of Control, New York City, 1 W. 44 St., New York.
May 23—Annual meeting of the New Jersey Society of Engineers, Hotel Roosevelt, Radio Electric House, Manhattan Ave., University of Pennsylvania.

- Mar.** 26—**Joint CIO-CIO** Conference and Electrons Association of 11th national conference, Boston, Mass.

Apr. 30—**Joint 2-Light Annual Meeting** of the IEC and IECI, sponsored by the State Society of Optical Engineers.

June 2—**Second Annual Manufacturing & Operations Meeting, Remington Arms Company, Inc., Remington, Arkansas.**

June 18—**Annual Meeting of Acoustical Engineers** in session at Cheltenham Hall, Atlantic City, N. J.

June 20—**National Tax Protection Association**, Standard Oil Co., Newark, N. J., sponsored by the American Petroleum Institute.

June 27—**Agency Research Radio Technical Conference** for Automobiles, Hoboken, N. J., by Broadcast.

June 11—**Meeting of the Photo Industry** at the Hotel New Yorker, New York, N. Y., organized by the Photographic Association of America.

June 12-18—**T. Goeschek Technical Conference** co-organized by Miltex, Avtron Corp. and Vortech Corp., Atlanta, Georgia.

June 17—**Electronics News** 10th Anniversary Convention meeting, The Hotel Westin Cleveland, Ohio.

June 25-27—**High Frequency Symposium** at Schenectady Campus, Division of Research, General Electric Co., Schenectady, N. Y.

Digitized by Google

Vol. 44, No. 30
FEBRUARY 19, 1967
THE JOURNAL OF CLIMATE AND APPLIED METEOROLOGY
A PUBLICATION OF THE AMERICAN METEOROLOGICAL SOCIETY

**At Your
Service...**

Hydrospin

A few of the noted players
of world fame which have
been mentioned.



**Take Advantage of This Power Spinning Process
and Cut Your Manufacturing Costs**

Answers Take Photo Form


Further, by the economical method described, many other saving opportunities such as reducing savings in labor, material and machine. One standardizes the nozzle sprayings of 100 lbs. per square inch temperature being 100° F. at nozzle tip.



The *Continental Airlines*, one of the first air carriers to do so, may be the newest air mail production problem.

Design Engineers: Take advantage of controlled melt rheology possible by this process and sensible redesigns the ultimate strength and weight savings.

KAISER METAL PRODUCTS, INC.



Block diagram of a typical flutter suppression system, utilizing separate tree and flutter compensation.

ELIMINATING WOW and FLUTTER in magnetic tape data recording

"brute force vs. compensation"

The careful transport design that reduced wow-and-flutter to a negligible factor in audio recording met with little success in critical data recording . . . despite superhuman efforts directed toward "perfect" transport design.

It isn't too difficult to see that even if a perfect transport were devised, it would be extremely costly, and limited to operation under only the most highly controlled conditions. That's why Davis bypassed this "hands-on" or "brute-force" approach completely, and, instead, used the surprisingly simple technique of electronic wow and flutter compensation.

As incorporated into a Davis magnetic tape data recording system, compensation noise was

wow and flutter to eliminate itself. A constant frequency reference signal is recorded simultaneously with the data signals on an adjacent channel. Any tape speed irregularity frequency-modulates the reference signal. On playback, the demodulated reference signal is merely added out of phase to the data signals, almost eliminating first order wow-and-flutter problems.

Further information on the role of compensation in magnetic tape data recording is provided in Bulletin 2901, "Wow and Flutter Compensation In Magnetic Tape Data Recording (FM Carrier Systems)", available on request to Davis Laboratories, Inc.

The illustration shows a sine




On the left of this wave, without (top) and with (bottom) compensation signal added.

wave, recorded on a transport with deliberately introduced 1% peak-to-peak wow and flutter. The uncompensated sine wave is to the left, and the compensated sine wave is to the right of the line.

Further information on the role of compensation in magnetic tape data recording is provided in Bulletin 2901, "Wow and Flutter Compensation In Magnetic Tape Data Recording (FM Carrier Systems)", available on request to Davis Laboratories, Inc.

DAVIS LABORATORIES INCORPORATED
4221 Overbury Road • Brookfield, Maryland



"ENEMY" JET AT ONE O'CLOCK!

The ultimate target for a weapons system is the enemy. Locking that ultimate target for training, the jet-powered Firingee aircraft developed by Ryan in cooperation with the U.S. Air Force, Navy, and U.S. Army. It is the first realistic target which can "stand-in" for the enemy to sharpen the sights of the pilot, gunner, missile crews and radarsmen who man America's defense system. No other vehicle can be used so effectively to evaluate new weapons systems.

Remotely controlled, the Firingee is jet-fast "Riding bull's-eye" that can operate at the extremely high speeds and high altitudes of modern air combat. Launched from the air or ground, and recovered by

parachute, it is economical, not only in original cost, but also throughout its extended operational life, because it can be used over and over again.

Currently in production and being used operationally, Firingees have been delivered to all three military services—Air Force (Q-2A), Navy (KDA-1) and Army (XMMB).

The Firingee is dramatic proof of Ryan's skill in blending aerodynamics, jet propulsion and electronics knowledge to solve a complex aviation problem . . . meet a military need. Ryan's jet-powered VTO now being tested at Edwards Air Force Base is another example of Ryan's forward-looking engineering ability.

Engineers looking for a challenging future will find outstanding opportunities at Ryan.

With a background of 35 years of experience in aviation, Ryan excels in designing and producing high quality aircraft, power plants and avionics, built at low cost, delivered on time.

RYAN
AEROMATICAL COMPANY
SAN FRANCISCO, CALIFORNIA



THE V-8 PERISCOPE BINOCULARS cost \$18.50 each, nearly 1,000 of them in this binocular assembly alone. General Mills engineers did precision binoculars to quality under a U.S.P. prime contract.

No need to swamp your stuff with piece part and assembly problems...

Let General Mills supply the whole package

Eliminate the thousands of detail problems involved in turning out complete electro-mechanical assemblies—and save money, too!


The Mechanical Division of General Mills is ready to manufacture or purchase component parts, assemble to your requirements, and deliver assemblies performance-tested to rigid Government standards—in time. We have the experience and

equipment required to take over the complete job. The highest precision standards are maintained in engineering, manufacture, quality control, packaging and accounting.

LET US TELL you about our requirements. Write, wire or phone Dept. 8W11, Mechanical Division of General Mills, Inc., 1630 Central Ave., Minneapolis 13, Minn. Sterling 9-8811.

Job opportunities available for creative engineers. With study with outstanding men on interesting projects.

MECHANICAL DIVISION OF General Mills



SONAR, the underwater counterpart of Radar, performs the same and more for our alert Navy.

Bendix-Facile has long specialized in the design and production of both of these important strategic and specialized types of electronic detection systems.

If you have a problem in Radar or Sonar we will be pleased to assist you. A qualified applications engineer in either business will call on you at your convenience.

Bendix

PACIFIC DIVISION
"Bendix" Aviation Corporation
NORTH HOLLYWOOD, CALIF.



Steel Corporation
of Western Penns.
The one and only
true stamping
method ever.

• CECOSTAMP •

The one and only
true stamping
method ever.
The one and only
true stamping
method ever.



Shows a clear
view of a Cecostamp
press in action.

• CECOSTAMP •

This stamping is done
in the most efficient
and the most cost
effective way.



Large, simple
parts can be
cost and time
economical
to stamp.

• CECOSTAMP •

THE CECOSTAMP
CO., INC., 1000 Taylor
St., P.O. Box 2000, Steel
City, Pa. 15428.

Have you the latest CECOSTAMP catalog? Write CHAMBERSBURG ENGINEERING CO., Chambersburg, Pa.



Here is an example of the complex
internal stamping possible with investment
casting. Stamps, raised, relieved or in
regular sections can be used.



The complexity of the part makes investi-
ment casting the only feasible method of
manufacture. Design basic factors do
not limit design accuracy.



Here is an example illustrating
multiple features in one part.
"Machine" stamping is a number of
thin surface details are required.




The sharp tools of this stamping machine
make deep slot and recessed areas as
deep as longer wide areas can be
achieved from machined surfaces.

design with **austenal** in mind

In planning parts, design directly for
Austenal and take advantage of its wide
range of design possibilities.

See not only what you can do, but what
really, fine-controlling operations Austenal
investment casting eliminates.



These intricate dies of wear-resistant
alloy are readily manufactured with
highly complex and irregular internal
contouring.



Walls of varying cross-sections are possi-
ble with investment casting. From
the very heavy, allowing enough
material.



This very small and intricate 1½" wide
and less than ½" thick. In process, making
by any other way would be possible only by
investment casting.



Shown here is an example of how in-
stream contour can actually eliminate
machining and machining by leaving
undone, intricate dies.



This large complex product was cast by
investment casting on the external and
internal surfaces.

Design problem?

Call your Austenal representative
and ask him to show you how Austenal can help you.



austenal
INVESTMENT CASTING
INC.

1000 TAYLOR ST., P.O. BOX 2000,
STEEL CITY, PA. 15428



THE BOEING B-52 STRATOFORTRESS, a strategic bomber aircraft, has an on-board fire and over-heat detector system. Fenwal Fire and Over-Heat Detectors are located in its right engine pods. Ref ID: 405°F, 452°F and 150°F.

FENWAL FIRE AND OVER-HEAT DETECTORS PROTECT EVERY TYPE OF AIRCRAFT

Fenwal Fire and Over-Heat Detectors are used in every type and size of plane, in every location where fire or excessive heat must be constantly guarded against and instantly indicated. These locations include cabin, engine areas, auxiliary sections, cargo compartments, crew bunks and inside nose areas.

Fenwal's unit system offers the advantage that electrical isolation of an individual Detector does not affect the functioning of the remaining units. Any Detector may be quickly removed and replaced without disconnecting or removing the whole fire detection installation.

Fenwal Fire and Over-Heat Detectors are made for single-wire and double-wire loop circuits. A loop circuit enables each Detector to act independently in the event of accidental breakage in the electrical conductor. One pull-chain switch is necessary at either end of either type of circuit.



Controls Temperature... Precisely

THE SHUNT IS THE TEMPERATURE-SENSITIVE ELEMENT in all Fenwal Fire and Over-Heat Detectors. It is a thin wire which is temperature sensitive. Compact and easily installed, these units are available in a wide range of designs, covering different temperature ranges, depending with the application requirements. Every Fenwal Fire and Over-Heat Detector is made in Fenwal Incorporated, Andover, Massachusetts, 122 Rivermead Street, Andover, Mass.



THE NORTH AMERICAN F-100C SUPER SABRE, first jet fighter to make Mach 2 and record the highest speed, features Fenwal Fire and Over-Heat Detectors for protection against overheating and damage, these units give warning before damage can occur. Fenwal Detectors are also used for temperature indication in the F-100C's J-31 jet engine.



RAYTHEON RADAR FOR THE B-52

Finding and smashing a boming target through thick overcast when you are miles high, traveling at fantastic speeds, is no easy proposition.

To help solve this complex problem, the Air Force worked with Raytheon—a leader in both CW and pulse radar techniques and world's largest manufacturer of the magnetron and klystron tubes inserted to radar.

Result? A precision radar of unsurpassed accuracy and outstanding reliability—a bombing radar which adds to the punch of this remarkable aircraft conceived by the foresight of the United States Air Force.

Excellence of Detection



RAYTHEON MANUFACTURING COMPANY
WALTHAM, MASSACHUSETTS

VERSATILE 20 SERVOS

SIZES 10, 11, 15, 18 • ONLY SIZE 10 IS ILLUSTRATED



SERVO MOTORS



- Can be wound for high or low impediment
- Designed for use with transistored or vacuum tube servo amplifiers
- Control pulse can be center tapped
- Maximum torque is proportional to ratio provided by manufacturer or plug mounted ratio
- 45 rpm—DC-700 volt motors (For illustrated unit only)

- 40° to +120° C ambient temperature range
- No warm-up required at low temperatures
- Sizes 10 and 11 available with 2 or 4 pole windings
- Sizes 15 and 18 available with 2, 4 or 8 pole windings
- Maximum torque is proportional to one specified voltage between 10 and 200 volts
- Most sizes available in 400 or 800 ampere output voltage

SERVO with Exclusive[®] INSTANT-STOPPING DC BRAKE



- DC one stopping time without external braking
- 10,000 rpm's per sec. theoretical acceleration
- 18 gm-sec. rated inertia (For illustrated unit only)

- 3000 hours life at 75°C, 300 hours at 100°C
- 21 volt DC brake excitation

SERVO-GEAR-TRAIN



- Precision gear train, 30:1 max backlash
- 1.1 in. 1000:1 gear ratios. Higher ratios on special order
- Effective DC brake may be added

- 25 in.-oz. max operating load torque 15 in.-oz. max momentary load torque will not damage gear train


SERVO-TACH-GENERATOR



- Brushless or permanent magnet type generator
- Maximum rail voltage is low as 22 millivolts

- 2500 rpm rated motor of smallest units
- Excitative DC brake may be added

SERVO-TACH-GENERATOR- GEAR-TRAIN



Combination of servo, gear train and tach generator to your specific requirement. Excitative DC brake may be added.


up to your specifications. Write today for further information, rating requirements.

Other products include starters, synchros, AC drive motors, servo resistors, rheostats, DC motors, motor-gear-trains, flat response resistors, servo torque limiters, reference and indicator pointers, magnetic indicators and motor driven blowers and fan assemblies.



MANUFACTURING CO.
Your Rotating Equipment Specialist
AIRCRAFT DIVISION
Racine, Wisconsin

Are You One of the 728 Engineers Who Needs This
New Variable Delivery **STRATOPOWER[®]**
HYDRAULIC PUMP



This New Series

65W STRATOPOWER[®] HYDRAULIC PUMPS

Answers Many of Your Demands for...

LIGHTER WEIGHT



SMALLER ENVELOPE



HIGHER SPEEDS



HIGHER ALTITUDES



HIGHER PRESSURES



HIGHER TEMPERATURES



WATERTOWN DIVISION

THE NEW YORK AIR BRAKE COMPANY



STARBUCK AVENUE • WATERTOWN N.Y.
INTERNATIONAL SALES OFFICE, 74 WEST ST., NEW YORK 10, N.Y.



the dawn...of stainless steel honeycomb!

After five years of pilot production and research, HEXCEL Products Inc has now perfected a high speed air induction line for the manufacture of low cost stainless steel honeycomb core material—a development which opens a new horizon for sandwich construction in the aircraft industry. Capable of greater strength than either glass fabric or aluminum honeycomb—two materials which produce the highest strength to weight combination ever developed—stainless steel core will provide a degree of rigidity never before achieved in sandwich structures. The new material which has excellent strength properties at temperatures of up to 1000°F., means low cost and high efficiency construction for many primary aircraft parts. It also makes practical the manufacture of high speed aircraft previously "board-bound" by the thermal barrier.

If you think stainless steel honeycomb could solve an aeronautical design problem of yours, write for further information to HEXCEL Products Inc., 951 61st Street, Oakland 8, California.



HEXCEL[®]
PRODUCTS INC.

America's leading producer
of honeycomb core materials



NEW

VICKERS[®]

Miniaturized

**PISTON TYPE
HYDRAULIC PUMPS**

3000 psi... CONSTANT DISPLACEMENT

VICKERS INCORPORATED
DIVISION OF MONSANTO CORPORATION

ADMINISTRATIVE AND ENGINEERING CENTER
DEPARTMENT 1462 • DETROIT, MI 48202

Appliances Engineering and Service Offices: El Segundo, California; Elgin, Illinois; Hazelwood, Missouri; Houston, Texas; Kansas City, Missouri; Long Beach, California; Milwaukee, Wisconsin; New York, New Jersey; St. Louis, Missouri; Wichita, Kansas. Sales Offices: Atlanta, Georgia; Boston, Massachusetts; Chicago, Illinois; Cincinnati, Ohio; Dallas, Texas; Denver, Colorado; Detroit, Michigan; Fort Worth, Texas; Los Angeles, California; Miami, Florida; Minneapolis, Minnesota; New York, New Jersey; Philadelphia, Pennsylvania; Seattle, Washington; St. Louis, Missouri; San Francisco, California; San Jose, California; Seattle, Washington; St. Paul, Minnesota; Toledo, Ohio; Tulsa, Oklahoma; Wichita, Kansas.

TELEGRAMS: VICKERS DALLAS 1-1444; HARTFORD 1007; LOS ANGELES 9-1244; NEW YORK 5-1244; PHILADELPHIA 2-1244; SEATTLE 2-1244; WICHITA 2-1244.

Overseas Representatives: The Vicks International Co., Inc.—Westport Road, Westgate, Middlesex, England.

Engineers and Builders of Oil Hydraulics Equipment
Since 1921

This Hydraulic
Pump has 4.0 kg
output @ 3000 psi
and 13,000 rpm.
Weight 0.9 lb.



A large expansion program now in its early stages creates huge opportunities for additional inquiries. Write for information.

Where Are We Going?

"Where are we going?" In the midst of the white-hot political debate over whether this country shall continue its policy of maintaining impure weapons or settle for a balanced budget and second rate Air Force, it is a good idea to take a broad, comprehensive look at the panels, technical aspects of the aerospace industry and try to determine, however dimly, just where we are going.

There never has been and may never be an industry that can match the technological pace of the aircraft industry, in its brief 53 year growth from the days of the Dayton biplane shop. Particularly when allied with its post-war partners, the nuclear and aerospace industries, aircraft development has been galloping along with giant strides. It is this unprecedented technological development pace that makes it so difficult for less experienced in older, slower and more conservative industries to successfully manage public responsibilities that encompass the technical wild horses of aviation, atomic energy and electronics. All of these technologies have matured only in the past 15 years, and their basic nature is totally foreign to older industrial epochs brought up in the tradition of steam turbines, long-haul power transmission and automobile manufacturing.

Although the aircraft industry is approaching sufficient maturity to see the passing of many of its pioneers, including Glenn L. Martin, Frederick Fleet Rentschler, Andre Picard and Ralph Dorion, it still is young enough to have leaders who are now successfully riding the tide of the jet age and can successfully begining their careers in the space, deep oceans and baking suns.

Growing Science of Human Factors

However, the progress of the first 53 years that has brought us from the first brief flights off the sand at Kitty Hawk to the empty fringes of outer space, hurtling at 16,500 mph at altitudes above 90,000 ft., makes it evident that even this amazing span of progress will pale before the achievements of the next decade when man will make his first extension into space and be armed with aerial weapons that still stagger the imagination. The only constant trend among prophets of air power is that they have all been grossly conservative by the actual technological progress in this field.

Major changes are in store for the role of man in aviation. On the ground, the constantly growing demand for more and better techniques, extending from the people who maintain and service aircraft, missiles and space vehicles to the scientists and engineers who create them, will require a vastly higher level of technical education.

In the air, the role of man is already changing from something—often by brute force alone—the vehicle through the atmosphere to that of a monitor, safety valve or thinking machine presiding over an automatic or semi-automatic aerial vehicular system.

The growing source of human factors that is working hard to better fit man into the unusual environments into which flight is taking him is already well into the problems of cosmic radiation and zero gravity that must be solved before pushing man into outer space. In the aerospace field, the Mach 2 fighter of today soaring through the thin atmosphere on more than wings and fuel will be found scaled up to transport one bearing more than 100 passengers across the Atlantic in less than two hours and shriveling the Pacific to a fraction of a day's flight.

Technical Horizons

The propulsion systems of today will soon erode and tiny compare with the tremendous powerplants that focus for tomorrow, ones utilizing high energy fuels, nuclear power and solar energy.

Military aerial weapons now flying at twice the speed of sound are wedging into the hypersonic range with maximum speeds of 15,000 mph, carrying armament-laden warheads around a quarter of the globe in 30 minutes. The development of these weapons already is spawning a whole new field of industrial development.

After the first probing finger of rocket-powered missiles charter the silence of outer space, there will roar earth satellites extracting secrets of the unknown and odd, finally, the mounted space ships boasting man out of his atmospheric environment.

For those of us in this fascinating field who become weary over public apathy, or political perils and watch the Washington temperature rise from the heat of the aerospace debate, like a good look over the broad spectrum of the technical fabric and like heart!

—Robert Holt

ASSIGNMENT ATOM


A cross-section of atomic-energy leads the
first scientific minds everywhere
connected to the atomic-age bank of
leading the vast reservoir of power to the
acquisition of mankind.

In Canada, Canadair has been charged by
the governmental agency, Atomic
Energy of Canada Ltd., with designing
and developing the first nuclear reactor
intended primarily for reactor
environments. When in service with the
government's Chalk River plant,
the reactor will help in the search for
the type of nuclear fuel that eventually
will enable man to tap an almost
unlimited source of energy and harness
it to his growing needs.

A reputation for imaginative program
engineering, backed by advanced
scientific research, enables Canadair to
take its place among those who devote
their best skills to the advancement of
human knowledge.

CANADAIR

Montreal • Vancouver • Toronto • Guelph
Montreal • Quebec • Ottawa • St. John's



Now! **ADEL** offers a new
line of **HIGH TEMPERATURE**
MINIATURE VALVES



THESE VALVES ARE NOW IN PRODUCTION.
OUR ENGINEERING-SALES REPRESENTATIVES ARE READY
TO RECEIVE YOUR APPLICATION TO OUR INDUSTRIAL PAGE.



**Hydrostatic pressure piled
onto sand at rated value**



3 positions, 3-way selection of associated collection points.



$\hat{\tau}$ positive. Autocorrelation
estimated by weight vector.

BURBANK, CALIFORNIA • HANFORD, CALIFORNIA • HUNTINGTON, WEST VIRGINIA
JACKSON, TENNESSEE • KIRKLAND, WASHINGTON • PORT COQUITLAM, BRITISH COLUMBIA, CANADA

ABEL
PREMIUM PRODUCTS
DISTRIBUTED BY THE BUDWEISER BOTTLING CO.

WASHINGTON ROUNDUP-

Munchkin's Power

The power of Ego Morphine, narcotics called the "em" of the pain-killers program will soon have knowledge other than authority. Secretary of Defense Charles W. Elkins reports. He told senators that Morphine will know the facts and know what should be done—and that a尼克 will be done.

Campbell Criticizes CAB

Comptroller General Joseph Campbell has taken the Civil Service Commission to task for failing to face up to its responsibility with respect to the problem of excessive overtime. Thus, Auto-Tool Subcontractor, Campbell cited one case in which a particular item was charged to expense costing as much as half the item's regular operating expenses. In one instance, he said, classification costs of engineers were charged to operating expense instead of regular expense. He explained that the rowulence of engineers to greater horsepower than the bare requirement is an improvement or betterment of an asset.

Correspondence and discussions between the Board staff and the issuer of securities failed to have an material effect, and the issuer has declined to correct its position," Campbell said. Under these circumstances, he and economic regulators are circumvented, thus undercutting the CAA's position as a regulator body.

Expensive Electronics

USAF Contract Cuts

The fiscal 1975 USAF budget is based on the presumption that \$1 billion will be necessary from existing contracts—despite price reductions and cancelations. This amount also includes the cost of canceling the program. If it develops that USAF must sacrifice the amounts in additional \$1 billion appropriations will have to be made to carry out planned programs.

USAF is rapidly becoming more worried about the unreliability of electronic components in weapon systems. In addition to the need of warfighting, which could engender short delays or effective weapons less than at the matter of cost. According to Maj Gen David H. Miller, USAF's Material Command's procurement director, the problem is that "we've got to keep electronic equipment as least lessening unacceptable." He made no comment on the number of electronic systems in use. He made this suggestion, adding, "Costs are the vital part. If you make changes so often as to increase the original cost

Industry Pressure

Secretary of Defense Charles E. Wilson has reported to House and Senate Appropriations Committees on assault weapon resistance to setbacks in lead time—which cover the entire country's manufacturing and business backbone.

This compares to the Illinois group. "These will always be a pressure from the manufacturers to get sales as far out ahead as they can get them, and they have a pretty good crowd of people working here in Washington because their business zone."

Russia Refueling

Douglas Renard's failure to provide growing air might in May Day flyover than now, some observers expect exports of fighter aircraft always. Both he and one will add fuel to current Defense Department fears public demonstration of Red Air Force's air-to-air refueling capability.

Procurement Investigation

Pleased with the results of its staff's investigation of BAF and Navy aircraft preaccident policies and procedures (AW Mar 38 p 26), Home Apprenticeship Committee has decided to continue the investigation another year. Some of the criteria which an investigator will follow are as follows: Measures of standards and adherence

Once Bitten
Defense Secretary Wilson has learned the subject of dogs, even though he expresses his regard for horses quite freely. When it was suggested at a recent House committee hearing that the Army could use mules or packhorses like Keros Wilson said, "I like horses, too, you know."

There followed this exchange:

Mr. MILLER: Of course, the Army dog is more of a suspect today, I think, than the horse.

Defense Secretary

The House Information Subcommittee, headed by Rep. John E. Bilezikian (D-Calif.), now plans to issue House Department officials sometime in June. The subcommittee, a reigning political committee of investigative and independent agencies with regard to releasing or withholding information from the public and Congress. Close attention will be given to (1) political "noise" that is divisive among and (2) unnecessary secrecy which hinders back technological development.

— Walking from school

Administration Hits Airpower Opponents

Stung by criticism of its defense program, administration bolsters role of Navy air, points to B-47s.

By Claude O. White

Washington—The Eisenhower Adminis-tration, stung by the criticism of its "budget-cut" airpower program last week, replied to its "airpower opponents"—including Sen. Curtis E. LeMay—who have charged that Navy air overhauls U.S. leadership in technology and strategic-bombing capabilities. In an apparently carefully-crafted attack, the administration entrenched those arguments.

• **Our B-47 needs jet-bomber wings.** The most general single comment of administration critics was:

• **The U.S. Navy is the most powerful in the world with 15 planes.** The critics were described as having a "strategic capability" that adds to "our national striking power."

Both President Eisenhower and Defense Secretary Charles E. Wilson spoke out with particular emphasis upon the Navy's air arm. Both were who used the "char-monger" label in testimony before a Senate Appropriations Subcommittee.

Mo Policy Change

Despite the administration's opposition to the Navy's air arm, it has not been able to make any basic changes in either policies or doctrine. In response to a query by *Airpower* Writer, the Defense Department denied there has been any alteration of amendment to the 1952

House Approval a Wilson Victory

Washington—Approval of the administration's fiscal 1957 airpower budget by the Democratically-controlled House Appropriations Committee is a major, but not decisive, victory for Secretary of Defense Charles Wilson.

When the committee voted the Senate Armed Services Subcommittee favored by Democratic Sen. Stuart Symington of Missouri, but long ago in publicly passed sole vote out of six votes cast during the administration program, Gen. Curtis E. LeMay's testimony on intercontinental bombing capabilities.

Public opinion with two other field commanders are on the agenda of the Strategic Air Command. Gen. Earle Partridge, Commander of Air Defense Command, and Gen. Otto Weyland, Commander of Far East Air Command.

Following in LeMay's footsteps, both are expected to present pictures of defense forces. Both should have appeared in committee sessions.

The House Appropriations Committee is demanding the adequacy of the Air Force program, which levels with the testimony of Secretary of the Air Force Donald Quarles and Chief of Staff Gen. Hoyt S. Vandenberg.

Meantime, congressional hearings before the Strategic group in LeMay's Pentagon, will bring critical public opinion. The next USAF witness scheduled for committee session is Lt. Gen. Forrest O'Donnell Jr., Deputy Chief of Staff for Personnel; Maj. Gen. L. B. Wohlhause, Assistant Chief of Staff for Installations; Lt. Gen. C. S. Irwin, Deputy Chief of Staff for Materiel.

begin to erode our position with others.

When spoke of "proponents" of particular phases of the overall program, who, he said, lead to overall their own activities.

Wilson Scores Critics

Wilson denied flatly the assertion of his critics, congressional and military critics that Russia is outstripping the United States in airpower.

It was obvious in the capital that the administration is fighting to uphold its budget program in the face of political threats in a climate near. Some observers attributed significance to these other issues in the area.

• **Plan for a second-writing** appears to grade even Washington an Amend-ments Bill. While presenting the USAF budget, Lt. Gen. Wohlhause reported that more than 50 aircraft, mostly with more than 50 aircraft of other types. It will be the first Air Force file of this magnitude, and apparently was designed to bolster confidence in U.S. firepower.

• **Published position** by Major Edward E. Shultz, the White House disseminated advised that Russia plans a spectrum armament improvement, and will challenge the United States to follow its lead.

• **New statement** from Secretary of State John Foster Dulles that there are no plans to expand the Middle East. He and Russia "seem to agree in all the dangerous equa-tions of nuclear action."

Pentagon Reaction

At the Pentagon, USAF observers were quick to point that the Navy's critics are an important factor in the overall strategy as strength.

This, in effect, is the real issue, the critics could be captured entirely as far as defense against Russia as an audience makes during the initial stages.

The carried-over plan, thus said, was never signed in place for robbery attacks on enemy targets because the Navy will not, and cannot, reheat its roll in offense. The only targets the Navy is sure to hit they are, are those which have some role as to the war.

In contrast to this, Wilson said the critics are an important part of our security program, providing realistic basis for scientific estimates of potential enemy threat. "We are not in position of knowing exactly what threat would occur in case of an emergency,"

Wilson declared that the United States "is not and should not be con-

cerned in its effort to compete now with the USSR. This was matched by the President, who said we "have no intention of trying to match Russia strength in long-range bombers."

On this, Sen. Walter F. George (D-Ga.) replied in a statement that "it will be desirable to the country to be constantly reminded that the Russians are looking up at us, not down at us, but that we are not keeping pace."

Another figure cited by Wilson was what he described as the average inventory of USAF for 1957.

The number is 15,000. This clearly includes aircraft in the Air National Guard Reserve and all of USAF's non-combatant planes. Gen. Irwin said he had learned that the Russian air force has approximately 76,000 combat aircraft, though more than USAF.

Wilson also felt that has been considerable misunderstanding about the Defense Department's research and development efforts. This was interpreted as a reference to tankmen and the magazine article by Trevor Gardner, editor of the old type involved in the

U.S. research and development program.

In addition, Lt. Gen. David Patt, USAF Deputy Chief of Staff for Development, has annual a \$150 to \$200 million increase in the R&D budget.

To this, Wilson replied that the research and development program will draw funds from other sources to boost the amount available in Fiscal 1957 from the latest \$1.6 billion up to \$5.2 billion. He said the Defense Department will give Congress a statement justifying these figures in context.

House Group Approves Airpower Plan

By Katherine Johnson

Washington—The powerful House Appropriations Committee has decided to go along with the administration's airpower program despite its concern over the growing strategic capacity of the USSR.

In approving the USAF's fiscal 1957 budget requests essentially as recommended by the administration, the committee and the Air Force have made a "rare move" for the program in its report, however, the committee expressed doubt over the U.S. position in the Far East.

The report said, "The air arm of the Soviet Union is rapidly developing and will probably equal the U.S. in offensive strategic capabilities within a few years unless the U.S. is required to expand its overall size at the Air Force and substantially step up the production of interceptors."

Air Force Disarmament

The question to be resolved is what to do about it. Should we attempt to stay with the Soviets in the overall size of our Air Force? Or should the numbers of aircraft be produced, or should we attempt to maintain what is determined to be a sufficient Air Force equipped with the best weapons system to act as a deterrent to any possible aggression?

"The current Air Force budget is based upon the latter determination."

The budget calls for procurement of 3,950 new aircraft and Air Force aircraft in Fiscal 1957-999 less than the 4,995 funded in Fiscal 1956. Here's how the budget calls for a change:

• Air Force 3,227 as compared with 2,770 in Fiscal 1956.

• Naval Aviation 1,468 as compared with 1,613 in Fiscal 1956.

Assistant Secretary of Defense (Comptroller) reported that this is 29 more than originally requested by the USAF. Air Staff. He said the Air Staff originally asked for 199.

Major said that after a one-month cut in late June in the placing of contracts to keep production flowing, it was decided to fund 175 of these B-52s with Fiscal 1957 funds and the remainder with Fiscal 1958 funds.

The action which resulted in a \$245 million supplemental request for the B-52 program in mid-April, McNamara said, followed by 26 more aircraft in July, \$230 million for missile orders and \$19 million for expansion of production facilities.

Secretary of Defense Charles E. Wilson, in discussing the distribution proposed in Gen. Curtis LeMay's committee of the Strategic Air Command over the current B-52 program, told the House Appropriations Committee:

"If you left it up to Gen. LeMay,



B-52C Carries Longer External Tanks

The 601,000-ft. B-52 flies a test route the Boeing plant at Seattle, Wash., when it is produced. The photograph is the first of the model to be released by the Department of Defense, showing the larger external tanks which differentiate the model from earlier B-52s. The eight wings on Pratt & Whitney J57s.



New Navy Planes Delivered

Douglas A-4M's 10 Squadron Hornets have been delivered to ADG Skymaster 100 and its F/A-18 Hornets from the factory to CDRNAFAC at San Diego. The A-4M fighter attack bombers were designed for operations from forward-deck carriers, were assigned to HATRON (Heavy Attack Squadron) Two. The F/A-18 will start its service at North Island Naval Air Test, San Diego.

low level than requested, just \$718 million more than Fiscal 1996.

Funds for procurement and research were approved as recommended. These will provide:

- USAF aircraft and related procurements: \$7.6 billion, slightly less than the \$7.63 billion program for Fiscal 1996.

- Naval aircraft and related procurements: \$7.1 billion, slightly less than the \$7.05 billion program for Fiscal 1996.

- USAF research and development: \$6.1 billion, slightly higher than the \$6.07 billion Fiscal 1996 program.

- Naval aviation research and development: \$1.81 billion, as compared with the \$1.86 billion Fiscal 1996 program.

House Recommendations

No recommendations made by House Appropriations:

- Defense Department should make a study of the strategic importance of the command-and-control system for advanced-homing guided missiles and electronics. "It was felt that the development and evaluation are our areas of the latest and most effective weapons being effected in rapidly advancing technological warfare," said a member of the committee, expressing considerable doubt that the institution is being affected as rapidly as possible.

- An "auditorial and field" approach should be taken to expand the training of analysts and operational personnel. The committee suggested an integrated program between the Air Force and other government agencies requiring such personnel. The committee also called upon the Defense Department to take the lead in this matter and, if funds permit, to promptly recommend it to Congress.

- Air Force should adopt the Navy program requiring postional warfighting specialists to sign up for additional years. "The Air Force, with a very large training program and with perhaps the greatest need for retaining

personnel trained in the technological field, does not require trainees to obligate themselves to continued service for the privilege of obtaining successful technological training."

- The Office of the Secretary of Defense should concentrate an following the implementation of major posture mandates, orders and policies to ensure the effect that is now going into effect through detailed instructions, a plan of action, prepared in a format similar to:

- The shortcomings and weaknesses, including a lack of user-service cooperation," disclosed in the Army USAF exercise Siegfried Line test (AW Dec. 5, '94) should be corrected.

- USAF was requested to submit a "firm" plan to the committee by next January for establishing the Military Air Transport Service as an independent operating unit. In its recommendations on the MATS proposal, the House Appropriations Committee said: "The MATS proposal for Fiscal 1995 were submitted at \$260 million. For Fiscal 1997, the committee requests \$15 million less from the USAF budget reducing MATS operating funds and directed: 'The Air Force should give attention to this item as soon as possible in such a way as to assist in keeping the cost unadjusted and other factors as a reasonably sound financial year operating plan."

Army Budget Approved

The committee enthusiastically approved the Army's Fiscal 1997 research and development and procurement program, placing major emphasis on guided missiles and electronics, emphasizing that "there is the feeling that in light of recent world developments, major procurement stress" should be phased.

The Army has increased \$113 million for guided missile research and development during Fiscal 1997, as compared with only \$21 million for research of the Army's \$1.4 billion procurement program. \$889 million is committed for guided missile procurement

Century Fighters Need Specialists As Pilots

Los Angeles Pilots who will fly the F/A-18 and other Century series planes should be specialists, since the high speed and characteristics of these aircraft as weapon systems demand so much training and concentration, A. W. Ladd, USAF's Lockheed's director of flight operations, told reporters.

Additional details on Lockheed's F/A-18A Recruiters who were recruited by LeVier in a graduation of 52 USAF and Navy officers keep a living safety course at University of Southern California.

- The F/A-18 will be the pattern of the same speeds (100 kts) as current fighters.

- It flying subsonic climb configuration, flight weight of 10 t.

- At supersonic, gear retracted, the pilot can fly to the farmost point and then drop the gear which will not break low speed.

- Fuel management is automatic. If external fuel is carried, the pilot need three only one switch and then can forget about sequencing or managing problems which take much attention.

- With the decreased system set in low altitude, the engine is simple, solid state, no heat and systems carried out of ground.

- The plane will operate off 6,000 ft arrestor traps.

- Two complete control surfaces are covered, plus a third which operates off emergency pump powered by engine bleed air.

- The instrument panel is the simplest set devised for this type of aircraft.

- The airplane can land at 60 m/s, 110 kts, at light weights.

The new system and safety design by Lockheed, LeVier said, will be sufficient to attain pilot survival at any speed of the F/A-18 (as fast as 1.6 Mach 2). Lockheed has an improved version of the MC-1 partial pressure suit

Trans-Canada Buys British Jets To Power American-Built Planes

New York—First firm order for British jet engines to power American-built jetliners was placed last week by Trans-Canada Airlines (TCA). Orders for British engines are anticipated, creating a real shortage of American engine manufacturers, particularly Pratt & Whitney Aircraft.

TCA purchased two Douglas DC-8 aircraft to be built with Rolls-Royce Conway bi-pass engines. Another two DC-8s are an option and C. C. McCreary, TCA president, says that the other will require right at all during the period 1990 to 1995.

McGregor said TCA took the first plane with the Conway engine in full confidence that some other engine would follow suit. He mentioned DC-8, Canadian Pacific Airlines, Air India International and Qantas as potential buyers of American engines with Conways.

TCA already has indicated it will follow TCA's lead so that Canada can supply maintenance by using one type longrange jet engine.

In London there was a report that Air France was contemplating ordering British Olympus engines (see sidebar). It was not clear whether these were for the Saenger 2000 Concorde or for additional Boeing 707-300s which Air France has an option. It has agreed for this year's 30th anniversary the Pratt & Whitney JT3D-3, the commercial version of the P-50.

On the West Coast, there are a few long range aircraft manufacturing systems that airline officials were taking a close look at the Olympia. They said the British engine comes closer to answering their jet transport needs than either the Conway or the J57.

Lower weight, better specific fuel consumption and lower noise level were cited by McGregor as reasons TCA selected the Conway engine over the Pratt & Whitney engines. All previous Douglas and Boeing 707s used Pratt & Whitney JT3D or JT8D. McGregor said the Conway was 8,000 lb. lighter weight, had slightly better specific and had a noise level 12 decibels less than the PWA connector.

With space, TCA's Douglas planes come to \$25 million. Deliveries will be made early in 1990 and the first will be placed on transatlantic and transcontinental service later that year.

Trans-Canada's other major investment is \$57 million for 38 Boeing 737s, eleven of which will be new to us in its colors.

The airline also is in the market for

a medium-haul transport to fit in between its DC-8s and Conways during the 1990-95 period. It does not know what to do with its Canadair CRJ-200 with 200 PWA's representative. He considers it has close as close to the DC-8 and 707.

Under consideration are the Douglas DC-4, a long-haul development of the DC-3, the Lockheed Electra and the Vickers Vanguard. He is uncertain about the relative merits of the discussed "short-haul" and turboprop TCA also expects Boeing will make a medium-haul aircraft proposal. McCreary says "that market will be huge than the heavy jet market."

TCA's DC-8 purchase was announced on the 15th Anniversary of its service between Canada and New York City. On May 10, 1941, Trans-Canada began serving New York using Lockheed Lodestar.

Hughes Buying Skylarks, More 707s

Howard Hughes is acquiring his share of Boeing 707 jet transports and will buy Canadian Skylarks from Trans-World Airlines.

Hughes original order was for eight 707-120s with delivery to start April 1989. Now, he has ordered nine Boeing 707-230 with 217 passengers each and 11 707-320 Intercontinental jet transports using the Pratt & Whitney JT4 engine.

With this purchase, TWA will be equipped with nine of the smaller 707 jet transports for transcontinental service and 10 of the larger 707s for intercontinental routes.

Pratt & Whitney 20-Stage 500s will be used in the order to be paired with Conways. There are 10 intermediate-range flights.

British Engines Seek Civil Orders

London-Bristol Aerospace Co. Ltd. and Rolls-Royce Ltd. last week linked in a battle for survival of their powerful Olympus and Conway jet engines—with one or the other facing extinction in a Ministry of Supply cutback. Both firms hoped their future among civil orders would save their programs.

Conway has been without a home since the consortium lost the Dassault Vautour IIIC jet fighter, and the recent closure of the proposed Olympus program may well force British firms to seek a new home in Britain.

Trans-Canada Airlines insisted last Friday 707s powered by Rolls-Royce Conway engines replace.

Meanwhile, it was understood Air France has acquired an option on 12 Boeing 747-200s turbfans. This probably would be for additional Boeing aircraft which the French airline planned to order. The Pratt & Whitney engines have been specified for the first 10 Boeing model for Air France, but the other 20 are options. The Conway was 8,000 lb. lighter weight, had slightly better specific and had a noise level 12 decibels less than the PWA connector.

With space, TCA's Douglas planes come to \$25 million. Deliveries will be made early in 1990 and the first will be placed on transatlantic and transcontinental service later that year.

Trans-Canada's other major investment is \$57 million for 38 Boeing 737s, eleven of which will be new to us in its colors.

The airline also is in the market for

a medium-haul transport to fit in between its DC-8 and 707.

Trans-Canada Airlines now can afford the Olympia's 100 seats. It is 10 percent larger than the 707 and has a maximum range of 6,000 miles. The development program costs 10,000 lb. to seat and £1,000 lb. by 1993.

Boeing would like to keep its larger engines of approximately 23,000 lb. thrust available at about the same time as American jet transports become operational.

Commenting on the industry ap-



HYDROGEN H-20H 1 Navy prototype has variable pitch at tips of 13-ft annual rotor that was kept under wraps except when test flew. Gross weight is under 180 lb., powerplant is c 40hp. Nelson Street's prototype flight program is partially disassembled.



PRODUCTION SIKORSKY H-25-I changes from prototype dual wheels an all-helical gear, dual engine exhaust, large landing gear on rear nosecap, extension of landing skid (not test). Remained till it was new peer and all needed.



BELL 47B rotary is powered by a de-rated 125hp Lycoming engine. CAA certification is expected soon. It is built for Navy as HU-2.



NELSON H-25-I Navy prototype has shorter rear tip sweep; engine located on right side of nose.



HILLIE HELISET, gyros is shown at left; rear from the rear detail configuration of the Hillie. 40-lb. thrust, unlike the 340-lb. HDE-3, is half nearly double its weight. Rotor head is at right.

Each rotor tip swept driven

At American Helicopter Society:

Pilot Training, Design Rules Criticized

Washington—Growing interests in the helicopter industry, evidenced by a relative discussion of technical problems involving both men and students highlighted that year's 12th annual meeting of the American Helicopter Society.

Some observations on the state of the industry follow:

- **Mr. Gex Hirschfeld H. Brown**, chief of Army aviation, and helicopter still are too expensive and too complex. They also need better stability, guidance and flight control systems.

- **Robert R. Lopez**, Bell Aircraft Corp., charged that military design and test specifications are unnecessarily tough on the designer and manufacturer. He said the cause of recent problems and cost increases is safety.

- **James S. Richardson**, Sikorsky made a broad argument for joint Test and Evaluation Board for operational operations, and charged that the Civil Aeronautics Board is holding back development. He urged that helicopter service be reduced from the "supplemental" status and given more than the current \$1 million annually in Federal aid.

- **William H. Coffey**, Vertol Aircraft Corp., delivered an attack on pilot training procedures and pilot qualification arranged by the military services. He called for establishment of a new "total aircraft pilot" category for those capable of serving all requirements in a rotary-wing aircraft.

Coffey, a veteran who has instructed more than 200 pilots already trained in the military services, charged that the

various task force to handle the aircraft but we lose its people from one task force to another.

Young, the higher skills required. He said, as the ability to fly at high gross weight says range on a short span in contrast areas and load on a slope. Coffey said his son, a pilot who has completed about 100 hours of flying, 90 of which did not leave the pilot's weight. Lack of the education he said would make it difficult to predict performance and prepare for unusual conditions.

Coffey also said helicopter pilot training is not being carried out to fit them for the operations they will face in the field.

An important factor in this, he said, is the failure to use flight handbooks. He suggested that service organizations have to change their focus to force familiarity with their manuals.

The perfect pilot, with 100% proficiency, is a human impossibility, Coffey believes. Maximum proficiency, he said, is about 90% and no pilot should perform operational work if he is less than 70% proficient. He believes a primary cause of the excessive civilian helicopter accident rate is the fact that many experienced pilots are less than 60% proficient.

Coffey, a Bell engineer and present military specification reporter on gyroscopic design, had said, This means that the payload without necessarily increasing the shaker of the aircraft in a critical level maneuver, leading to a crash.

Coffey, a veteran who has instructed more than 200 pilots already trained in the military services, charged that the

specifications maintain but no account is taken to regulate helicopter flying and detract from the safety which is unachieving real problems such as fatigue.

Lewis said a Bell spokesman stated that 77% of the accidents in Model 47 were due to pilot error. Lewis said to eliminate overload during maneuvers or violent landing of the controls.

About 140 of the accidents were attributed as material fatigue failure.

Lewis said there is no attempt in Bell's record of an accident due to pilot error.

In addition to fatigue, Lewis and other negotiators should give to the importance of the aerodynamic characteristics of ratios. He pointed out that the most important requirement for helicopter to be designed for an extreme load factor is to always positive attitude.

The reason is that such design does not take the aircraft sound if loading conditions exceed the capabilities of the wings.

Gex Hirschfeld told the forum that the Army's development of stability in low speed behind the progress in development. He said the Army's interest in helicopter for transport without taking up too much range has not lessened, despite recent enthusiasm for STOL aircraft.

He also predicted that the Army's planned exercises will be sensitive to take helicopter bring movement into account.

Second SeaMaster Begins Tests

Bellows-Master's second PFM (Bellows-Master's second PFM) SeaMaster began its long delayed flight-test program last week about one month after the end of the first prototype's trials.

The aircraft, which flew only a few days after a great Martin Navy announcement detailing the possible reasons behind the Dec. 7 crash and a statement that "extensive action has been taken to cover each instance," in the second model, A Navy pilot and three Marine gunners were killed in the crash.

A Marine investigating committee, which pored over the approximately 80% of the first SeaMaster recovered from the Potomac, attributed the crash to as possible failure in the aircraft's control system. The possibilities:

- Minor explosion in the center wing which may have damaged the fuel-cell cables, hydraulic lines or electrical circuit.
- A broken or snared control cable.
- Loss of pressurized force in the longitudinal control system.
- Loss of one of two dualistic hydraulic pumps coupled with the overpowering of the remaining motor.
- Elimination of hydraulic power from the ruddersteerer.
- Pilot error in handling the controls.

Speed No Factor

In its report, the committee also found that:

- There was no evidence that excess speed, abnormal aerodynamic form, aerodynamic effects or post-explosion malfunctions were initiating causes of the accident.
- There was no major pressure fire, and all in flight fires observed by witnesses took place after the aircraft began to land, apart.

Salvo operations to recover the SeaMaster prototype were conducted by

the Navy from Dec. 8 to March 2 with no salvaging results, two sister ships and a small boat equipped with salvaging gear.

The Break Up

The reported parts were assembled for study on the floor of the operations hangar at the Naval Air Station, Patuxent River, Md., in their normal positions in relation to other parts. A number of the parts were sent to laboratories for detailed analysis.

The Marine committee, aided by experts from the Navy, Air Force, National Advisory Committee for Aeronautics and the Civil Aeronautics Board, also examined elaborate fall test patterns which show that the SeaMaster's break-up occurred over a distance of approximately 1,000 ft. at an altitude of from 6,000 to 10,000 ft.

The team recommended for the break-up was composed of a Service five and two members of the Navy.

- A broken or snared control cable.
- Loss of pressurized force in the longitudinal control system.
- Loss of one of two dualistic hydraulic pumps coupled with the overpowering of the remaining motor.

▪ Elimination of hydraulic power from the ruddersteerer.

▪ Pilot error in handling the controls.

Sperry System for B-52

Despite earlier announcement by its developer, Eastern Machines Corp. that its MA-2 heading-navigation system (called BRAHNE) was scheduled for B-52 use, Sperry Gyroscope Co. says its MA-3 heading-navigation system and associated A-14 automatic flight control system are now available. Weighing 1,600 lb, Sperry's system is capable of holding the precision of the MA-2A, a modified version of the Kestrel used on the B-47 and B-52. An Air Force spokesman says the MA-3 is scheduled to be phased in when suitable production models become available and is to be used on about half of the B-52s now on order.

Sperry's system will be used in conjunction with a ground control point for exceeding an 18-mile limit. Equipment is designed to work at separation speeds greater than high altitudes.

Actions under yet-to-be-known Pea River Airlines purchased two Convair 580s for use as test beds for the TDS and DC-5 with delivery by 1953 and phased options for two DC-3 and three C-70 airliners. United Air Lines has purchased \$300,000 DC-5 airplanes from Link Aviation, Inc., with rentals set at \$100 per hour for 1953.

Two Martin B-57s will be used for high-speed tests of the following Convair TDS/TCR test-control system. Electronic resolution will give "feet and inches."

Fiat demand of merger of British Overseas Airways Corp. with British European Airways, or a de-nationalization of either, was made by new BOAC Chairman General D'Erlangre, who said he had the support of the Minister of Transport and Civil Aviation for his statement. Most urgent problems facing BOAC in a series of aircraft requirements for the next 10 years, D'Erlangre said, consisted of modernizing operations has been named for this year.

Over \$100 million will be spent by British Pacific Airlines in the next few years in aircraft and large transports. CPA has ordered another British Transavia Douglas transport increasing its order to five. This brings British Bataan orders to 13.

Control of ground transport at Minneapolis-Omaha International Airport is won in the courts by the Port of Omaha, which retains the right to grant an air charter contract for know-how service.

C-123 Turbojet Combination Proves Outstanding

MISSION: Control Test Flight

WEIGHT: 13,000 lbs. Onboard

TIME/BY CONDITION: Power Failure

RESULTS: Successful



In a recent test for the U.S. Air Force, the Fairchild C-123 proved the value of short initial warning emergency single engine rotation.

A C-123 was equipped with two Fairchild J-44 jet engines and loaded to achieve gross weight of 16,742 pounds—13,000 pounds overload.

During takeoff and climb, both jets were operated to provide 2,000 pounds continuous thrust in addition to the two piston engines. At 2,200 feet, when both off the ground, and a moment later at a speed of 122 knots, one propeller was feathered.

From this takeoff position, the C-123 climbed out at 100 feet per minute—proving again its big job capability and unusual maneuverability. Helped by jet augmentation to give extra power and extra safety in any emergency.

A Division of Fairchild Engine and Airplane Corporation

B-52 Low-Acceptance Rate Explained

Washington—The Air Force test flight identified Thompson Products, Inc., of Cleveland, as the manufacturer of the small aircraft陀螺仪 whose failure resulted in last winter's B-52 crash near Tarn Air Force Base, and accepted the findings of the 11-man AFM investigation panel that a mechanical Fairchild failure in the aircraft陀螺仪 had set off the chain of events which led to the disaster's explosion and a mid-air collision in the fuel tank. The two survivors of the B-52 believed (AW, Mar. 7, '51).

Subsequent investigation showed that the malfunctioned陀螺仪 as an inherent characteristic in the Thompson陀螺仪 (which had successfully met Air Force specifications), but not in those manufactured for the B-52 by General Electric Co. The General Electric陀螺仪 were built under slightly different specifications.

An Air Force spokesman said the Thompson specification have since been altered and that the firm will continue to produce alternatives for the Stratofortress.



World's Largest Turbo Transporter

Pours Out Its Power Through SPECO Transmissions

The mammoth turbine-powered helicopter of "Toro" one is the Yerex YH-16A. The production version will be able to carry up to 12 tons and can climb via pitch without warm-up to achieve an air speed of over 150 mph. Transforming the output of its turbines into a smooth, steady flow of propulsive power is the job of the forward and aft transmissions produced by SPECO, the Bend Producit Engineering Division of Kelsey-Hayes.

The manufacture and assembly of gears and gear assemblies which meet demanding, maintenance-free performance such as required in the Yerex YH-16A is a Speco specialty, one of 40 years standing in service to the aviation industry.



Bauer transmission from YH-16: The transmission, clutch assembly, synchronizing shafts and drive shafts are produced by Kelsey-Hayes in cooperation with Yerex to design specifications.

KELSEY-HAYES

Kelsey-Hayes Wheel Co., Detroit 32, Mich. • Major Supplier to the Automotive, Aviation and Agricultural Industries

TECH PLANTS: Dearborn, Michigan; McKeesport, Pa.; Los Angeles, Calif.; Western Ontario, Canada • Distributors throughout North America and abroad • Springfield, Ohio (AFAC) Aviation, Automobile and Machine Tool Division

DC-8 Development Lowers Douglas Net

Net sales of \$331,026,000 and earnings of \$5,111,000 during the first three quarters were reported by Douglas Aircraft Co. In the same period last year sales and earnings totaled \$214,824,000 and \$7,130,800.

The drop-off in earnings reflects additional heavy workload on development of the DC-8 jet transport and flight testing of the DC-10. A similar situation was shown in Lockheed Aircraft's first quarter report (AW May 7 p. 32).

Douglas backlog as of Feb. 29, '82, \$63,487,800, of which 45% is in aircraft contracts.

The company's unfilled airline orders include 110 DC-8s, 100 DC-10s, 94 DC-9s, 4674s, 77 DC-4s, and 15 DC-6s.

Other aircraft industry financial reports were:

- North American Aviation, Inc. had a net income of \$14.5 million for the six months ended Mar. 31 compared to \$14,575,000 in the first half of 1981. Sales totaled \$411,921,500 and unfilled orders were \$1,361,590,397.

- Boeing Airplane Co. reported sales of \$270,879,859 and net earnings of \$6,156,077 for the first quarter ended Mar. 31 compared to \$191,361,192 and \$6,043,613 respectively for the same period last year. Bookings Mar. 31 total \$2,141,000,000, of which 16% represents commercial aircraft.

- Curtiss-Wright Aircraft, Inc. had sales of \$21,593,346 in the first quarter compared to \$26,913,385 in the 1981 period. Net income was \$749,245 as against \$201,984 last year. Unfilled orders Mar. 31 \$28,680,000.

- Republic Aviation Corp. consolidated sales totaled \$51,789,751 as of Mar. 31 with net income of \$3,123,083. Comparative figures in the first quarter last year were \$123,935,612 and \$1,929,183.

The employee strike beginning Feb. 29 is expected to have accounted for a loss of about \$5 million to profit in the first quarter.

- Curtiss-Wright Corp. consolidated net profit was \$9,196,080 or net sales of \$432,641,351 in the first quarter, compared with a net profit of \$9,830,707 on sales of \$423,496,571 last year. Unfilled orders plus products produced scheduled at about sales \$665 million. Some 50% of the firm's earnings were from commercial sales.

- Aeropac Corp. reported sales of \$15,078,775 in the first half of fiscal 1982 ended Mar. 31 compared to \$20,471,961 in the same period last year. Estimated net earnings rose to \$673,135 compared with last year's initial half of \$980,353.

still going... Strong



STOP CLOCKS

selected model conditions, voltage and temperature references, with indicating performance. Used where time intervals must be accurately measured and electrical circuit is desired.

SPECIFICATIONS

Voltage Range—House and Clock Cells, 24-30 Volts D-C. Temperature Range—From -50°C. to +50°C. Maximum Current Consumption—400 Milliamperes at -50°C. and 30 Volts D-C.

Accuracy—+0.05% of reading 2.00m to 30°C. Accuracy—+0.05% of reading 30°C. to 50°C. Reset Time—2 seconds maximum. Delivery Time—60 days after receipt of CPS or 100 Volts D-C. for 1 minute.

Most ordinary applications. Hermetically sealed machine and vacuum. An essential or class metal header required. Choice of fuse connections. Electrical reset provision local or remote control.

PREFERRED WHERE PERFORMANCE IS PARAMOUNT.



A.W. HAYDON Company
322 NORTH 8TH STREET, WAKEFIELD, MASSACHUSETTS
Design and Manufacture of Direct-Mechanical Timing Devices

Foreign Lines Cool to Atlantic Fare Cuts

Proposals of TWA, PAA would swamp equipment, strain financers, rivals fear; called "too soon."

By Glenn Garrison

New York.—The transatlantic fare reduction proposals of Pan American World Airlines and Trans World Airlines appear to be headed into cold storage at the International Air Transport Association's staff conference May 29 in Canada. British. The flag-carrying airlines are the most vocal now in urging much publicity about the American plan, but they will face some searching questions at the conference table.

***Equipment.** Is there enough to handle a sharp increased volume of leisure passengers?

***Fares.** At drastically lower rates, will airline income be adequate to keep up its services?

***Accommodations.** Are there suitable facilities on both sides of the ocean to take care of a sudden flood of leisure tourists?

Low Fare Proposals

Brooks, the foreign carriers appear to face a reflection in board fares to tap new markets, but those having in mind the announced proposals seem too weak, too soon.



Red Chinese Start Burma Service

An B-114 aircraft operated by Kai Chau attracted crowd at Magong Airport in Republic when it landed on the first flight of China Burma air service. The aircraft which has arrived from the west in front of passengers' door leading to the cabin, flew from Kai Chau, China to Rangoon in day and a half nonstop. Some third registration number to come 149 is used.

threshold. The carrier says its plan will help balance the downward bias.

Pan American's plan for a third class of passengers at fares 15 to 20% less than present tourist rates. The service would be offered as a high-density flight scheduling stops at intermediate points for meals, meals and refreshments. Extra meals, snacks and soft drinks available a passenger's option. Present tourist service would be designated cabin class, while first class would remain as at present. Pan American would offer all three types of service over heavy traffic routes, combinations of bus and other roads or tourist classes on other routes. This added on the plan would quickly increase the number of American fliers by 50%.

TWA's plan calls for a one-round economy rate with reductions up to 40% off a New York-Panama trip. A 15% discount fare would be the round trip. Regular tourist service at present standards would be provided. TWA says the plan could make it possible to balance the eastbound flow of leisure traffic.

SAS proposes an extension plan involving the TWA proposal, resounding SAS's fare limit would be 17 to 25 days. The SAS plan calls for a 10% fare cut, with present tourist service

Some airline sources wondered if the policies proposed by North American Airlines with the cut rate tourist class proposals might have been spinned both Pan American and TWA to announce plans to lower fares. But the foreign flying carriers are most concerned with

the basic questions involved in a solution to the transatlantic fare problem. These questions in agreeing any fare include how far above and below the present fare levels should an agreement be made to go? To a 10% fare increase over the Atlantic. If a high density service were negotiated next year another problem would be the modification of aircraft use scheduled by the carriers.

This is not concerned that an increase in volume would end up at the level of revenue per passenger per revenue miles. While this focuses on cost not on tonnage transportation especially after high-speed jet air liners go into service, they are going to go more slowly on the matter of increasing load factor and a huge volume of passengers with limited seats.

This is no negative attitude, and the carriers will agree that demand will rise as the market, but they need to know more.

The Civil Aeronautics Board is under severe criticism for its proposed reorganization of the fare structure set up in IATA. Jim Oberle, Commissioner, CAB should have moved more quickly before teeth were prepared. Shultz after calling in a management CAB moved a temporary approval good only until Oct. 1.

PAA Offers New Puerto Rico Plan

A new cut rate for service for the rich market between New York and San Juan, Puerto Rico, was announced last week by Pan American World Airlines.

Pan American has filed a tariff with the Civil Aeronautics Board calling for a third class air service on the route at rates about 20% under current tourist fares. The San Juan proposal follows closely upon Pan American's announcement that it will support a third-class International Air Transport Association fare on transatlantic routes.

The decision to operate a certain service class in the CAB began a full scale investigation of all services to San Juan, Puerto Rico and the continental United States. The Commonwealth of Puerto Rico has been highly critical of present service and supports a low-fare, flexible type of service.

Under the Pan American plan three types of air service would be offered in New York-San Juan passenger. First class service would cost at \$80 one way, nonstop service would become cabin class with a \$67.50 fare. Eastern Air Lines and Pan American now charge \$64 for tourist flights.

High-Density Plan

The new service would be offered at \$37.50 with high density seating and fewer passenger services. Seats would be spaced 47 inches apart and six rows each would be served. The plan is subject to CAB approval.

Pan American's proposed zones close to the limit of service Puerto Rico has

big carriers want to go more slowly. Assuming the two have service would be the large underdeveloped tourist market and the high density service that can capture even if that management—or either Pan American or Pan American's partners in service on overall American routes or whether that country has the low-cost infrastructure the equipment, other services and the flexibility under renegotiation to do so.

The board is also concerned that an increase in volume would end up at the level of revenue per passenger per revenue miles. While this focuses on cost not on tonnage transportation especially after high-speed jet air liners go into service, they are going to go more slowly on the matter of increasing load factor and a huge volume of passengers with limited seats.

This is no negative attitude, and the carriers will agree that demand will rise as the market, but they need to know more.

The Civil Aeronautics Board is under severe criticism for its proposed reorganization of the fare structure set up in IATA. Jim Oberle, Commissioner, CAB should have moved more quickly before teeth were prepared. Shultz after calling in a management CAB moved a temporary approval good only until Oct. 1.

visitation to visitors between Puerto Rico and points on the mainland. Headline news included a proposal for Jan. 17 in Washington that the commission includes publications filed by Capital Airlines, Caribbean Airlines, American Delta Air Lines, Eastern Air Lines, National Airlines, Pan American World Airways, Pacific Airlines, Trans Caribbean Airways and United States Overseas Airlines.

Committee May Hear Tacan/DME Decision

Long awaited statement on results of the Tacan/DME study was made by Robert F. Tamm, Secretary, Office of Civil Aviation, March 18 before the House Air Subcommittee, providing final compromise details can be finalized out in time by the Air Navigation and Development Board, Ray Davis (then ID Board) in chairman of the subcommittee.

Air Force and Navy efforts to improve accuracy and reliability of Tacan equipment appear to be paying off. Recent tests in the Air Reserve Air Development Center in an operational school of seven Tacan ground stations showed total ground reference bearing errors of 0.53 to 3.4 degrees.

Distance errors were no worse than 0.7 nautical miles according to an IADC spokesman.

Ground station equipment operated for an average of 185 hours between failure or 389 hours of personnel caused failures are excluded. Airborne sets operated an average of 159 hours between failures using modified equipment produced in 1955.

IADC reports no interference between adjacent Tacan ground stations and little interference between two stations 100 miles apart which operated in voice frequencies. IADC has also stated that a Tacan ground station can handle 127 aircraft without saturation.

North American Airlines Selects New Name

Based—North American Airlines last week took on the new name of Trans American Airlines following the U.S. Supreme Court refusal to review the airline's "name case" (AVW May 7, p. 40).

The North American group will then change its name from Trans American to North American Airlines, Inc., to reflect the airline's "name case" (AVW May 7, p. 40).

The change is the result of complaints made by Qantas Airways Australia, Inc., that the wordless title was too close to their own.

ANNOUNCING



THE FIRST NONSTOP DC-7 AIRCOACH SERVICE COAST TO COAST ONLY \$99!

plus tax



The comfortable lounge, available to all passengers

American presents "The Royal Coachman" - new luxury aircoach "New York-Los Angeles \$99 plus tax" - "Washington-Los Angeles \$98 plus tax"

Starting May 20th, American introduces the first nonstop aircoach service coast-to-coast on the DC-7, world's fastest airplane. This is the fastest transcontinental aircoach service.

"The Royal Coachman" is also the most luxurious aircoach service in history. You can reserve your seat when you buy your ticket. There is a spacious passenger lounge and fine meals are served, available at economical prices.

"The Royal Coachman" is an aircoach service, operating every day in the week. For reservations or air coach information on this new service, see your travel agent or call your nearest American Airlines ticket office.



AMERICAN AIRLINES
American Flying Since

Reserve starting May 20th
**Subject to tax June 1st

Continental Plans Los Angeles Jet Base

Los Angeles—A large jet-base terminal and maintenance base will be built at Los Angeles International Airport, according to Robert F. Siv, president of Continental Air Lines.

"It is quite possible Continental Air Lines will move its general headquarters from Denver to Los Angeles if the pending court opinions are granted," he said. "We have been in such a position the airline would still keep a major base in Denver."

Siv stated that Continental will open service May 1, 1957 on its Los Angeles-Denver-Kansas City-Chicago route with DC-7s, including Vickers Vikings in July, 1958 and Boeing 707s August, 1959 (AVW Dec. 19, p. 91). The airline has submitted to the Los Angeles City Council a resolution, but Siv said he did not plan to get into the meeting except for small 707s set to service.

In its first step toward entry into the Los Angeles air traffic market, Continental will start construction of the \$7.5 million facility this summer. Construction is not yet under way.

The expansion will involve a third addition to the city terminal building as well as New York Airport for hangars as the significance of air transportation and how to relate it to their journals. They have inspected the report, and have been in a random fashion—the majority of them for the first time.

Initially, Continental will schedule four round trips daily over the 1,236-mile route between Los Angeles and Chicago with six of the three DC-7B type operating on transcon flights. First class service will be known as the "Golden Arrow" service accommodating 64 passengers each direction. Silver Arrow will seat 94 passengers.

Schedules will be advanced service to provide eight daily nonstop introductions of the Vikings. The airline is confident the traffic will bear such scheduling, since Capital Airlines' traffic is one on the Chicago-Washington run lines 12% at the outset to 68% of the total on this route in February. Continental's 13 Vikings will be advanced service of the 80,000 model using 1,870-hp Allison 501 engine which will generate a cost per seat-hour 50% higher than 4,000 rpm engines.

Continental is currently exploring the possibility of the West Strip and the surface research applied to the California Airports Board for authority to operate from Los Angeles to Denver via Phoenix and San Diego and direct Los Angeles to Denver, Phoenix and Palm Springs. A petition also has been made for nonstop service to Los Angeles and Dallas, a service Continental now provides on an interchange basis with American Airlines.



SCHOOL TEACHERS have about approach safety at a typical air age session.

Elizabeth Schools Help to Erase Rancor Left by Three Air Crashes

Public school teachers in Elizabeth, N. J., have been taught to "soft sell" information on three recent Mac, due a half of the city board to keep up interest in New York Airport for hangars as the significance of air transportation and how to relate it to their journals. They have inspected the report, and have been in a random fashion—the majority of them for the first time.

The teachers and school officials are among some 6,000 educators-teachers, principals, superintendents and other officials—who since the beginning of 1953, have attended the air age education institutes of the National Air Transport Coordinating Committee. Educational programs are a main ingredient of the committee's work. Its continuing role is a major tool in that annual observance following that major accident in late 1951 and early 1952. And the committee—its dual newspaper and state public officials—is still best known to the airport's public.

Besides its own program work, the committee advises the Superintendent of Schools in Newark, the Board of Higher Education in New York City and the Aeromotors Education Commission of the New York City Board of Education. The NATCC committee, along with the New York City Board of Corrections Research, funds the Aviation Education Coordinating Committee of New York City.

Wide Circulation

Elizabeth teachers are only a small minority of the educators throughout the New York-New Jersey metropolitan area covered by NATCC's education institutes. In the 91 problems held to date, in addition to the institutes, the committee's program has reached 27,500 teachers and people directly through expert panel teams, and another 300 teachers through air age education workshop courses in the area's schools.

Indirectly, NATCC estimates that a million school children have been reached by the teacher education pro-

grams and they in turn have passed some of it along to the adults in their areas.

NATCC itself was created as a result of the Elizabeth accident, with an aviation, press, airport operators, the government, aviation agencies and aircraft manufacturers joining forces against the threat and of public reaction. The collective endeavor was invited to James, 1951, and its present membership includes not representation from Civil Aeronautics Administration, Port of New York Authority, Pan American World Airways, Trans World Airlines, Northeast Airlines, United Air Lines, Eastern Air Lines and American Airlines, and two NA/TCC staff members.

Besides its own program work, the committee advises the Superintendent of Schools in Newark, the Board of Higher Education in New York City and the Aeromotors Education Commission of the New York City Board of Education. The NATCC committee, along with the New York City Board of Corrections Research, funds the Aviation Education Coordinating Committee of New York City.

New Idea

The aviation institute is not a new idea. It was developed by CAA in 1941, when there was one "aviation" 80 seats in the then-new CAA program, but its greatest use in the New York area is in a greater scale than ever before.

In 1951, there was only one institute in the area, and there were only two the following year. Both were directed

*"A difficult problem arises
from the need for precise control
of the three-stage satellite
vehicle during its flight."*

—NEWS RELEASE, DEPARTMENT OF DEFENSE

Honeywell and Project Vanguard

"*Precise control,*" in Project Vanguard terms, is a difficult problem indeed. Guidance and stabilization of the rocket vehicle that places the first man-made satellite in orbit must be accurate beyond preceding.

To help in achieving this accuracy is Honeywell's job.

For the Marconi Company, prime contractor, Honeywell will provide a basic three star reference system for guiding Vanguard through the first two stages of flight—initial stages that will place the satellite in an orbital position.

Honeywell's famous HIG 6, the most accurate gyroscopic error mode, will be the heart of the Vanguard reference system. Three of these gyro, plus the necessary spin equipment, will be packaged for mounting in the guided rocket vehicle.

The super accurate HIG 6, sensitive to the slightest motions of pitch, roll or yaw, will detect—and correct—any deviation from course.

Honeywell's HIG gyro have been proved thousands of times in a variety of guidance and control applications. The HIG now is ready for its biggie job—Project Vanguard.

Honeywell

Aeronautical Division



The aircraft of tomorrow will fly today.

and higher. The mean hetero-

International Conference for Justice

oval de perpendicular transversal.

A-MP research has anticipated this need,

The first populated terminal to which

for our et al. (2007) interpretation.

Airline Traffic—March 1956

	Revenue Passenger Passenger Revenue (Millions (\$'000))	Revenue Passenger Passenger Revenue (Millions (\$'000))	Load Factor	U.S. Mkt	Expense	Flight	Total Revenue (\$'000) T-2000	Per-Cent Revenue Year-to-Year
DOMESTIC TRUNK								
American	580,757	313,514	87.63	1,710,000	695,000	5,305,583	45,936,573	80.46
Brussels	154,177	60,393	81.28	714,000	192,000	416,070	1,041,204	54.06
Capital	315,195	61,995	81.87	928,217	167,247	303,306	1,710,344	43.93
Continental	97,298	3,940	58.45	15,800	6,071	265,004	40,418	99.88
Delta	52,000	2,000	61.00	1,000,000	300,000	2,200,000	2,200,000	2,200.00
Eastern	937,134	522,817	86.91	267,707	93,012	507,817	11,492,495	86.35
United	480,885	301,398	89.78	901,018	436,000	7,781,781	40,269,392	55.65
National ^a								
Hawaiian	362,000	6,000	56.85	11,915	1,915	51,000	48,000	56.46
Horizon	131,070	67,391	73.22	380,000	88,000	117,344	1,766,033	51.67
Texas World	381,200	186,369	18.91	1,195,159	180,000	1,980,000	18,900,379	55.35
Delta Air Lines	495,491	202,332	82.00	1,000,000	300,000	3,726,000	2,000,000	55.46
Western	30,450	5,000	56.82	51,000	1,000	51,000	51,000	55.46
INTERNATIONAL								
American	10,204	5,118	76.81	59,725	5,561	294,572	1,246,466	79.64
Brussels	8,210	3,740	48.66	89,000	10,000	10,659	1,467,613	83.33
Continental Atlantic ^b								
Colonial	1,069	3,395	67.81	800	—	4,013	116,000	52.16
Delta	4,457	2,207	65.61	8,513	957	9,517	195,000	47.89
Eastern	50,788	98,410	54.21	81,000	—	95,845	8,757,267	51.46
National ^c								
Hawaiian	7,654	16,549	56.41	1,089,050	16,950	705,051	1,873,885	69.43
Pan American								
Alaska	5,319	7,956	47.35	31,058	3,000	300,719	1,664,843	53.67
Atlanta	71,215	33,460	53.37	1,001,789	110,000	1,316,000	11,369,054	43.36
Delta	81,000	38,000	53.30	1,000,000	100,000	1,300,000	10,000,000	43.36
Louisiana Airlines	100,595	61,395	63.43	195,000	—	727,000	11,113,847	66.35
Panama	10,204	15,497	53.31	3,021	—	305,100	3,987,456	65.88
Texas World	70,713	40,584	59.81	481,100	804,112	1,203,340	10,615	55.46
United	6,088	16,444	56.35	184,700	55,045	182,794	182,794	55.46
LOCAL SERVICE								
Air Florida	85,455	4,008	47.93	8,912	75,703	8,074	41,934	44.46
Airline	71,000	20,310	45.15	8,400	3,200	4,600	1,016,000	43.71
Central	50,868	1,713	54.43	3,874	5,079	5,079	173,000	30.76
Frontier	75,907	4,680	53.33	30,203	5,071	56,251	1,449,000	43.71
Midwest Central	75,200	2,500	53.33	30,000	5,071	56,251	1,449,000	43.71
Mohawk	84,898	4,385	56.02	3,813	5,759	5,784	436,617	56.15
North Central	38,467	5,770	48.60	18,504	87,241	18,504	1,184,345	43.71
Oneida	20,000	1,000	46.67	4,718	14,797	14,797	3,000,000	43.71
Piedmont	30,000	7,649	49.45	14,000	3,003	16,879	285,997	49.54
Southwest	10,140	2,951	46.15	5,455	11,767	11,767	9,813,843	44.17
Southern	80,034	4,193	46.52	8,403	4,898	10,901	1,195,314	45.46
Southwest	12,717	3,000	57.00	7,101	12,000	12,000	12,000	54.00
West Coast	11,115	3,000	45.34	4,672	4,142	5,042	355,269	54.00
HAWAIIAN								
Hawaiian	98,219	4,016	56.65	4,816	134,000	134,000	47,719	31.49
Twin Pacific	13,391	1,000	47.93	804	6,910	6,910	137,394	49.90
CARGO LINERS								
Alasair Sea Airlines ^d								
Flying Tiger	3,000	11,017	98.88	38,703	6,310,380	7,781,291	58.93	58.93
Star Bridge	8,253	8,436	94.03	45,336	4,579,001	5,284,713	55.02	55.02
HILLTOPPER								
Alaska Airlines	8,515	45	90.00	1,003	1,708	431	6,918	50.84
Alaska Coast	2,512	258	52.66	3,000	4,807	4,807	35,336	63.93
Eye's Airways ^e								
Gulfstream	1,379	938	57.65	8,908	7,056	7,056	91,959	40.16
Elli Air Lines	1,231	118	56.15	1,971	1,986	1,986	19,993	52.16
Northwest Consolidated ^f								
Northwest Airlines	6,000	4,332	58.78	61,301	81,000	776,236	55.97	55.97
Northwest Missouri								
Northwest Airlines	1,000	49	57.53	10,344	5,404	36,801	8,730	8,730
West Alaska	1,003	616	16.26	33,830	70,151	70,151	104,500	99.65
ALASKAN								
Alaska Airlines	3,331	1,230	84.35	51,751	400,880	400,880	46,738	39.75
Alaska Coast	2,512	258	52.66	3,000	4,807	4,807	35,336	63.93
Eye's Airways ^e								
Gulfstream	1,379	938	57.65	8,908	7,056	7,056	91,959	40.16
Elli Air Lines	1,231	118	56.15	1,971	1,986	1,986	19,993	52.16
Northwest Consolidated ^f								
Northwest Airlines	6,000	4,332	58.78	61,301	81,000	776,236	55.97	55.97
Northwest Missouri								
Northwest Airlines	1,000	49	57.53	10,344	5,404	36,801	8,730	8,730
West Alaska	1,003	616	16.26	33,830	70,151	70,151	104,500	99.65

^aNot available
Compiled by AVIATION WEEK from public records in the Civil Aviation Board.

STRATO-THERM Tremendous advances have been made recently in temperatures from around 40°F to 400°F in STRATO-THERM. These can be used at home, in and professional environments as well as in applications of MIL-E-2352A.

STRATO-THERM

the cool terminal for
hot planes

*Ask your 4-HP sales engineer
about STRATO-THERM Tankless and
Pumpless water heaters from General Electric.*

STRATO THERM Thermal and Conversion are now available for wire AWG 21 through 30. Our residence is one of the following military specifications:

SHL W7179A
SHL W718078A,5
SHL W718078A,6
SHL W8777 (USAP)
SHL W8777 (USAP)



www.schaeffler.com

AMP®


AIRCRAFT-MARINE PRODUCTS, INC.

General Office: Harrisburg, Pa.

⁸ M. M. Postlethwaite, *East African Studies in the 1930s—Holland 1934* (A Birmingham School of Economic History Paper No. 12) (B.L.U., London, 1971); cf. also M. M. Postlethwaite, *East African Economic History*, Ph.D. Thesis, Princeton University, 1963.

Formula for the FUTURE

$$(T_s + (EF)_c) \times (A_p + I^n) = ARP^*$$



... for reaction motors developing thrust of a few hundred pounds or hundreds of thousands of pounds.

... for propulsion systems installed as primary or auxiliary power for missiles, for piloted aircraft, for launching devices.

... for unprecedented power in the many diversified applications where advanced rocket technology has heralded the beginning of a new era.

* KEY

T_s..... skilled technicians

(EF)_c..... complete equipment and facilities

Ap.... past accomplishment

Iⁿ....unlimited imagination

ARP...advanced rocket power

... for the future developments that will come from RMI POWER ENGINEERING—as they have for the past 14 years.

Forecasting future opportunities are enabled by experienced engineers, physicists, mathematicians and chemists. And research and safety requirements in Employment Managers.

PRIMARY AND AUXILIARY ROCKET POWER FOR:
Missile Systems and Satellites, Aircraft, Target Drones, Ordnance Rockets, Guidance Systems, Launching Devices.

Power for Progress

REACTION MOTORS, INC.
A MEMBER OF THE **SMAR** TRADE
DENVILLE, NEW JERSEY

COCKPIT VIEWPOINT

By Capt. R. C. Robins



A Bid for Realistic Schedules

On Wednesday the Civil Aeronautics Board will consider a proposal concerning an issue: operation of scheduled air-mail flights (AW 121 p. 141). The measure if adopted would require all flights to arrive within five minutes of those published, at least 75% of the time. Flights of 1,000 miles and over must be given an additional margin of 15 minutes.

These undoubtedly will be some opposition. What people are most likely to see there now is not necessarily justified—since it is far that one good. Others believe, however, that no time performance, whether as a result of legal requirements or otherwise, would be a blessing in the industry.

The Board voted in its Draft Release No. 10: "It appears that time can be saved in carrying out certain publishing schedules which do not accurately reflect their actual times of departure and arrival."

In other words, the airline can advertise an airplane as due to the gate at least 15 minutes earlier than it actually will arrive. As required, the five hours need not be fully used; it might require no time except that over the passengers would not be that sensible. Noting that these schedules are not necessarily true, but the practice of dropping minutes is not uncommon. And flights do occur in which on-time operation occurs as little as 10% of the time.

Scheduling by When

Also, it can conveniently be found that a trip taking several stops, even when distance is divided by time, can grow in speed. The answer is not that aircraft performance changes but rather that someone has simply indicated that it takes and arrives at a certain time and that's that.

So who goes? Not the passenger. People travel not to see time, and time controls too often fail to be used consistently. Late arrivals much rating cause them. It is doubtful if ever the value they give for time can outweigh plus time spent manpower utilization, cost of operation and so forth if the schedules are not honest.

Again, the passenger may not always perceive the small significant benefits of such a procedure as is in the field of automated traffic control and related facilities. Many services are available to determine the amount of traffic delays, and future planning is done around this information. But if the schedule can't even be made in VTR, neither then the stations and planning may be wrong. By lengthening these schedules to coincide with fact, the airlines might find it's to their superior interest.

An Approach to Reality

Imagine for instance the last and no. that would be noted if schedules for a normal one-leg trip became two hours, that supposedly 100 airplanes showed up in each 150-mile segment. And the night before during certain months of the year. But if it wouldn't happen for one leg. The airlines, their stockholders, and the public would soon understand that some things were very wrong.

Reactions to delayed flights vary from one with things such as approach lights, runway marshals, ground crews etc. For instance, LeGrande Airports handles a tremendous amount of traffic in Newark, N.J., but the one never knows leading to it is a bottleneck, that causes aerial delays when Number One overall has to wait for a clearance, and holds up the entire operation.

So while there may be opposition to this proposal, I'll bet the passengers would welcome realistic schedules, and in the long run, even the airlines might come to appreciate the benefits. Pilots, of course, would be glad to see them, because the schedule is the basis of one day's work, rest and pay. As "on time" carriers make a big step towards survival goals. Regardless, in this case the ad is a good habit to develop.



*ADVANCED ROCKET ENGINEERING

RMI has immediate openings in all phases of rocket development from design to production for **Engineers**

with experience in the following fields:

Aeronautical Design

Structural Mechanics

Combustion Stability

Nucleonics

Stress Analysis

Rotating Machinery Design
Instrumentation

Electrical Component Design

Aircraft Engines

Thermodynamics

Hydraulics and Pneumatics
Mechanical Design

Broadening career opportunities are also available for experienced physicists, mathematicians and chemists. Good resume and salary requirements to:

Employment Manager:

REACTION MOTORS, INC.
Denville 1, New Jersey





SAYS L. O. Rademich, Superintendant of Communications, Delta Air Lines:

"Delta uses G-E 5-Star Tubes in radar because experience proves they're reliable!"

Every postwar plane we fly will be radar-equipped when Delta's program is complete. In order for our pilots to make full use of radar, the equipment must be dependable at all times. Reliable tubes are one way to assure this.

"We have determined by extensive controlled tests that 5-Star Tubes, built by General Electric, show a low failure rate and outlast standard receiving tubes by a good margin.

"For critical tube sockets, we can recommend 5-Star Tubes, based on Delta's experience. They're an investment in more hours of service from each piece of electronic gear."

* * *

Please your G-E tube distributor for G-E 5-Star Tubes! He stocks the replacement types you need. *Tube Department, General Electric Company, Schenectady 5, New York*

Progress Is Our Most Important Product

GENERAL ELECTRIC

1911-1961



One of America's pioneer scheduled airlines, Delta serves 85 cities in 7 countries with routes that extend from Chicago to Miami and from New York and Washington to Atlanta, New Orleans, and Houston—also into the Caribbean. Delta uses Collins All-Weather Radar to assure smooth, safe flights on its Golden Crown DC-9s.

MISSILE ENGINEERING

Next Satellite Problem: Data Descent

By Robert Cushman

All the scientific knowledge from the 15-month International Geophysical Year (July 1, 1957 to December 31, 1958) will be secured via a radio telemetry link. At present it seems feasible to bring a satellite down through the atmosphere without burning up.

After launching two-revolution satellites into orbits around the earth, the next U.S. effort will understandably be to bring back physical evidence from space. This first returned cargo may only be a few ounces of matter exposed in solar conditions. Later experiments will work back up from this to minimize the load and goal will be a returned satellite.

A plan to recover data from a distant earth satellite is a standard stool laid down by present-day Richard W. Piter, spokesman of the U.S. Space and General Electric consulting company.

Piter's approach is to supply the data capsule—carrying less than 1 lb. complete with a standard stool to steady itself as it enters the earth's atmosphere to prevent severe over-heating. Once this point is entered, even if the sphere is 30° "overheated," the fire padding, down into the sea, it will find well-suited to snuff itself.

Piter has calculated that by using a 7-ft diameter balloon a 3-lb package of material from can be recovered. The film will have been exposed while in




FIG. 1—Recover below table inside satellite section.

VARIATION IN TRAJECTORY WITH SPHERE DIAMETER AND WT.




FIG. 2—Recover descent trajectory from 200,000 ft altitude.

the other, then slipped onto its landing capsule.

The balloon folds up (Fig. 1) inside the vaporized third stage, along with the rest of the satellite. Weight chosen and how far from the earth's center provides frequently quoted as the minimum 4 lb. (allowable) average weight of the satellite vehicle.

The 12-ft diameter rocket and the 5.5-lb. balloon add up to only 7% of the satellite weight. All other items—the locking housing, transmitter, motion recorder may be exposed; gas balloons, amateur and amateur, gas changing and deicing mechanisms, film, film container and camera or other device to expose the film—must stay within the remaining 55 lb.

This satellite will have no source of the other forms of energy given posed by the IGY satellites in order to bring a real amount of exposed film to earth.

Besides the spin stabilized satellite mission in fixed orientation which it will around the earth, the reentered

rocket is aligned to slow the satellite when it has traveled one hundred and eighty degrees of longitude and to the opposite side of the earth from Cape Canaveral, Florida, its starting point. If the necessary power is to start the first satellite rising around the earth the signal could be retransmitted from Singapore, for example. The balloon would bring the film down to the 2000 ft level, where the U.S. Air Force has its film recovery and test facility. Piter believes that if the original signal is accurately timed the final cutting place of the balloon will be within one hundredth mile radius.

If it is decided to orient the re-entering rocket in the opposite direction to that shown in Fig. 1, mission off Cape Canaveral would be possible. The same Air Force missile tracking nets used in launching the satellites could be used in tracking the second.

The reentered recover signal will be the following class of events:

• First at the reentry point film has been used to slow the satellite





FIG. 3—Reentering craft descent rate.



to "speak softly..."

More than a year ago, one of the operating companies of General Precision Equipment Corporation—after nearly 8 years of joint development work with the Air Force—placed in production the most advanced air navigation system known to exist. Called AN/APN-68, the system is based on "Doppler effect," a known natural phenomenon, but one which others had could never be applied to aviation engineering. Its successful development brought to culmination still another notable aviation engineering "first" by a GPE Company.

AN/APN-68 and related systems adapted for specific purposes compute air position with unprecedented accuracy and speed. They work independently of any ground-based reference, optical or electronic, are the only operational systems that are global. They provide a totally needed element in the defensive/offensive power our country must have to speak softly, yet negotiate from strength.

For nearly two years, these systems have been functioning at high and severe center in a substantial number of the Air Force's newest craft. In millions of miles of operational flight they have demonstrated their navigation genius. When put to civilian use, they will guide us home to the remote corners of the globe with equal accuracy. Then, never again need a plane get lost anywhere... in any way.

With all this Doppler positioning capability now being developed in General Precision Laboratory, the systems are typical products of GPE Coordinated Precision Technology. Four other GPE Operating Companies—International Precision Projects, Kearfett and Lissomage—participate with GPE in providing the components that make them possible. All are manufacturing partners of the equipment.

As the chart on the opposite page shows, all of the producing companies in the GPE Group work in highly advanced fields. GPE Coordinated Precision Technology, a basic GPE operating policy, gives each GPE company access to the skills and facilities of the others and coordinates those which are relevant. This coordination has played an important part in amplifying the capabilities of all GPE companies, enabling them to solve highly advanced technological problems with vision. Frequently, as with these AN/APN systems, frontiers of science are pushed back on the way.

The GPE Producing Companies serve more than a dozen major industries. A brochure, "Serving Industry through Coordinated Precision Technology," describes their fields in some detail. It may well suggest products or facilities applicable to problems your company is facing. For a copy or other information, write:

General Precision Equipment Corporation

22 Gold Street, New York 38, New York

**YOUR EXECUTIVE AIRCRAFT
DESERVES THE BEST**



ENGINE OVERHAUL

For aircraft engine overhaul service, Pratt & Whitney Aircraft's Airport Department is "best" for many types of business aircraft. Like many of the nation's leading companies, you can enjoy the advantages and reassurance that go with engine work performed at the factory. It can cost less, too, in the long run.

PARTS REPAIR

Certain types of engine parts repair, such as reworking cylinders or repairing crankcases, require factory facilities and factory methods that are available to you at the Airport Department. Complete equipment for all possible parts repair jobs—large or small—means prompt dependable work.

AIRFRAME OVERHAUL

Expanded service hangar facilities can accommodate even the largest commercial aircraft. Service is prompt. Regular work includes inspections, engine changes, radio and instrument repair, airframe repairs or modifications, and general aircraft maintenance.

For further information
on your particular requirement by mail or wire:

PRATT & WHITNEY AIRCRAFT
DIVISION OF UNITED AIRCRAFT CORPORATION
AIRPORT DEPARTMENT



10000 AIRPORT
HARTFORD, CONNECTICUT




FIG. 4—High heat at 20 km.

down from initial velocity of 25,000 fps to 20,000 fps.

- Reaching of the stationary solid sphere with velocity from the strong, local...
- Releasing sphere from the shifting mechanism and insulation jacket.

No longer able to withstand the earth's gravitational pull, the satellite will fall out of its orbit.

The moving satellite falls out of the orbit in an ellipse, with it reaching its apogee at 20 km and its perigee at 17.5 km—the most critical phase of the mission because Fig. 2 shows the impact of the balloon after it has entered the earth's atmosphere. In Fig. 3, it shows up when it hits the denser air below 200 km above the earth. Fig. 4 shows how it looks up for the same reason.

Now, however, he can check the results and attributes of the three graphs. But the balloon falls so fast that during its 1.5-second free-fall section, a maximum rate of deceleration is reached and comes 10 g's. And...

If it fails to survive the "high of fire," the balloon "parachutes" down in the customary manner to drop into the sea with a conservative terminal velocity of 50 fps eight to 10 minutes after being forced out of its orbit.

The major problem after that occurs is how to get it back to the station. Up to this point, the balloon slows down. At Fig. 4 indicates the temperature at the station goes up to the melting point of standard steel. Nevertheless, Porter feels that three factors will act to save the balloon from exploding as it is at all other objects than sun, which enter our atmosphere from space. One is the adiabatic stability of the balloon, which will cause it to become about 10 percent the high heat temperature of the stationary point over the length of the balloon. The second is the thin exterior coating of Teflon. Third, the melted film will act as a barrier to the heat of the balloon.

Porter can't help but express his hope to believe that Teflon further re-

duces with quartz glass well from a hot sun and protect the balloon from intense temperatures at quartz. Teflon is folded over below the balloon to reduce drag during reentry.

Meteoric damage says Fred E. Whipple, director of the Smithsonian Astrophysical Observatory, may be the Achilles heel of this approach. The danger of puncture by tiny space meteorites at 100 kilometers could send up debris the balloon before it falls below the protective layer of the earth's atmosphere. Butler, who is cutting the possibility, counters the objection by pointing out the balloon would still function to some degree even though peppered by space dust. It could still provide enough time delay despite a certain amount of small holes. He agrees that this is an important "if."

"How would one go about making a foldable stratospheric balloon?" asks Wolfgang Klemperer, Douglas Aircraft Corporation. Although he expresses with readers has convinced him of the value of photographs obtained from high altitude, he is not sure that it would be at all easy to make a stratospheric balloon. Pointing out that following the balloon would be the first step, he says, "I have a suggestion: 300-mm stainless steel balloons, coated with a 0.01-in. layer of Teflon on the inside and the last protective layer of Teflon on the outside. He hopes that it will be possible to fold this out on itself to one-eighth of original size."

Koff, A. Elkins Company, invents a winged re-entry vehicle which can tolerate higher lift than drag to slow itself down. The problem here is that the flight must be stable and controlled.

Reentry analysis can postpone the answer, they still will problem which must be solved. Balloons are more maneuverable than aircraft and they can also point to those of the high-altitude hypersonic fighters to come.

**Heavy Press Operations
Begin in Buffalo and Calif.**

Production operation of a 17,000-ton horizontal and vertical press has begun at Curtis-Wright's plant there. Contract No. 3-A, approximately \$376,000 worth of equipment were shipped to the place during March, including items of steel and stainless steel, titanium and vacuum-machined alloys. Over \$1 million in additional production is planned for this year. The lower press has a capacity of over \$1 billion worth of extrusion metals.

Operation of a 5,000-ton Nichols forging press has begun at American Company of America's Vernon, Calif., plant. The press was built by Schenck, A.G., Dusseldorf, Germany.



Filter Tests Show Important Savings

1,000-hour flight tests of Winslow filters on R-4360 engines by Pan American World Airways indicate savings of hundreds of dollars per engine, for replacement parts and labor.

During the tests, at 9014 ft T.S.O., a piston failed in a filter-equipped engine. Because the Winslow CF® full-flow filter picked up the metal particles, cost of repairs was only \$181.39—the average cost for piston failure on eight other engines was \$1,000 per engine.

Winslow has CAA-approved full-flow filters for most aircraft engines. For engineering data and recommendations for your equipment, please write: Aviation Department, Winslow Engineering Company, 4030 Hollis Street, Oakland 3, California.

**CF® (Centrifugal Pressure) is fully
protected by patents and trademarks.**

WINSLOW FILTERS

AV-56-1

**NOW! Solid Rocket Propellants
from PETROLEUM, by Phillips 66**



Solid rocket fuel emerges from one of many extruders at Air Force Plant 46, McGregor, Texas.

Phillips 66 scientists have put the low-energy of petroleum into power for rocket flight. Petroleum derived materials including ammonium nitrate, synthetic rubber, and carbon black have been combined to produce a new solid propellant rocket motor meeting the most rigid USAF performance requirements without deviations. A family of Phillips propellants is available for use in rocket motors

for JATO, extremely large boosters, guided missiles, and other applications.

Phillips operates "Tessonneau" facilities of latest design for rocket research, development, and production at McGregor, Texas. Our experienced staff is available to consult with the aircraft and missile industries on military problems and newer projects. We invite discussion of technical and production problems.

PHILLIPS PETROLEUM COMPANY
Bartlesville, Oklahoma



Address all inquiries to: Rocket Fuels Division, McGregor, Texas.



Convair Fires Atlas ICBM Engine

Cloud of dust blows up (left) at a test firing of the 150,000 lb thrust retarding chamber of an Atlas ICBM propellant at Santa Susana Field Propulsion Laboratory of North American Aviation's Rockwell Division (AW Apr. 23, p. 37). Nose exhaust from propellant is feed off below. The propellant is a very important torque-generating component of rocket engines. When ignited in rocket engine, the powerful exhaust is discharged into semi-circular ducts, does not spout sideways.



It's
AETCO
for complete
testing of
aircraft components

Aetco has helped some of America's largest corporations with a variety of aircraft equipment and aircraft qualification of products he himself are now producing. See
Write or call.
How Aetco can help you.



**AIRCRAFT EQUIPMENT
TESTING COMPANY**

1806-12 FLEET STREET
BALTIMORE 31, MD.
America's First Independent
Aircraft Testing Laboratory
Hydrostatic, pneumatic, electric (400
cycle, AC-DC) and mechanical
IN FLIGHT TESTING!



have
competence
will travel

To writers electronics where
yesterday's factory is today's commonplace
... a single spark of technical
brilliance is not enough. The need for
soundness and reliability is paramount.
At General Electric, which has earned
its enduring character through seventy-seven
years of progress, this is emphasized
by having seven business units. Similarly, in
the field of aviation electronics
LMEED has established worldwide scope
as a competent contributor to world peace.

The acknowledged ability of the
Eight Military Electronic Equipment
Departments to design, develop
and manufacture reliable electronic systems
and equipment for the most complex
requirements of military and commercial
aircraft, is aided by the resources
of General Electric.

At LMEED... as everywhere at General Electric...
Progress is Our Most Important Product.

Progress is Our Most Important Product
GENERAL ELECTRIC

GEAR MACHINERY
ELECTRONIC EQUIPMENT
DEPARTMENT

SAVANNAH • WILMINGTON • NEW YORK



the distant sun as mighty warbirds streak
Pleasant Edwards flight test center,
has become critical in view of the high
Mach numbers being flown, and the
concerns begin to set up standard
testing procedures for all aircraft in the
area. Another goal is improvement of
and development of a master plan for
tests needs of diesel jet. Project of Naval Guidance Test Station,
Naval Air Station, and Marine Air Station, Mo-
jave, will be the first to benefit from the
master plan, equipment available for
this activity, but it is for such have gone
sheet ASA on its own plan.

- Organizational, headed by Ray Tenhoff, Northrop
- Steering headed by Tenhoff and Joseph Clegg Lockheed, as chairman.
- Legal, chairman by Al Breckers, North American Aviation, which formulated the society's charter under California law to provide for the twelve states.

Ford Mustang served as mosquito
cup with Tenhoff, Ober Behn and
Michael Johnson and John Fitzpatrick
of Convair in nucleus. First suggestion
of such a group was Tenhoff's who
proposed it to Convair, Bell and others.

Charter membership was 67 pilots
from all fields concerned in experience
and test flying at Palmdale and Edwards
test bases. Of these 23 had experience
in digging and seven had digging in
order fields. Four have written degrees
in aeronautical engineering. Their average
age is 34 years, with 10 years in the service.

Since have added Lockheed, re-
engining firm, many service as pilots. At
least half are graduates of Navy or Air
Force test pilot schools.

Their average number of years in
pilots is 17, while the average age is in
the early 30s. Total flight time varies
widely according to whether a man
works as a transport pilot or started his
work with other lessening to fit. The
biggest majority are general aviation

Exhibit chairman is Tenhoff with
Convair, Lockheed and Cal Shoumatoff
of Douglas as members. Officers who
selected will be president, vice presi-
dent, secretary, treasurer, executive officer
and a seven-man board of directors.
Visiting the general session will be open
to members and associate members
while visiting the studios during the
whole week the hall will be open to non-
members.

DC-8 Electrical Systems Ordered from Jack & Heintz

Douglas Aircraft contracted with Jack & Heintz for 510,000 words of com-
pact A/C circuit boards for the DC-8.
Another order exceeding \$100,000 for
A/C systems for the Convair F-102,
bringing the total for this plane to over
\$1 million, was placed by USAF.

XLD
EX-CELL-O CORPORATION

Ex-Cell-O Precision at Production Prices



HYDRAULIC & PNEUMATIC
ACTUATOR ASSEMBLIES



FUEL CONTROL AND
METERING ASSEMBLIES




FUEL NOZZLES FOR
JET ENGINES



JET ENGINE BLADES



MISCELLANEOUS AIRCRAFT AND
COMMERCIAL PRECISION PARTS



JET COMPRESSOR ROTORS

Ex-Cell-O facilities include laboratory control of materials, design and process engineering, machining of all materials, complete quality control to meet the most rigid specifications, and delivery to meet customers' requirements.

For information or a quotation, write or phone the Precision Products Division of Ex-Cell-O.

EX-CELL-O CORPORATION • DETROIT 32, MICHIGAN

MANUFACTURER OF PRECISION METAL FORMS • PLATES • SHEETS • RODS • WIRES • SPRINGS • CYLINDRICAL SPRINGS • BELTS • GEARING • METAL STAMPS


AVIONICS

AVIONICS FIRMS AVAILABILITY

How often do you feel Avionics engineers today encounter with a poor job?	Never or All the time	Each	Most	Worst
Very much	0	4	0	5
Often	3	2	1	2
Alcohol the same	1	6	1	1
Total	0	0	0	8

Based on responses by 11 major avionics companies.

SOURCES OF ENGINEERS HIRED



Number of jobs held by avionics engineers increased as a percentage of total engineer polled.

Why Engineers Change Jobs: More Money,

By Philip J. Kline

Last year 15 percent of the engineers employed in the avionics industry quit old jobs to take new ones. For every three engineers and scientists which the avionics companies had, they lost one.

Higher salary and the opportunity for greater responsibility are the two major reasons why engineers leave. These outweigh all other factors combined. Geographical consideration is third.

That, in a way, is the facts, anyway.

In an *Avionics Week* survey of 15 major avionics organizations, more than 10 percent of the engineers in the industry quit old jobs. This was compounded by a simultaneous exodus of 20 percent engineers selected at random from an Institute of Radio Engineers section.

Avionics engineers started ranged from 10,000 to 100,000 engineers. Of 24 major avionics organizations, only 10 reported net gains of 10,000 or more engineers over the past year. The remaining 14 lost engineers, with rates varying declining to plus 10 percent of the information requested.

Repeating Story

If any loss exists in the figures, it would be natural to assume that engineers leaving the industry had moved elsewhere and maintained the same level. However, two of the 15 firms reporting losses stated that the engineers had left more engineers than they had hired in the past year.

The number of engineers hired during the past year in individual organizations ranged from 100 to 10,000. In some cases, the figures were expressed as a percentage of the staff at the time of the previous year's count from 15% to 95% gain.

To encourage companies to report their engineering staff gains and losses with complete candor, *Avionics Week* invited them that industrial company

hired from each of the various industries of avionics.

- **Competition:** 29%, or 1,800 engineers.
- **Other Companies:** 28%, or 1,900 engineers.
- **New Graduate:** 29%, or 1,100 engineers.
- **Military & Government:** 10%, or 50 engineers.
- **University Facilities:** 11%, or 30 engineers.

Boggs' detailed summary figures for competition, other companies, and new graduates indicated percentages which should work out between the three sources.

The engineers indicate that they had an additional 3,400 engineers to complete with for present market needs. This would represent a 29% increase of their present engineering employment. On the assumption that the firms surveyed employ about 25 to 40% of the total avionics industry manpower, this would indicate an industry-wide need for 6,000 to 12,000 additional engineers.

Job Motivations

What motivates an engineer to take a new job?

Answers. *Week's* questionnaire asked engineers to indicate the percentage of new engineers which they

NUMBER OF ENGINEERS WHO CHANGED JOBS IN 1984 MARKET

Team in the Profession	0-2	3-4	4-6	6-8	8-10	10-15	15-20	Over 20 Overall
Mobile Satellites	84%	26%	38%	83%	99%	28%	14%	25%
Ground Communications	83%	40%	17%	99%	34%	35%	38%	27%
Geosynchronous Communications	50%	19%	25%	87%	19%	10%	15%	14%
Aerospace Components	78%	22%	6%	13%	45%	9%	0%	1%
Space Company	83%	20%	6%	13%	11%	0%	1%	6%
Stainless Company	3%	3%	8%	13%	11%	0%	1%	1%
Computer Equipment and Peripherals	3%	3%	8%	13%	11%	0%	1%	1%
Type Writers	83%	0%	0%	0%	0%	0%	0%	0%
Blank Stationery	5%	4%	3%	5%	5%	0%	0%	5%
Total	100%	100%	100%	100%	100%	100%	100%	100%

*Based on using only first, second, and third choices, and weighing them three, two and one respectively.

** White-is-votes for motivation factors not included in survey form.

ENGINEER AND COMPANY RATINGS OF JOB MOTIVATION FACTORS

	Risk-Free Position	Position Companies	Percent of Total Companies
Higher Salary	1	3	39%
Opportunity for Greater Responsibility	2	1	12%
Geographical Considerations	3	1	12%
Opportunity for Advanced Studies	4-5	3-6	4%
To Work for Large Company	6-7	6-9	6%
To Work for Small Company	8	4	5%
**Company Reputation & Policies	7-8	7	8%
**Industry Work or Type Work	7-8	5-6	9%
To Work with "Name Scientist"	9	6-9	5%

*Based on using only first, second, and third choices, and weighing them three, two and one respectively.

** White-is-votes for motivation factors not included in survey form.

Responsibility

only engineers working for companies known to be active in the avionics field were used. Some names were selected for engineers working in government agencies facilities, such as Rome or Wright Air Development Center.

Of the 300 questionnaires sent out, approximately 25 were returned with no longer being an engineer, indicating that at least 25% of the engineers had changed jobs during the past year.

At various times we asked the engineers "What motivates prompted you to take your present position, and then listed seven possible reasons, with blank spaces available for listing others. Engineers were asked to rate their importance in numerical order of importance. In ascertaining the returns, only the first


three choices were counted.

1 year ago 18,400

Presently employed 18,100

1,400 engineers lost during last year

estimated additional engineers needed



NEW
Bendix
MARKER
RECEIVER
 (1/4 ATR)



Compact...Rugged...Weighs only 8½ pounds!

Now from Bendix*, maker of the world's standard in Marker-Receivers, comes a big advancement—the MKA-7A. Completely new from chassis to case, the Bendix MKA-7A Marker-Receiver is designed for dependable, trouble-free reception of signals from airways far marker, station locator Z markers and ILS approach markers.

Smaller in size, lighter in weight, it is scheduled for use on Pan American Airways' new fleet of DC-7Cs.

Operating on a fixed frequency of 75 megacycles, the MKA-7A features improved circuitry that presents a two-fold function:

(1) Greatly reduces the chance of television or FM interference.

(2) Stabilizes gain under wide ranges of various aerial conditions and line voltage fluctuations.

For further information, contact your Bendix Aviation Radio representative or write the factory direct. Address below.

*Reg. U. S. Pat. Off.

**BENDIX RADIO
DIVISION**
**BALTIMORE 4,
MARYLAND**



- **Antenna introduction:** 22 ohms. Phillips screwing wave soft line from 12 to 22 ft.
- **ARC discrimination:** Audio output in a 4:10 range of off input levels from 400 to 2000 microvolts.
- **Sensitivity:** Receives more than 40 dB below 400 Hz and higher through the 1000-10000 cycle range.
- **Preciseability:** Total Residual noise more than 40 dB below 400 Hz and higher through the 1000-10000 cycle range.
- **Unidirectional rejection:** Differences from adjacent channel interference more than 40 dB at 10000 cycles per second at input levels from 0.1 to 0.5 microvolts, measured.
- **Audio output impedances:** All Power Models: 110 ohms; 400-1000 cps; 16 Vr with 22 ohm load; 400 cps GPO relay control.
- **Power requirements:** DC Power Supply: 12.5 watts dc, 100-1200 cps; 16 Vr with 22 ohm load; 400 cps GPO relay control.
- **DC Power Supply:** 22.5 watts dc, 22-30 cps.
- **Altitude performance:** Operates at atmospheric pressure altitude from 0 to 30,000 feet altitude.
- **Antennae temperature rating:** -40°F to +107°F (-40°C to +40°C).

Specifications subject to change without notice.

West Coast Office:
1000 Wilshire Boulevard, Room 1000
Santa Monica, California
Export Sales and Service
Division: 1000 Wilshire Boulevard, Room 1000
Santa Monica, California
General Offices:
2000 Wilshire Boulevard, Room 1000
Santa Monica, California
Montreal, Quebec

second, and third choices now used, and assigned weighting factors of three, two, and one, respectively.

Here is the sum of the weights and the seven contributions, together with two other factors which received a small consideration, and with one to be included in the totals:

- Higher ratio, 70% of total vote.
- Gain: Responsiveness, 27%.
- Geographical Concentration, 18%.
- Opportunity for Advanced Study, 6%.
- Work for Larger Companies, 6%.
- Work for Smaller Companies, 5%.
- • Congress Registration & Policies, 5%.
- • Advertising Type Work, 1%.
- • Work with "Name Scientists", 2%.

The two categories shown with asterisks (*) were "written in" contributions if they had been had along with the others. It was felt that they might have had higher though this is not technically correct.

Analysis of the 200 questionnaires returned reveals the following in terms of the number of votes spent in the profession:

Percent of total polled	% of votes in preference
1%	0-2 yrs.
7%	3-4 yrs.
25%	4-6 yrs.
28%	6-8 yrs.
13%	8-10 yrs.
11%	10-12 yrs.
10%	12-20 yrs.
3%	Over 20 yrs.

(Note: * Miller power not included.)

The sample surveyed had spent an average of 6.2 years in the profession and had an average of 2.1 jobs during that time, or an average of 4 years per job. A detailed breakdown reveals the number of jobs held:

- One job: 51%
- Two jobs: 18%
- Three jobs: 24%
- Four jobs: 5%
- Five jobs: 3%
- Six or more jobs: 9%

Comments, ratings of motivation factors, using the identical question form,

New 2-TERMINAL

SERIES L-6600

Only 1 1/2" long from lens to terminals, this new Hetherington light gives wide-angle visibility at both standard and edge-of-panel. Uses 6, 14 or 28 volt AN-3140 lamps in a minute mounting so light is "piped" easily throughout the long plastic lens. Lamp circuit insulated from case to meet the needs of electronic equipment. Mount in 1 1/2" diameter hole. Can be supplied with "paper clip" terminals. Also available with 3-terminal, one ground, as Series L-6000.



2
 smaller
INDICATOR LIGHTS
 for compact Aviation and Industrial Assemblies

New "PRESS-TO-TEST"

SERIES L-2300



Here's added safety for critical warning light jobs. Lamp and circuit can be "checked out" before take-off by pressing spring-mounted plastic lens cap. Use same lamp and lens assembly as L-6000 shown above. Lamp circuits insulated from case. Mounted in lightweight machined aluminum case. Mounts in 1 1/2" diameter hole.

OTHER INDICATOR LIGHTS . . . including Hetherington-originated switches with built-in lights are regularly produced in a variety of standard and special styles. Write for Bulletin L-2.

HETHERINGTON, Inc.
 SHARON HILL, PA.

West Coast Office:
129 Wilshire Bld.
B. Segundo, Calif.

HETHERINGTON

INDICATOR LIGHTS • SNAP ACTION SWITCHES
 SWITCHES WITH BUILT IN LIGHTS
 HIGH IMPACT PLASTICS • CABLES • 100E4086

Direct readings of



New 523B
ELECTRONIC COUNTER

- ▲ Extreme dependability
- ▲ Etched, utilized circuits
- ▲ Permits viewing time-interval start and stop points on oscilloscope
- ▲ High accuracy crystal oscillator circuit
- ▲ Trouble-localizer lights
- ▲ Counts pulses of selected voltage level

Convenience of the new *hp* 523B is highest quality throughout. Etched circuits are rugged, ultra-dependable. Circuit are arranged for complex variability. Trouble-localizer lights and plug-disconnecting circuit eliminate further unnecessary maintenance.

Exclusive features include a pulse surge for oscilloscope Z-axis modulation permitting visual identification of the time interval start and stop points on the input waveform measured. There is also a pulse count discriminator counting only pulses of voltage above a pre-determined level, and a high accuracy, high stability crystal controlled oscillator. Controls are ultra-coded, compactly arranged. Readings are direct in clear, bright numbers; decimal is automatic and illuminated.

The broad range and versatile usefulness of *hp* 523B is indicated by the specifications at right. Model 523B is designed for narrow speed and simplicity in measuring periodic waveforms, time, voltage, pulse, power, low frequency, repetition rates, time intervals, pulse lengths, burst speeds,

FREQUENCY

TIME

PERIOD

10 cps to 1.1 MC!

velocity, relay times, frequency ratios, phase delay, etc. With transducer, *hp* 523B also provides local or remote measurement of weight, pressure, temperature, acceleration, etc.

BRIEF SPECIFICATIONS

FREQUENCY MEASUREMENT
Range: 10 cps to 1.1 MC.
Accuracy: ± 1% (over 10 cps to 1.1 MC).
Input: Minimum: Input Impedance: 10 megohms, 100 picofarads.
Dynamic: Input Impedance: 10 megohms, 100 picofarads.
Relay Density: 100 cps to 1.1 MC.

PERIOD MEASUREMENT
Range: 0.0001 sec to 1.0 sec.
Accuracy: ± 1% (over 1 sec), ± 0.005% (100 picofarads).
Input: Minimum: Input Impedance: 10 megohms, 100 picofarads.
Dynamic: Input Impedance: 10 megohms, 100 picofarads.
Relay Density: 100 cps to 1.1 MC. Transistor.
See notes under minimum period.

TIME INTERVAL MEASUREMENT
Range: 0.0001 sec to 1.0 sec. (27.8 sec).
Accuracy: ± 1% (over 1 sec), ± 0.005% (100 picofarads).
Input: 3 pins, AC coupled.
Dynamic: 1 microsec to 10 msec.
Notes: See notes under minimum period and under dynamic range.
—400 to +500 V selectable.

30 cps, 1 KHz, 10 KHz, 1.1 MC. External
trigger input, 100 picofarads. Also 10 KHz.
Variable (0.1 to 10 sec) or intermediate
seconds by manual step. 10 cps to 1.1 MC.
Accuracy: 100 cps to 1.1 MC. 100 cps to 1.1 MC.
Period: 0.0001 sec to 1.0 sec.

STABILITY
 REPEAT TIME
 OUTPUTS
See notes to above section under Power for R. factory
Data subject to change without notice. Price f.o.b. factory



Hewlett-Packard COMPANY
305 Page Mill Road, Palo Alto, California U.S.A.
Cable: HPWRAZT. 100000/12-4917
Sales engineer in all principal areas.

Survey Participants



The following organizations from parties listed in the Aviation Week engineering manpower survey: Defense Instruments Lab., Atlanta, Bechtel, Pacific, Seattle and California, General Electric, Hughes, Lear, Marconi Electronics, Hughes Aircraft, Lear, Minneapolis-Honeywell, North American Aviation (Aviation Division), Sverdrup Associates, Sperry Gyro, Texas Instruments, and Wiesner-Purcell. Eclipse-Pioneer provided partial data. Companies which declined to provide include: A.G. Sperry Flug, G.E.'s Honey-Millett Electronic Equipment Dept., W. L. Marmon, Radio Corporation of America, and Wilson Electric.



FLEXIBLE SHAFT IDEAS for ENGINEERS

Flexible Shafts offer big advantages when power or control goes around turns

Eliminating design and installation problems saves time and costs and improves performance



Requesting free catalog on a *spiral*. *SP* reader is simplified by a flexible shaft, and should qualify for immediate delivery.

A more often flexible shaft can expand existing space and bring savings in expensive structural steel and insulation.

ONE OF THE IMPORTANT ADVANTAGES of a flexible shaft is its ability to operate around turns and under conditions where standard driveshaft designs would make a solid connection either impractical or impossible.

Especially for advanced study right high with respect to design, the first few years in the profession, even universities, were slow in the 30's and 40's. During this period, it's probably talk off design.

Higher safety margins important as a motivation regardless of year, but especially in the 20's and 30's, emphasizing slightly thermal.

Opposition to greater responsibility between a very important consideration also as engineers have been in the profession for about 30 years.

Opportunity to work with "new concepts" apparently does not offer too much incentive to the average to grow at any time in his career; in no

think of your own equipment. Can you see where you could improve it through the use of flexible shafts? Our engineers will be happy to consult with you in making recommendations. There's no obligation, of course.


USEFUL FLEXIBLE SHAFT DATA

Editorial 5000 literature information on how to select and apply flexible shafts. Send for a copy.



FIRST NAME _____
IN FLEXIBLE SHAFTS

S. S. WHITE INDUSTRIAL DIVISION, DEPT. Y, 18 EAST 40TH ST., NEW YORK 16, N.Y.
Western Office: 1038 West Pico Blvd., Los Angeles 5, Calif.



WHAT'S YOUR BALL SCREW PROBLEM?

TEMPERATURE?

CORROSION?

ZERO POSITIONING?
LIGHT WEIGHT?

LONGER LIFE?

CPT Has Solved Hundreds of Them

We've built CPT Aero Precision Ball Screws for operation at sub-zero temperatures...and at temperatures several hundred degrees above zero. Some CPT Ball Screws are 20 feet long; some as short as an inch or so. Some take loads measured in thousands of pounds, some in ounces.

Every CPT Aero Precision Ball Screw is engineered for its specific job. Continuous of

load, speed, input power, output power, operating temperature, service environment and weight limitation dictate its design. However, it's possible that an existing CPT Ball Screw design might be adaptable to your particular requirements with resultant savings.

Let us discuss your ball screw needs while projects are still in the early design stages.



Write for our copy of G-356 for the many problems that have been solved by CPT Aero Precision Ball Screws.

CPT

CLEVELAND PNEUMATIC TOOL CO.

2781 EAST 77TH STREET • CLEVELAND 6, OHIO

Sales engineering offices in:
Seattle, San Francisco, Los Angeles, New Orleans, Dallas and Denver.


Aerospace is the most powerful in the last four years, Aviation Week industry index.

For a breakdown of aerospace for rating as a function of an engineer's experience, see chart, p. 69.

Recruiting Techniques

Despite the hopeful and positive work that has been given to the recruiting of engineers at technical society conventions, Aviation Week's survey indicates that the approach is not yet successful in bringing new engineers into the fold.

Aviation manufacturers rated the recruiting techniques that have proven most effective. The results, based on rating only first round and third choices and weighing those three, two and one, respectively, are:



The "writing materials" and "personal interviews" show above both received a significant number of "write ins."

Compared to a year ago, the supply of engineers appears to be somewhat tighter. In answer to Aviation Week's question, interviewers immediately replied as follows:

- Very much tighter -35% of replies
- Tighter 35%
- About the same 37%
- Somewhat easier 0
- Very much easier 0

A breakdown of return according to company location indicates that the aerospace industry is the tightest on the East Coast. West Coast data at the Mid-West level.

Comments on Motivations

In commenting on Aviation Week's survey, a spokesman for GE's Light Military Electronic Equipment Dept. says, "It has been our experience that it is a combination of motivation rather than a single one" which prompts engineers to change jobs.

"In analyzing the reasons why men leave our department we have been able to see that a particular motivation can greater than another. However, we have found as general that the same things that attract people to us as well as cause us to attract them from us in other words, apparently for greater

Strengthening America's defense of the air...



RADIO RECEPTOR

transmitters integrated
in the SAGE system

With acquisition of the SAGE network we look Radio Receptor's UHF transmitters and receivers prove unique value. Designed to transmit into a complex cutout link between ground and space, their unique track data between each ground stage of this defense program. From the early radar warnings through the final intercept commands, Radio Receptor's transmitters provide the essential communications link for SAGE control.

The UHF transmitter is one of a long series of equipment and systems in the communications, radar and guidance fields developed for the Armed Forces and Industry by Radio Receptor Company. Its critical role in the SAGE program emphasizes our success in meeting rigid design and performance specifications.

Radio Transmitter T-2028/G is designed to transmit continuous 100 watt audio modulated UHF transmitters developed to cover the 225-340 to 370-410 frequency range. The companion Modulator-Power Supply MD-2412A/2K provides the required power source for high level modulations and AC and DC voltages required for stable audio operation.



Engineering Products Division

RADIO RECEPTOR COMPANY, INC.

In Radio and Electronics Since 1922

249 Wythe Avenue, Brooklyn 11, N.Y.

RADIO RECEIVED PRODUCTS FOR GOVERNMENT AND INDUSTRY:
RADAR, NAVIGATION AND COMMUNICATION EQUIPMENT, SECURITY EQUIPMENT,
TELEVISION BROADCAST, TELEVISION RECEPTION EQUIPMENT

"When I want cable
delivered on time,
I call
Packard Electric!"



Packard Electric's large facilities mean prompt delivery of your order—in almost any emergency.

ANYTIME YOU MUST HAVE ON-TIME DELIVERY of aircraft cable, that's the time to get in touch with Rockwell Electric or Morris, Ohio. Here at Rockwell our steady production capacity is some seven million feet of cable—enough to make certain that you order at high or low-tension, flat or flexible, as delivered at the time you need it.

INSULATION THAT IS TOUGH ENOUGH
to **RESIST** abrasion, shifting and reduce
the likelihood of insulation failure. It's another
reason for making Packed your source for

current-carrying cables. And should you need cables that resists the effects of spilled fuel, oil or hydrolic fluid... or cables that stays flexible under extremes of heat or cold without cracking... Packard Electric can supply them, too.

prediction. So why not get in touch with us today about your cookie requirements? We'd be mighty happy to have our engineers address your particular cookie problems. There's no charge or obligation, of course.

IN FACT, A COMPLETE LINE is what makes Packard a perfect single source for all types of orbits—with important savings to you in accounting and inventory requirements. And the price is right, too, because all savings start in Packard's high volume.



Glossary of Selected Chemical and Technical Terminology • Definitions, References and Applications Wholly

Potpourri

Intervening and/or general reasons listed by respondents for having left their previous employer include the following:

- + "Previous employer had respondent's"

- "Enron employees had been 300 staff, financial difficulties were seen as imminent concern. Interested in working for a company that could withstand temporary lulls in contracts."

"We only apply for one job at a time, but why not? I wanted to go to grad school."

"Opportunities to get in on ground floor of a potentially large company."

"Company attitude toward professional people."

"Find direct patient job."

"Ownership participation with new employer."

"Inadequate conditions under previous insurance."

spontaneity, increased jaw and gingival consciousness seems to re-

Spry George says: "During 1955 it was found that the main reason for engineers terminating voluntary welfare opportunity for advancement, (60 cases), is location. During 1955 we increased the ranks of engineers, provided additional educational benefits and spent a great deal of effort in the utilization of and communication with our engineers. These first signs have had the desired problems between 1955-56 in hiring and retaining the desired and well-located.

"The drifting of engineers accounted for one half of our losses during 1958. The current trend of granting engineers' allowances has been of great help in reducing our engineering losses."

"We have found that our termination rates in the 2-3 year experience of migration. This group can almost invariably obtain a salary increase or causing us another reposition. Currently we are examining our benefits and incentives to try to increase the turnover of this group by job hop," Sperry

"We investigate the need for very useful management attention to the plateau's needs in the future (decadal, monthly, etc.) far as to obtain a share of the dwindling supply of grass," Sperry concludes.

Merrill

Of the three major motivators which except an incentive to change jobs, at least two are within the control of the employer: salary and opportunity for greater responsibilities.

Линдон Уинк's вынужден

It company may feel at position
client more attracted from the re-
lating of case histories to the prob-
lem of keeping the men they have re-
cruited contended. The reason is that
a company who loses a good engineer,
a reliable company loses him in a
moment, coupled with the cost of
recruiting a replacement and training
him, may be far more than the cost of
rectifying the conditions which prompt
high engineering turnover.

On the other hand, so long as the

REVIEW *Capitella*, door types from NOAA, NOAA-NPFA and RIM-LU
man Corp., Woburn, Mass. N.J.
and Connecticut. Two new morpho-
logical types are described. Five page key-
word list is included. 23 pp. 1 fig. 1 plate.
Marine Biology, National Algalae Corp., 1422
Private Avenue. Eugene, Oregon expanded
to 100 pp. 1967. \$1.00 U.S. or 1.50
overseas postpaid.



Whittaker Gyro

БИОВИДЕО НЕФРОЛОГИЧЕСКИХ
ФОРМОВАНИЙ
УЧАСТВУЕТ ВЫСТАВКИ
ВСЕРОССИЙСКОЙ

"information." "Automation is the technique of improving human productivity in the processing of materials, energy, and information by offering, to various degrees, elements of automation and of automatically assisted programmed programming."

► CPA Buys British Flight Control—Canadian Pacific Airlines acquired the South African Flight Systems for its four Britannia 318 aircraft. For 1957 delivery, CPA is the first North American operator to select the new integrated flight control (autopilot) and instrument system.

► Datavision Made Easy—The J. B. Keen Co., Inc., 1715 Cleveland Road,

REVISED CATALOGUE of METAL HYDRAULIC CLOSURES for AIRCRAFT

Tubing Seal Cap, Inc. manufactures metal protective closures for handling, shipping and storage of aircraft hydraulics lines and assemblies.



Send for revised catalogues — now,
large size — AM specified items —
recently prior to volume production
— order and delivery information ...

TUBING SEAL CAP, INC. NAME _____

100 W. 26th Avenue
Bala Cynwyd, Pa.

Sales Office
420 Main Center Ring
Des Moines, Iowa

Time copy of the revised catalog
will be sent to you via air mail
promptly at 20 cents.

POSITION _____

COMPANY _____

STREET _____

CITY _____ STATE _____

and, Stats MRC, has proposed a series of recorded lectures and slide films to explain the basic principles of computer operation to non-technical people. Available free-of-charge to colleges, it must be requested by state offices.

► NWA Buys More Radios—Nightflight Airlines has ordered 14 more Models RD811-K, broad-band, bringing its total on order to 21 aircraft. Author also ordered 28 Radios VHF, 56-channel receivers with 90 kc channel spacing, in addition to 55 pre-tuned receivers.

► Convair, NAA Increase Propulsion—Convair and North American Aviation are rapidly increasing their at-

mospheric mobile datacenter facilities. • Convair ordered 14 speed propeller digital computers, at a cost of \$700,000, from Belfort division of Beckman Instruments, for processing flight data. • Convair installations at Edwards AFB, Calif., Patrick AFB, Fla., and San Diego.

• North American has taken delivery of an ALWAC digital computer, made by Logicon Research Inc., for use by its flight test instrumentation group to reduce flight test data.

► New Publications—Two recent reports of interest to avionics engineers are available from the Office of Technical Services, Dept. of Commerce, Washington, D. C.

• "Technical Applications for Electric Torsion in Military Equipment," prepared by Wright Air Development Group, Wright-Patterson AFB, Technical Report 57-1, dated Jan 1955. The report, including EB 111645A, lists application data on 26 table types for equipment designer. Price is \$5.00.

• "Increasing the Reliability of Electronic Equipment by the Use of Redundant Circuits," PB 111549, by C. J. Caudill, Naval Research Lab, Price 50 cents.

• "Circuit Equations for Rectifier and Magnetic Amplifier Circuits," PB 111770, by D. N. Schucker, Naval Research Lab, Price \$1.00.

• "Fast Carry Logic for Digital Computers," PB 111775, by Bruce Goldfarb, J. H. Ponterice and E. Y. Wong, Institute in Advanced Study, Price 50 cents.



Transistor Fuel Gage

High temperature transistored fuel gage capable of operation at 200°C, was released recently under MIL-G-3127, MIL-SPEC. System consists of power unit (U) and indicator, available either in H or dome style, mounted above or below H unit, plus convenient experience took probe. New system can be used also for gauging fuel in mobile wing tank. The Jacqueline Aer. Corp., 1616 St. & Shiloh Ave., Long Beach City, N. Y.

AIRPORT WEEK, May 14, 1958



chooses

Simpson

core magnet

meter movement

for the OMNIMETER

omnirange navigation system



Simpson's advanced Core Magnet Meter Movement is the answer to many aircraft instrument problems. Among its important features is complete self-shielding. There are no strong magnetic fields to cause compass deviation, loss of magnetic efficiency, or the necessity for bulky compensation. Another important quality is its extraordinary resistance to shock—many times that of conventional D'Arsonval meter movements, as shown by tests.

The Simpson Core Magnet Meter Movement also offers light weight and extra compactness. Check your requirements against this Simpson movement today. Write or phone for complete information.

Avionics Division
SIMPSON ELECTRIC COMPANY



Two Simpson Core Magnet Meter Movements are used in the Lear Omnidirectional for the "left side" needle and "right side" needle for the "No-Name" industry.

The Lear Omnidrome is a 2-in-1 instrument for the presentation of VOR bearings.





EN ROUTE TO OUTER SPACE

Today's jet pilot probes the upper reaches of earth's atmosphere. He travels higher, faster, further than any man before him. In the not-too-distant future, manning new types of aircraft, he will conquer the final frontier—outer space. As the demands of sky and mission go beyond human emotion, he increasingly depends on electronic systems to guide him, set his command altitude, and fire his missiles, maximize his communication.

Realizing that the best safety is not good enough for tomorrow, RCA dedicates the full resources of its creative research, design, development and production to aid the pilot as he explores the vast new realm of space.

ENGINEERS—Investigate the numerous opportunities offered by RCA.



DAMNED ELECTRONIC PRODUCTS
**RADIO CORPORATION
of AMERICA**
CAMDEN, N.J.

The illustrations shown here, although the drawing will be accepted for a copyright

NEW AVIATION PRODUCTS



Solar skills help produce guided missiles in quantity



INFORMATION BOOKLET
New brochure on Solar
missile activities—write for a copy
today.

SHOULD MISSILES REQUIRE imaginative engineering and precision fabrication with increasing emphasis on quality? Solar has stressed these attributes for decades in designing and building aircraft components of tough alloys for use under stringent service conditions. In addition, Solar's direct activity in missile programs extends from research and development work through to vigorous manufacture of components—such as external fabrication of fuselages for the air-to-air Hughes Falcon. For more information on Solar's missile production capabilities, write Dept. C-19, Solar Aircraft Company, San Diego 12, Calif.



Logos, trademarks and symbols of all companies and their products, services and facilities—unless otherwise noted—belong to their respective owners.



Air Motor for Missiles

Constant-displacement rotary servo motor operates as alternator and hydraulic pump for an electro-hydraulic supply to power a missile control system. Basic motor weighs 15 lb and develops 275 hp/160 ps at 10,000 rpm. It will perform satisfactorily with 300 psi at rated.

Unit is claimed to be qualified for missile applications over an ambient range of -230° to 850°F and accelerations of 9G.

Pacific Division, Bendix Aviation Corp., 11600 Sherman Way, N. Hollywood, Calif.

dragged to provide engagement with a nesting pin at a point further forward than other contacts used in AN connectors, giving a longer wiping action on insertion.

Product name, specification of pending MIL-C-35190.

Aerospace Plastic Corp., Chicago 30, Ill.



Transistorized Fuel Gauge

Short transistorized circuit fuel gauge measures 100% fuel and is designed to operate as an integral part of a capacitive type measuring system. Gauge can be used with aviation, fuel tanks.

The gauge meets or exceeds applicable sections of specifications MIL-G-3517 and TM85. Power is 115V, 60 cycles.

Liquidometer Corp., 30th St. & Skillman Ave., Long Island City, N. Y.



Aircraft Rotary Actuator

Series R-4200 rotary actuator for aircraft applications is rated at 36 lb in extension and 3 rpm with magnetic brake and adjustable limit switches up to 120 deg rotation. Weight is 18 lb and the dimensions are 2 in. x 2 in. x 7 in.

Thermal protection is optional. The actuator meets specification MIL-A-8054.

Airborne Accessories Corp., 344 Chestnut Ave., Hillside 5, N. J.



Emergency Runway Light

Reliable emergency runway lights operate up to 75 hours without a battery charge, come with different color filters for various applications: runway, taxi way, boundary, threshold and last 1,000 ft. of runway.

They can be connected in 115-volt circuit. With bullet, the weight is about 20 lb. The base is die-cast aluminum. Mfrs. own design. Strategic Air Command and Military Air Transport Service.

Standard Parts & Equipment Corp., P.O. Box 5766, 904 Main, Ft. Worth, Tex.

Valve for Wind Tunnels

"Sommerfeld" motor-driven sampling valve, for transonic wind tunnels, consists of a single piston. It translates linearly to 60 positions. Unit measures



New Stick Grip

Super 16" AN contact design, using No. 16 female contacts, has loaded front for accurate test probes. Used as a unit to shear five pounds per eye-grip fixture. The unit is also subjected to high G loads according to Wright Field officials. The E-3 grip is currently undergoing flight tests. Controls are (1) socket release, (2) four-way bias switch, 90 psi trigger, (3) handle release, (4) autopilot disconnect or nose wheel steering.

Despite its carrying atomic weapons, the F-101A is considered the equipment in the Strategic Air Command. G-E automatic electric system and computing sight help make it one of the most advanced fighters in the air today.

GENERAL ELECTRIC




How G-E Electric System and Gunsight Help



Most components of system include static voltage regulator and control panel.



Altimate engineer H. C. Bowles tested the complete F-101A electric system prior to final airplane installation.



Typical computing sight operation: pilot moves control and sights target in sight.



Pilot keeps enemy aircraft aligned in sight and fires when target is within range.



All cameras prove clear that enemy would have been destroyed.

Make F-101A a Potent SAC Fighter-bomber

- G-E power generating system eliminates 10 pilot functions in start-up
- G-E computing sight permits more accurate weapons firing

The Air Force's new supersonic jet fighter, the McDonnell F-101A Voodoo, is being equipped with a G-E computing sight and an automatic electric system which requires no pilot attention.

Designed with emphasis on simplifying the job of the pilot through use of automatic equipment, which includes a paralleling control furnished by another manufacturer, the G-E electric system begins operating as soon as the pilot starts the engine.

SPINDL TAKE-OFF The control has only two handle switches, which may remain "on" at all times, even when a fault develops. This eliminates a series of 10 pilot functions, and sharply reduces the time to become airborne.

With a generator that can operate at the high temperatures of supersonic flight, and a static voltage regulator that has no moving parts except the relays, the G-E system is designed for

long life and reduced maintenance time. The control panel supplies the automatic control of start-up, shutdown, and maximum selective protection against ground faults, over- and under-excitation, and over- and under voltage.

LIGHTWEIGHT GUNSIGHT HAS HIGH ACCURACY Giving the F-101A high fire-control accuracy for air-to-air warfare is the G-E designed computing sight. It features lightweight and low maintenance due to its simple design. Automatic inputs assure the sight's accuracy for all modes of operation.

For more information on the General Electric power generating system, write Section 110-63, General Electric Co., Schenectady 5, N. Y. If you are cleared to receive classified material, see your nearest G-E Apparatus Sales representative for advantages of the computing gunsight. General Electric Company, Schenectady 5, N. Y.

Progress Is Our Most Important Product

GENERAL  ELECTRIC

**ALL SANBORN
150 SERIES
OSCILLOGRAPHIC
RECORDERS
PROVIDE THESE**

**SPECIFIC
ADVANTAGES**

The unique features distinguishing all ranges of our Sanborn 150 series recorders are evident in the record and copy prints at the right. Economy prints with standard sizes or the wide variety of these options. Standard transports have simplicity in which the user finds no choice of an interchangeable physics type transportation for each channel. Presently available different physical transports now include:



Power Out 150
Record and Copy
In plus the
Power Supply 150
and accessories
from Sanborn for diversity.

Rectangular Coordinate Recording

A Sanborn feature that is especially valuable in aircraft control recording. The use of a 2, 4, 8 or 16 channel 150 mm line can serve to revolutionize aircraft windshields, study an air flow or control power, and then provide short speed tape nearly 1000 feet wide, even during the recording.

Clear, Sharp, In-line Tracings

The all-silence, clean, clear 150 mm height of the Sanborn surface of the rectangular coordinate recording paper. Thermoplastic mounting the black conductive coating to show transients instantaneously, well and fast to memory.

Improved Over-all Linearity

Excellent front panel feedback design of three amplifiers and two shared beam scan range controls due to a combination. Maximum range was established at one of either 0.22 mm over entire 5 mm chart width 0.2 mm.

**INDUSTRIAL DIVISION
SANBORN CO.
118 Massachusetts Ave., Cambridge Mass.**

At present the
Power Supply 150
and accessories
from Sanborn for diversity.



over 14 mm diameter x 58 mm long. The transducer cavity fits several different one-half inch diameter commercial transducers.

Spades are available from one pair per channel to one per minute. An electrical valve position indicator is available for scaling as digital read-out systems.

General Design, 631 39th St., San Diego 2, Calif.

Rectal Conditioner

Conditioning box for developing a temperature range from -70°F to +130°F and for use with solid displacement materials between two heat sinks prior to subjecting them to fractured tests.

Cooling is produced by cascade-type



mechanical refrigeration system, using Freon refrigerant and two compressors. Supplementary cooling is provided by a CO₂ injection system.

Mount & Blanks, El Monte, Calif.

Altitude Simulator

Exceeded flight performance at altitude variations of -1,000 ft to +10,000 ft are simulated continuously by dynamic altitude that incorporates control arrangements permitting it to be simulated directly from an analog computer.

A 946 diameter by 24-in long cylindrical housing can be subjected simultaneously to pressure variation

**An Engineer
Speaks Out...**



**...about the Only
V.H.F. Communications
Receiver**

Model 1000 covers frequency range of 100-1000 mc, has a continuously variable intermediate frequency, and is available in either AM/FM or A-scan modes.

It has a built-in receiver.

Model 1000 Communications Receiver is designed to meet the needs of the military and avionics market and is the most advanced and field ready for the development of electronic communications equipment.

It is a continuous wave receiver.

It includes variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

It includes a variable control with a resolution of 0.1%.

corresponding to 50,000 rpm altitude variations.

Instrument operates from 750 watts of 60 cycle, 115V power.

Color Television, Inc., 513 S. 2nd, San Carlos Ave., San Carlos, Calif.



Lightweight Power Generator

Model 930 series portable engine-driven generators weighs less than 15 lb and are contained in a 1.5-cubic foot package. Unit supplies either 1,350 watts dc or 1,500 watts 60-cycle ac for aircraft electrical systems and requires minimum maintenance. Weight is 15 lb, dimensions 12 x 12 x 18 inches. Price is \$1,100. Order No. 930.

For catalog, write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Genie Corp., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

Or call toll free to the Genie Sales Office, 800 1/2 Franklin Rd., Falls Church, Va. 22046.

Or write to Sales Dept., 1000 Franklin Rd., Falls Church, Va. 22046.

**An Engineer
Speaks Out...**



**...about Design Testing
of Complete Systems**

The test facility, built by Shirley Associates, is a state-of-the-art laboratory and workshop of such a nature that it can develop and evaluate complete systems and subsystems in a single location. The facilities are available to all who are interested in research and development work in the area of communications, space communications, navigation, guidance, instrumentation, and other areas of interest.

Shirley Associates, Inc., 1000 Franklin Rd., Falls Church, Va. 22046, has been selected to conduct the first major test of the new communications system for the Space Shuttle. The test will be conducted in a simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

The test facility is designed to accommodate the Space Shuttle's communications system and will be used to verify the system's performance in the simulated orbital environment.

ALSO ON THE MARKET

Short-circuited Tap-Lok inserts for applications where breakage of material prevents the use of regular length Tap-Lok inserts.—Grove Pro Corp., 1123 Hendredon Avenue, Rahway, N.J. 07065.

Serviceable point tooth casting will ship off quickly in large pieces.—Goldsby Products Inc., 201 1/2 Webster St., New York, N.Y. 10010.

Tap-O-Mate, a rugged flashlight, is designed for search and traffic direction in military and civilian airport installations.

Point tooth casting will ship off quickly in large pieces.—Goldsby Products Inc., 201 1/2 Webster St., New York, N.Y. 10010.

Serviceable point tooth casting will ship off quickly in large pieces.—Goldsby Products Inc., 201 1/2 Webster St., New York, N.Y. 10010.

Serviceable point tooth casting will ship off quickly in large pieces.—Goldsby Products Inc., 201 1/2 Webster St., New York, N.Y. 10010.

Serviceable point tooth casting will ship off quickly in large pieces.—Goldsby Products Inc., 201 1/2 Webster St., New York, N.Y. 10010.

"Mr. Helicopter"

When Capt. William E. Briske overcame 900 wounded men in Korea, ground doctors found a very appropriate nickname for that U.S. Army pilot—Mr. Helicopter.

Capt. Briske flew 187 missions in his Bell H-13 helicopter, often under fire from the enemy front lines, to bring his injured charges safely and quickly back to Mobile Army Surgical Hospital. Some were so severely hurt that evacuation by any other means of transportation would have been fatal.

A native of Lansing, Mich., Capt. Briske's present assignment is as a helicopter instructor in the Army Aviation Center, Fort Rucker, Ala., where he shares his vast combat and rotary-wing experience with the Army's newest flying recruits.



Capt. William E. Briske
Brought the survivors.



The U.S. Army has no fight when it is also dedicated to providing the world's best care for its injured combat troops. The helicopter, as Capt. Briske demonstrated above, guarantees the lowest and most comfortable flying missions. More than 27,000 lives were saved, by helicopter in Korea and the Army will bring more and more on rotary-wing aircraft for the next major conflicts.

BELL
Aircraft CORPORATION
TEXAS DIVISION • P. O. BOX 460
FORT WORTH, TEXAS

"Fly with the Army... Above the Beast!"

ing drawings of high-capacity, simplified filter for gasoline and aviation fuels, etc., Catalog MR-170, Pellek Filters Dept., Case Engineering Corp., Meriden, Conn. Parts catalog, also description of service facilities for corporation and private aircraft, Supply Sales Division, Field Aviation Company Limited, Oklahoma City.

Sizes and shapes of cemented oxide 048, hollow GT-102, and specifications for grade 530 double carbide, Bulletin GT-313, Gibson Department of General Motors Co., Detroit 12, Mich. Applications of vinyl joints including material, booklet, Sales Development, Great American Industrial, Inc., Baltimore, Maryland, Md.

Specifications and dimensional drawings of three types of a-c voltage regulators for 30 KV. engine driven alternators, Indiana, Ind. Divisions, Reliance Industries, Inc., South Pasadena Calif. Design possibilities of rugged vibration proof, flexible vibration damping components, booklet, vibration Company of America, Room 776, 1991 Alvar Rdg., Pittsburgh, Pa.

New Publications

1955 Aircraft Yearbook-Pub. by Lippincott, Prichard & Polk, Inc., 1147 National Press Bldg., Washington 4, D. C. \$6.00.

Continued interest in the growth and developments in military and civil aviation in the nation, a directory of information sources, executives, institutions, organizations and agencies in U.S. aerospace, this annual publication produced during 1955 described in detail with photographs and descriptive text. A valuable compilation of a unique record from the days of flight in the last day of the last complete current official account through the men and the machines, dates and places, please figure.

Transistor Planes as an Aid at Night—Leland Langdon-Pub. at Association Building, No. 37 of the University of Illinois Institute of Aviation, Urbana, Ill. Transistor as Aviation Safety Research No. 403 by the Civil Aerodynamics Division, National Bureau of Standards, which is available from the Office of Aviation Information, CAA, Washington 25, D. C. (The University's bulletin is available on request from the University or from the International Transistor Division of Källa Grupe, Inc., Newark, N.J.)

The editor covers the subject findings of the University's study on how well aircraft pilots can use their subjective facilities for emergencies night landing.

Report of Naval Research Laboratory Programs-Pub. monthly and available through Office of Technical Services,

U. S. Department of Commerce, Washington 25, D. C. \$1.25 per issue.

Antibiotics and "problem water" concerning NASA non-classified research and development in progress.

Physical Metallurgy and Heat Treatment of Titanium Alloys-Pub. by Metal Skokie, Illinois Corp., Niles, Illinois, \$1.00. 32 pp. 10 tables.

Delivery (airmail) plus local transportation and recommended postage.

Handbook of Fastening and Joining of Metal Parts-By Vernon H. Longenecker and Augustus D. Higginson, Pub. by McGraw-Hill Book Co., 333 West 42nd Street, New York 18, N. Y. \$15. Cloth covers, 585 pp. paper covers \$9.95. 39 chapters.

An annual compilation, including



THE MEN IN THE SHOPS INFLUENCED US

"Your impressive customer list—and the many good reports from pilots using your engines—was two reasons we picked Airwork as our exclusive agency. But the most important reason was the confident, capable look of the men we saw working in your shop, the same men that would work on our engines, too."

E. Reed Zimmerman
Chief Pilot
New Holland Machine Co.

Not out of 15 "Million Miles" Safety Awards went to pilots flying Airwork Garberhailed engines.



"4 years and 2150 flying hours with your engines confirmed our choice," says Co-pilot Robert Clark.

Airwork
CORPORATION
Millville, New Jersey



Branches:
AMERIGRASS • ATLANTA
HAWAII • NEWARK



HENRY DREYFUS divided the Lockheed Super G Cabin interior cabin into compartments to eliminate the infinite storage effects.

Comfort in Airline Cabin Design Makes

By George Christian

New York—Designing a custom interior for a medium-range transport can cost \$1.5 million and involve 120,000 engineering man-hours. Airlines and aircraft manufacturers consider this cost excessive if, in return, they get cabin interiors which are attractive and useful for their passengers, and comfortable in which their crews can work efficiently.

Professional designers whose advice is sought by these companies and by business plane operators work with human engineering and cabin psychologists to prevent feelings of discomfort and reduce fatigue for crews and passengers alike.

Among the leading designers are:

• **Henry Dreyfus**: His latest contract is for the Lockheed Trijet.

He also did the interior for the Lockheed Super G Cabin, at the time and manpower cited above. One of his first strength contracts was with Convair for several generations of the DC-8 aircraft.

• **Walter Dorwin Teague**, who designed the interior Boeing's 707 transports.

Teague, retained by Boeing for interior design consultation for the last two years, has been a consultant to such planes as the B-47 and B-52 for cockpit control and comfort equipment, as he worked on the cabin of the Stratocruiser.

• **Raymond Lowey**: He presently still handles United Air Lines' DC-8. His firm has been retained by United for over a year and a半年, giving the airline's DC-8's interior the "Lowey Look." UAL, as Lowey will develop, for three DC-8's, decides to divide planes for the DC-8 and other aircraft.

The Lowey Look is also being handled by United's sister airline, Pan American World Airways, which has ordered 100 DC-8's. The airline's interior designer, Charles Belter, will plan the interior for the new aircraft.

Charles Belter, who will plan the Model 810BD Intercontinental Viking-Vicwest going to Continental Airlines. He has done the interiors of Trans-Canada and Capital Vickers. Belter also acts as consultant to Clean L. Adams, doing design work for the submitted areas of the XP95 Star Motor and B-57 light bombers.

Douglas Aircraft Co., whose ground equipment is under contract to develop a trijet for the United States Air Force's Convair model B-52, J. A. Cross, does not rely on outside designers. Cross's wife, Esther F. T. Belter, chief engineer of Douglas' Safety Research group,

This group was responsible, for DC-6 and 7 interiors. Douglas said that similar housing in place can bring as substantial design consultants as they wish.

Seat Considerations

Dreyfus believes that passenger seat is the most important single control element in the cabin of a transport aircraft.

A passenger is confronted with a host of seats as soon as he enters. During most of the flight, he remains in his seat, fastened in by the seatbelt belt.

As Jaust Trasell of Cornell University Medical College worked with Dreyfus' organization in developing the most comfortable seat possible, Dreyfus has told Dr. Trasell, "Give me the most painful pain and I'll take care of him," he told. A report recently presented by Dreyfus to Lockheed, points out the

good and bad features in airline seat designs.

Designs were based on actual paper prototypes with a seat whose general components were adjustable in height and width. X-ray pictures were taken to show the actual posture a human skeleton assumes when sitting in various positions.

The report details the shape back and seat should take, where head, neck, back, thighs and arms should be supported and what slopes these components should take.

Dreyfus believes that people are accustomed to immobility, not long tubes which are hence proportioned to dashboards. So he has to decide the individual cabin seat compartments. When, he believes, makes passengers feel at home and relax, reducing trip fatigue. Such a science was carried out on the Super G Cabin. Dreyfus believes the number of options should limit, although

he feels a lightweight partition across stretches would be very difficult to install with adjacent light tubes and bright colors are used sparingly, for comfort.

Comfort and sensory are sensations which cabin color and design should consider and Dreyfus believes "earthy" muted colors improve such emotions. The main colors in a cabin are confirming and should be modest. Dreyfus feels, and would use a lot of cream in an airplane when himself is modest.

A prone Dreyfus feels it is something spacious, roomy as insulation insulation, if it works should be bold.

Dollar Sense

by its design

to work it should be inexpensive.

In application, he makes items used by all passengers, such as door knobs, water faucets and light switches, the same kind that everybody knows how to work.

The resulting weight penalty may well be offset by the decreased cost of maintenance. Paint and other gauging factors are often damaged. The photographs, courtesy of the Boeing Corporation, in *United Years*, April 1961, p. 11, show some of Dreyfus' ideas. No Smoking signs appear in all passenger places in non-smoking aircraft; they appear in two or more languages creating a lifeline effect.

Would not an illuminated sign of a cigarette with a long "X" nail through it cause no trouble, since it is to all吸烟者, regardless of nationality, and Dreyfus says, "The first choice of colors for an airplane cabin is predicated, to a large extent, on its taste. If an airplane already has a basic color scheme, let's retain those colors, although we never use the term 'color' in airplane girls have a complete free hand. It is natural, obviously, color schemes which are considered compatible with the climate in which the cabin operates. Better, over which it flies also is a color census."

Tourist's Taste

Walter Dorwin Teague considers that to be the top design theme in cabin design problems.

• Confidence and security must be emphasized in all passengers. This is achieved by eliminating the use of need and what he calls "the tourist



SUPER G lounge uses leather, hickory veneer, birch, silk, cotton, plastic panels.




RAYMOND LOWHEY designed the forward cabin for United Air Lines DC-8.



DC-8 interior aircraft interior prepared by Charles Belter.

QUALITY MAGNESIUM CASTINGS



A MAGNESIUM SAND CASTING at the Dow Foundry. Many kinds of aircraft castings—were quality controls to meet the special needs of the aircraft industry.

...for the Aircraft Industry!

ORDINARY AND EXTRAORDINARY SAND CASTINGS

PERMANENT MOLD CASTINGS

PLASTER CASTINGS

YOU NAME THE CASTING. Dow can supply you with any shape or size required. Specialized expertise techniques rapidly maintain your standards and specifications. Die-castings or thin wall, the best—and lowest—answer to your problems are Dow magnesium castings. Contact your nearest Dow sales office for additional information.

THE DOW CHEMICAL COMPANY
Foundry Sales, Bay City, Michigan



AIRCRAFT ENGINEERS WANTED FOLLOWING POSITIONS

Open For
Immediate
Employment

- Aerodynamicist
 - Dynamics Engineers
 - Electronics Engineers
 - Electrical Engineers
 - Hydraulics Engineers
 - Weight Engineers
 - Stress Engineers
- ALSO
- Mathematicians
 - Physicists

Hayes is one of the largest aircraft factories in the United States, located in sunny South where industrial development leads the Nation. Let your qualifications for any position shown above and send to A. V. Webb, Employment Manager.

Hayes
AIRCRAFT CORPORATION
P. O. BOX 2387
BIRMINGHAM, ALABAMA



recently designed with an innovative DOLY powder metallization finish seen.

look." Instead, he says, "metal and synthetic materials which convey the impression of solid walls and wrinkled stainless or aluminum with the sleek, solid, metallic exterior look of an airplane."

"Glamor and pleasure sensations can be induced in passengers by using various colors—light, high key colors, bright, gay colors, saturated, glowing, soft colors help relax, are lacking of monotony." Tonge thinks that there should be an association in the colors used in aircraft interiors. Colors seen when limited by windowless considerations. Old fabrics were used to drapery or sheared up stiff or pleated. Tonge does not believe in letting the tension over which a plane flies relaxes, the cabin's color scheme the ship will be too high to let tension disappear after passenger.

He believes that any type of cabin equipment should be capable of being cleaned or replaced as a matter of course.

A soft cushion with a springy top surface should be easy to replace. Tonge said that he knows through experience that certain combinations of colors and colors, of light and sparkle, lose unusual appeal.

The 707's cabin is being done in Tonge's Boeing office in Seattle under Frank Del Grotto.

Loungy looking

A B. Bandtner, partner of Raymond Lusk Associates, told Aviation Week that the essential ingredients which his firm wants into airline cabin interior design are: "Use light, cool colors and make it relax, comfortable," he says.

Other points: Loungy blues to stimulate from metallic or wood or possible textures of soft looks. All passenger services should be featured in

NEW PANELOC ROTARY LATCH ADVANTAGES LISTED

BY BELL Aircraft
CORPORATION


The next 135 words of this advertisement comes from
Bell Engineers' letters

L. W. Hennard, Product Engineer:

- Electronic equipment boxes was designed to use the new Paneloc Rotary Latch at a great savings in space and weight, as well as the standard latch.
- Rotary Latch enables to door or panel to fold-in instead of flip-up, solving problems.
- Total消除 no shear operation—latch folds with the rest of a rail and bolt assembly.
- Vibration tests also had no effect on the rotary latches.

F. E. Bassett, Product Engineer:

- Rotary Latch used for top access panel down on Bell's latest vertical stabilizer (VTS) aircraft.
- The new Paneloc Rotary Latch is excellent for blade-down tail applications where maximum access and operating is important of design considerations.
- He emphasizes vibration resistance of locking latches and cost as other factors that caused to Bell's adoption of this new latching.
- Now in use on Boeing's struts, bellows, panels, electronic components.



Write for catalog
and price list for your file

A PRODUCT OF **SCOVILL**

Bell Manufacturing Company, Abbott-Peterson Co.
44-511-Division, Webster, N.Y. Controlled

Packaged landing gear
for Lockheed's
Electra



Since Another First for Menasco!

The nose and main landing gear produced by Menasco for the Lockheed Electra will be delivered as complete pre-assembled, functional systems, ready for installation in the airframe. This includes tires, wheels, brakes, steering system, wiring, plumbing, gear-mounted valves and switches. It is fitting, too, that the Electra, America's first turbo-prop airliner, utilizes the latest advances in landing gear design and manufacture - Unveiling at high heat treat steels - a combination pioneered and offered exclusively by MENASCO, specialists in aircraft landing gear.

First in development, quality, delivery and service



menasco manufacturing company

100 South San Fernando Boulevard, Burbank, California

SPECIALISTS IN AIRCRAFT LANDING GEAR

ther than boldfin. They must be fearlessly grouped so that a passenger can quickly find a vital button or switch. One important factor in keeping to this rule is color. Light colors which passengers will be able to focus on their immediate zones.

On United's DC-8s, Leesey uses, light blue and all-white in dominant colors, with accents of gold and gold.

Each cabin has its own distinctive styling. The lounge cabin is sheathed in white leather, arranged in intimate pods. An oval compass rose and symbols of navigation, are inset in gold in the white leather. Seats of oval leather cushion a circular table edged in brass.

United's DC-7s will follow the same in color scheme and design.

Each DC-7 has also been converted by DAL's available overhauls line at Denver

Bell's Vista

Charles Bell's new, non-smoking, passenger aircraft, "Vista", looks like the inside of a sailing boat. Color schemes, while as yet, followed the whims of an artistic painter's palette.

Thus day has passed ... To make the flying public feel at home in a plane, to turn the fast ride into a "soothing ride", airline companies and airlines are now seeking the means of professional design consultants.

Thus in the trend Bell's Vista Class travel and executive aircraft interior

design, photographs, were very difficult, verging into a camera dream for a book of "Interior Quasimodo's".

On military aircraft, where individual items layout used to be quite haphazard, the services are now stressing the need for harness engineering and color psychology. First formalized in designing extensive orally into auxiliary places, isolated areas, the second involves the use of serial color schemes which will help keep crew fatigue at a minimum.

When the passenger first boards the plane, his intense need to be designed to "make him fit". Thus, when he is seated, layout and color of his immediate surroundings must make him feel relaxed and at ease. He should neither have to strain his eyes nor feel cramped.

To avoid "claustrophobic" sensation, Bell's Vista's "dormitory" compartment, "coach cabinining" colors such as dark blues, browns, and greys. He characterizes what he calls "those colors color combinations such as purple and yellow which don't go in."

Indeed, he says much which suggest gamutromantic and bohemian such as rose, beige and soft green, accented by lime bottle green.

Worm Motel

Bell's uses some metal traps, glorified by soaking, to avoid the blinding of bright, hot metal. This allows him to blend colors harmoniously.



USAF Orders New Cargo Loader

Aerobridge, a new loading device to speed cargo transfer between plane and an freight terminal, will be supplied to the Air Force by Lockheed, Inc., Ternan, Bedford, Calif. First of two units ordered is expected to go into operation at Travis AFB, San Francisco, Calif. Aerobridge is a telescoping, hooded ramp supported by bows mounted on dollies at either end. Each end of the ramp may be independently adjustable between heights of 4 and 20 ft. The ramp is 40 ft long but can be extended to 64 ft. The ramp can be rotated and moved freely alongside a cargo door. The discharge door can be lowered on rails or on solid rubber wheels whose linkage is not escapable.

Linkage aloft!



TELEFLEX® flies in the

CONVAIR
440

Black successor to the famed "240" and "340", Lockheed's new 440 "Starship" incorporates the latest designs in passenger comfort and safety.


Again, as on the many earlier ships, design requirements call for reliable, rugged, durable components, including positive, instantaneous response.

For lightweight Teleflex mechanical cabin controls operate these:

• HYDRAULIC R/T-PADS — Teleflex controls remote valve actuators by-pass hydraulic fluid to remote.

• HYDRAULIC FAIR CONTROLS — Teleflex systems control fluid shutoff valves on the two engines.

• AIRBRAKET CABIN PRESSURE DUMP — Teleflex operates mechanism providing rapid drop of cabin pressure in case of emergency.



Another remote control problem — solved with Teleflex!

Teleflex is a compact, single path control linkage that follows any desired driving motion. A Teleflex remote control unit is used to operate a previously closed cylinder, transmitter, horn, arc, or rotary controllers mounted in a station or remote position. When remote motion is required, the cylinder's bellows are driven by a pump which works and acts as a hydrolic control wheel of the required size.



DESIGN ENGINEERS:
For detailed engineering data write to TELEFLEX INCORPORATED, 100 North Main Street, North West, Ill. 61043, or to one of our offices.

TELEFLEX
mechanical controls

LAWRENCE MECHANICAL



TACAN unit shown with cover removed; plane is a composite model.

tube 78-page road map for jets


An 800-foot carrier may be as hard to find as a needle in a haystack, when the plane seeking it is at 30,000 feet and the time is 0300 hours.

To make the bombing plane a homing pigeon, we build the "AHN-3T" TACAN equipment illustrated above. Its 78 tubes and associated components add up to a self-contained transmitter and

receiver, rugged in its size, resistance and accuracy to pin-point tolerance.

The manufacture of equipment as important and complicated as this demands perfection and nothing less. On the military as well as the home front, Stromberg-Carlson has long displayed the ability to take such problems in stride.

STROMBERG-CARLSON COMPANY
A DIVISION OF GENERAL DYNAMICS CORPORATION
General Offices at ROCHESTER 3, N.Y.



New Service Unit for RB-66

A new aircraft ground service unit, designed by Maxon, Inc., for the Douglas RB-66 twin jet reconnaissance plane and built by General Dynamics, Inc.,

The 3-ton vehicle can supply both ac and dc electrical power, 3,000 psi hydraulic power at 12-15 gpm, and 130,000 lbs. of cooling to service aircraft on the ground.

The low-slung machine is only 5 ft. 6 in. high, weighs 1,900 lbs. and is 20 ft. long. The maximum rate the service unit accelerates from a dead stop to full speed while towing aircraft weighing up to 40,000 lbs.

Designed to be operated by one man, the machine features a telescoping driver's compartment which can be hydraulically reared for quick visibility or lowered for greater safety during operations. The engine is mounted on all fours. The vehicle is manufactured by General Electric Co., Westinghouse Electric Corp., and is in service at Douglas' Tulsa, Okla. factory.

such as service panels and switches, into the plane's soft, cloth background.

Castors, or two of his inventions, Butler likes to use about 100 casters because he feels they help to give a relaxing atmosphere to a cabin.

Near plates provide an interesting and almost unlimited light-weight insulation for cabin decoration. Any number of festoons, glassine bubbles and colored acetate are available.

In evaluating a cabin, the problem is very simple: the carper-make the seats soft, well cushioned and comfortable in a cabin which breathes spaciousness and luxury.

Cabin & Style

Here is how Butler approaches the task of what he calls "getting color and style on the skin."

"We do a standard, for everything we do. We usually start an airplane's interior structure much like cabin fabric, choose soft, in a large extent, by the general look of the interior of the plane,"

Other items considered as determining the final cabin pattern include need and choice of the airline's colors and character of average passengers carried.

But the color choice is knowledge of the psychology of color and long experience in its practical application. Colored color also, he says, often is a spur to evoke either color schemes and fabrics which should produce as passengers the desired reactions of re-

ROTARY EQUIPMENT CONTROLS

for

VOLTAGE FREQUENCY VELOCITY POSITION

MAG-AMP TYPE VOLTAGE REGULATOR

for controlling air-borne alternators, particularly suited to use where extremes of shock and vibration are encountered. With 3-phase, 400-cycle alternators, this instrument delivers:

- No moving parts
- No carbon brushes
- Rapid response
- 4.5 KVA controlled output
- 2.5% no-load/volt-load regulation

The Model 601, shown above, supplies and regulates the field of a 4 KVA aircraft alternator.

FREQUENCY REGULATORS

- High-frequency control
- Service-power performance

Secondarily used in thousands of jet aircraft, Maxson frequency regulators for airborne alternators provide precise control, fast response, and integral correction of frequency deviation from a 400-cycle tuning fork.

These cabin styles should reflect the need with leather door-golds, blues, reds, yellows—such as Eastern Air Lines' "Golden Flyer" colors, which were fashioned by Bradley Earl, vice president in charge of styling for General Motors. (Earl is the close personal friend who has courted between Eastern's Reddick and GM's Earl since the days of GM's predecessor

MAXSON INSTRUMENTS
DIVISION OF THE W.L. MAXSON CO.
49-32 Rockwell Plaza, Long Island City, New York

**Contributing
precision-made
cockpit enclosures to
America's air arm**

The Convair T-37 will help to train tomorrow's jet pilots faster and at less cost. An enlarged cockpit enclosure made by Kawneer gives the instructor and trainee improved visibility. With our knowledge of acrylics and specialized facilities to cut raw, modern plastic, we are prepared to take the complete responsibility for your cockpit enclosure program. Our forming, cutting, drilling, optical testing and glazing to metal facilities are available to produce any part of your cockpit enclosure—free-style only to the complete assembly, waste, wire or phone.

- Cockpit Enclosures
- Major Aircraft Assemblies
- Acrylic Forming and Fabrication
- Jet Engine Sheet Metal Parts and Assemblies
- Miscellaneous Sheet Metal and Related Parts
- Spot Welding

50TH ANNIVERSARY

Kawneer
GENERAL PLASTICS
WILCO DIVISION

For free Kawneer Aircraft Brochure
write for complete description of facilities

For more information contact:
Kawneer Company, Inc., 1000 South Main Street, El Segundo, California 90245.

The Convair T-37 will help to train tomorrow's jet pilots faster and at less cost. An enlarged cockpit enclosure made by Kawneer gives the instructor and trainee improved visibility. With our knowledge of acrylics and specialized facilities to cut raw, modern plastic, we are prepared to take the complete responsibility for your cockpit enclosure program. Our forming, cutting, drilling, optical testing and glazing to metal facilities are available to produce any part of your cockpit enclosure—free-style only to the complete assembly, waste, wire or phone.

company, Zadon Av Transport, Inc. (Rock Island airports) paid nothing for Bell's Golden Falcon work.)

Bells used an flights which were obviously associated with business, such as transcontinental runs, should have more substantial revenue margins.

Second Story

A short walk away from the office, the maintenance airplane underlined the vacuum achieved.

Trans World Airlines has a long list of passenger equipment on the Dennis interior. Among them, the last-minute gate van is a fitting of aviation's past. (Jones suggests anything else over \$100,000.)


Captain Atkins, although having relatively short experience with Bell, indicated that the airline avoided those expenses from passengers. (He adds, "In the short route I have ever run, we've had pleasant surroundings, schools,

and good hospitals and helped charities like that.)

Both airline management, Jack Head and Vickers, indicated that they are happy with their decisions to purchase design exports the task of developing the layout and color schemes of their local airlines.

Bell's design consultant for L. R. Smith for whom he recently completed the Transavia interior, Dick J. (AW Dec. 5, p. 37)

USAF Tests Free-Fall Air Drops



WOOD BOX DRUM can be made in six configurations; it has been dropped from a C-149 (right) at a speed of about 180 mph.



REINFORCED PLATE sheet package in about 80 mph (left), although box is crushed (center), delicate contents are undamaged.



Free-fall air drops may soon become standard operating procedure for delivering electronic equipment to the vital telecommunications network established in the Arctic, according to Capt. Zadon, Inc.

A method for protecting delicate electronic packages against the severe impact of a free fall has been developed by the Brooks, N.Y., company. The boxes are dropped on Arctic ice from an altitude of 1,000 ft. (Bell is actualized in this photo), or drogue plane.

An image of the freefall drop that equipment can be postponed on

the ground much more easily than material packed in earth. Components can be bought up by strong Northern winds, and drop the equipment into remote areas.

The box, which contains no strategic materials, can be made in six configurations. Its cushioning effect is derived from its design; it is possible to need the package to land on a corner for maximum impact absorption while plastic and paper packing give further protection to insure delivery of the electronic equipment in serviceable condition.

The same free-fall technique is readily adaptable to dropping components supplies to stranded or uninvaded areas or to help fight forest fires.

In test at Wright-Patterson Air Force Base last month, the shock absorbing package was dropped from 221 ft. radio transmitter dropped from 140 mph cargo plane, flying at 180 mph. In drogue slowed the package to about 50 mph, at impact on sand, its ground surface damage to the radio equipment was negligible according to the packing company.

THIS IS FOR YOU ... IF YOU HAVE
AN AC GENERATOR COOLING PROBLEM!



SPECIFICATIONS
340/345 Watts, 4/8 Pole Power Factor, 3 Phase, 400 CPS

Type No.	Volts	Phase	Rating	Speed	Weight	Length	Width	Depth
P0010-1	220	3	11	2200 RPM	40	AM-1000 GEN A		
P0010-2	220	3	11	2200 RPM	40	AM-1000 GEN A		
P0012-1	300	3	16	2200 RPM	40	AM-2000 GEN A		
P0014-1	300	3	20	2200 RPM	40	AM-2000 GEN A		
P0020-1	400	3	30	2200 RPM	60	AM-3000 GEN A		
P0030-1	400	3	40	2200 RPM	60	AM-3000 GEN A		
P0040-1	400	3	50	2200 RPM	60	AM-4000 GEN A		
P0050-1	400	3	60	2200 RPM	60	AM-5000 GEN A		
P0060-1	400	3	70	2200 RPM	60	AM-6000 GEN A		
P0070-1	400	3	80	2200 RPM	60	AM-7000 GEN A		
P0080-1	400	3	90	2200 RPM	60	AM-8000 GEN A		
P0090-1	400	3	100	2200 RPM	60	AM-9000 GEN A		
P0010-2	220	3	11	2200 RPM	40	AM-1000 GEN A		
P0012-2	300	3	16	2200 RPM	40	AM-2000 GEN A		
P0014-2	300	3	20	2200 RPM	40	AM-2000 GEN A		
P0020-2	400	3	30	2200 RPM	60	AM-3000 GEN A		
P0030-2	400	3	40	2200 RPM	60	AM-3000 GEN A		
P0040-2	400	3	50	2200 RPM	60	AM-4000 GEN A		
P0050-2	400	3	60	2200 RPM	60	AM-5000 GEN A		
P0060-2	400	3	70	2200 RPM	60	AM-6000 GEN A		
P0070-2	400	3	80	2200 RPM	60	AM-7000 GEN A		
P0080-2	400	3	90	2200 RPM	60	AM-8000 GEN A		
P0090-2	400	3	100	2200 RPM	60	AM-9000 GEN A		

*These generators include a forced air cooling fan that will run automatically at 100% RPM in one level with an additional switch. **This is a standard feature on all Optipel units. ***Canopy must be closed during landing gear extension.

All generators have been designed by Stroukoff's design department to meet MIL-STD-883C requirements for shock, vibration, temperature, humidity, salt spray, dust, sand, and other environmental test conditions.



HIGH-TEMPERATURE AC GENERATORS

meet military class C air-cooled specifications
... offer maximum performance at minimum
size and weight... range from 9 KVA to 60 KVA

These generators are designed as part of complete Red Bank,
high-temperature AC generating systems that also include
magnetic amplifier voltage regulators and system protection
components. For full details, write Red Bank Division,
Bendix Aviation Corporation, Eatontown, New Jersey.



Red Bank Red Bank, NJ 07720, U.S.A.

Circle 10 on Reader Service Card

Electro-Mechanical Division, Bendix Corporation, 2000 E. 10th Street, Los Angeles, CA 90021

ENGINES & MOTORS Generators are available via independent design engineers to work in already built AC and DC power supply and electronic control equipment and distribution systems. Write: Milt Abelson, Airframe Department, 10



PLASPIR Film, which protects optical cue
lens during cleaning, peaks off easily.

New Canopy Process Eases Design Problems

San Fernando, Calif.—A new process permitting a combination of aircraft canopy and other transparent parts to an aircraft shape has been developed here by Plastic Age Aircraft Corp.

First practical application of the process will be on canopies for the Lockheed T-33A and T-33A.

Known as Optipel, the process gives the designer wide latitude in the design of canopy configurations without sacrificing optical properties, according to Plastic Age Aircraft Corp., 1414 Kroc.

The process minimizes the framing of canopy which cannot be free-blown because of their contours, and yet affords the optical properties obtained with free-blown framing. It also eliminates canopy roughness factors and the inherent frequency characteristics of glass and dry contact framing, known as

How It Works

In the Optipel process, the plastic sheet is heated to a temperature just below soft plastic, also known as Optipel. This melting becomes an integral part of the plastic sheet for the framing operation. When the sheet is heated for framing, the control side of the sheet is held against the canopy.

Because Optipel is soft, it conforms to all the imperfections and irregular surfaces that are on the canopy, preventing them from touching the surface of the acrylic sheet.

This allows the sheet to be formed without surface warping from the heat.

After the sheet has cooled the



All the World...

is our Airport

You even ice and snow-covered areas can be utilized as landing fields for aircraft designed to include the Pantobase landing system. A product of Stroukoff research and development, Pantobase will permit landings and take-offs from snow, ice, sand, water and unswept terrain, thereby extending the operational capabilities of the aircraft and reducing the need for conventional airports in many remote and previously inaccessible parts of the earth's surface.



Pantobase—When designed into an aircraft the Pantobase system enables the plane to land and take-off from many types of surface without the use of additional landing equipment.




BLC—Boundary Layer Control as developed by Stroukoff increases the effective lift and delays stalling of the wing, thereby reducing required speeds and distances for take-offs and landings.

Achievement is a tradition at Stroukoff. A leader in the development and design of cargo and transport aircraft, Stroukoff offers challenging opportunities to creative engineers.



Stroukoff

WEST TRENTON, NEW JERSEY



Little things that make PERFECTION



America's fighting planes depend on many little, extremely precise elements to deliver their knockout punch. In GECO Turbojet Engine Controls, real savings points are held in closest tolerance; surfaces are honed to 2-4 micro-inches. Assembled and adjusted with minute care—many of them almost completely under specially designed, heated, high-power microscopes—these measurements control fuel flow with the extreme accuracy required to optimize performance.

Here at GECO we're engineers as well as men—men having know-how and experience—the ability to take things...that bring perfection along closer.

CHANDLER + EVANS

WEST HARTFORD 1, CONN., U.S.A.

PIONEER PRODUCERS OF
TURBOJET FUEL CONTROLS • AIRCRAFT CONTROLS
ARMED FORCES EQUIPMENT • INDUSTRIAL EQUIPMENT

Oxydial coating is peeled off, leaving the surface of the sheet unburnished, with oxydial values fully preserved, Kresser says.

Plastic Age also uses fire-blow and flame dry forming techniques for making canopies. The hot-blow method is restricted to canopies which have a spherical contour.

Canopy Formed

The company intends to replace both its flame and dry forming methods with the new Oxydial process as quickly as the canopies can be made. Kresser points out these shortcomings of the flame and dry forming processes:

- In dry forming, oxydial is exposed to expansion and contraction at the potentially stressed point between the sheet and the die. Relative motion between the sheet and protective material increases the possibility of small oil scratches on the sheet.

- In flame forming, oxydials on the die as in the flame, can move rapidly. Also irregularities in the flame surface frequently cause optical distortion.

If the sheet is being flame-faced by a furnace process, the furnace link or the die also tends to have a distinct hole known as "boff's eye" in the formed sheet.

In comparison, the Oxydial forming allows both to stand during the forming operation and sets in a protective envelope to prevent burning, irregularities and other imperfections, Kresser says.

New J57 Starter

Tested on 707

A new radial starter, which starts a P.O.W.A. J57 turbojet on Boeing's prototype 707 jet transport in 20 seconds without help from ground power equipment, has been flying on the 707 for the last nine months and logged over 250 starts.

Made by Hamilton Standard and Model USA 708-4, it is installed on the 707's number one J57. It is operated



HARTWELL combination static exhaust port (arrow) on Boeing 707's No. 1 Pratt & Whitney J57 engine.

Cold Cathode-Type Tube Used In Timing Control

Precise timing control for electrical resistance welding machines, which require extremely accurate timing, has been developed by Seattle Beam (Boeing) of the new machine is a cold cathode-type tube, the Deletation capable of operating from one to ten Hz. Adding a direct Deletation, the control can be increased to one thousand. A third Deletation will push the count to one thousand, the maximum the machine will handle. Seattle also has developed a new cathode to increase the machine.



...Symbol of Service
to the Aircraft Industry

EXAMPLES OF HARTWELL
RESISTANCE ET DRYING
PRODUCTS BY HARTWELL



The founder came that identifies each batch and hangs both by HARTWELL is now more than a mere trademark.

To us this one word—HARTWELL—on our product speaks a challenge—a challenge to continue building our products to the highest standard of quality and performance required by the aircraft industry.

To you it means tested design, rugged construction, and ample safety factors for long life and dependability—all the things you want in this type of equipment.

Members of Assembly
Plant, Lockheed, and others,
Pitts, and Cessna, Transair,
Sikorsky, and others.
See page 22 for a listing of
distributors and dealers all across the country.

MAIL COUPON

HARTWELL AVIATION SUPPLY COMPANY	
1015 Wilshire Boulevard, Los Angeles 23, California	
Send Illustrated Catalog	_____
COMPANY _____	NAME _____
ADDRESS _____	PHONE NUMBER _____
TELEGRAPHIC ADDRESS _____	TELEGRAM _____
CITY _____ STATE _____ ZIP CODE _____	

How to Do Away With Lock Nuts and Lock Wiring

use **HELI-COIL**
Screw-Lock
Inserts

from this...



or
this...



Screw-Lock Inserts meet AN-M6-
36 and MIL-M-38027 military
specifications for lock nuts.



SCREW-LOCK INSERTS

Products of Helicoil Corporation, Divsity, Calif.

HELI-COIL CORPORATION
220 SOUTHERN RIVER LANE, DIVSITY, CALIF.

- New design inserted available in regular Helicoil
- Reduced thread loads
- Reduced torque design shown on Helicoil Mid-Grip Screw-Lock
- Will your normal application be shown as:
- Send me, FREE, this Fall year issue helicoil catalog.

Filing U.S. Pat. Off.

Name _____

Company _____

Address _____

City _____ Date _____ State _____ Zip _____

Helicoil Corporation has an interesting staff of Product Consulting Engineers. If your company would be interested in a "Closed Problem Symposium" CHICAGO, ILLINOIS, October 1954, call or write.

In CANADA: W. S. MCKEE CO. LTD., 41 Rating Ave., Toronto 16, Ont.

Study Sun Radiation For Weather Planning

Effect of changes in the diameter of solar radiation on tomorrow's weather is being studied by the University of Colorado High Altitude Laboratory at 16,000 feet above sea level.

The first test, \$150,000 long-range study is being financed from private sources. These include mining, oil, corn products, and other American corporations, foundations, and individuals with special interest in improved weather prediction.

Dr. Walker G. Roberts, director of the observatory, said: "Research work of this sort here is to improve strength, resilience, so that solar radiation changes can cause sudden changes in weather patterns. We're beginning to learn how and why these occur."

New Justification

Recent advances, particularly in knowledge of ultraviolet, X-ray and charged-particle effects of the sun's "particle and x-ray attack," on the problems of these nonconventional effects, have been made.

Weather has been considered to be one of the results of sunspot heating of the earth's surface due to changes in the attitude of its axis, differences in the angle of impact of solar rays in different latitudes, differences in the nature of the surface, and other local influences.

Dr. Roberts said the observatory was interested in the long source of the problem of high frequency and particle energy, but that highly practical solutions of applying the science to weather forecasting are now becoming apparent.

Pearl Creek

Boeing and the research program seem to develop enough facts in the next four years to "make possible the forecasting of world-wide such large areas as the western dust bowl or the central Pacific Northwest. By the end of the time, however, knowledge developed in our studies of sun behavior can be applied directly and wholly to weather forecasting. There is good reason to hope field new forecasting tools will result."

Funds are being contributed to the Solar Terrestrial Research Institute of the High Altitude Observatory by American Gas Assn., Shell Development Co., Standard Oil Co. (Ind.), Foundation for Research and Engineering Co., Socony Mobil Oil Co., Gulf Research and Development Co., Texas World Airlines, United Air Lines, Continental Air Lines, American Airlines and Lincoln Rockfeller



airplane
maintenance time
cut 20%

WITH BALLYMORE WORK PLATFORMS

An Atlantic Aviation Service, New Castle, Delaware, says that by using Ballymore Work Platforms for reducing height, less fatigue, platforms save money and cut maintenance time 20%. The platforms are simple to mount and provide easy movement around the engine or other parts of the plane being worked on. And, a single unit can take all your tools with them to eliminate running back and forth.

Atlantic Aviation Service puts several types of Ballymore work platforms, either mag or gripped together so that a number of service men can work at the same time. They feel this is particularly effective for engine repair, propeller, pitot, fairing, fuselage and similar jobs.

All welded steel construction, the platforms will carry one tonne on an angle-tube frame, load-bearing, ball-bearing, swivel joints and lock threads. The units are available in "handyman" or "truck" end. Handheld and ground-handled models feature safety stops on steps and platform fully wired with lighting. Write or wire for information to Ballymore, Company, Wayne 21, Pennsylvania.

BALLYMORE PLATFORMS



AIRPORT WEEK, May 31, 1954



Only four inches wide "Palace" model—17 x 21 x 31"

IN SUPER-SAFE CARRIERS built by Craig


Thousands of America's aerial warhorses — supersonic missiles like Palms, Tomah, Peash, Shrikebird, and Sparrow — are transported safely to their destinations in CRAIG-designed and built missile carriers. Fast preparation for their deadly, delicate mechanisms calls for carriers of import-quality construction ... and that's the way CRAIG builds them.

CRAIG carriers of temporary aluminum (interceptor), special shock and vibration insulation. CRAIG carriers are welded, never riveted. Separately welded after final assembly gives them strength. Pre-drilled, self-aligning mounting brackets ensure a watertight seal — doors close after deep impact, shock, jolt, bounce and road rash — and provide quick, easy access to equipment.

Safety features like those are part of every carrier CRAIG makes. For information on safe-saftey carriers for missiles, components, or for any electronic equipment that must travel fast, clear, white.

Craig SYSTEMS, INC.

Box 14, Brown, Miss-Denver 1870



**More power,
range and payload
for the world's
finest airline
transports**



**NEW
EA-1 SERIES
TURBO COMPOUND**

The newest versions of American's luxury sedans — the Douglas DC-Seven Sixty" and the Lockheed 1649A Super Constellation — are powered by an advanced version of the world-famous Curtiss-Wright Turbo Compound engine. Providing more power for greater loads over race, longer routes, the F.A.I. Seven Turbo Compound develops 3000 horsepower for take-off, 150 extra horsepower for getting heavier loads to altitude faster — extra saving power that increases range to more than 6000 miles nonstop.

Turbo Companys have been selected by 39 of the world's leading airlines. This includes numerous solvency emphasises, the superior economy, efficiency and power of this engine that has now flown more than 73 billion miles with a perfect safety record. Providing advanced reliability as well as environmental aircraft the world over, the Turbo Companys has the greatest fuel economy and highest power-to-weight ratio of any engines of similar size — is designed with still greater power in reserve for the bigger planes and payloads of tomorrow. Future schedules provide for over 100 million miles stat miles per day to be flown in heavy transports powered by the Curtiss-Wright Turbo Companys.

WRIGTH AERONAUTICAL DIVISION
CURTISS-WRIGHT
CORPORATION - WOOD-RIDGE, N.J.

YOUNG WOMEN JOIN THE U. S. AIR FORCE



Берніція: Секрет Дипломатії
зі зв'язку з Народною Радою

for C. Z. Mycetophagous insects late last year. The 14-
15th, present no. of 2,948 collected 4000 ft. by
Andrews. Wild turkey, nothing seen except a small
bird - 1111.

Revised Revised Form Dated 4-14
original issued by Robert E. Weller
and others serving in Building 44-11000
Edmund A. Shambaugh, Chairman of 1,000
copying charges by George T. Webb without
warning or history of a list.

100000 shares by Quantum E Derivative
IT effec. price is 1.000

Заданій Альберт 364. Із якою від-
повіддю відповісти на питання Відпові-
діть під час виконання

For American Bank Mortgagors—The Association of Banks has issued a booklet entitled "How to Protect Your Home by Holding Your Mortgagors Accountable." It contains a sample clause for the "Bill of Rights" mortgagors to add to their contracts.

Although correction and repetition by Action C were effective, alternative methods of dealing

of 3,144 simulations at 8.5% conversion. Bivariate Derrida's measure of entropy to 4.7% conversion will determine breaking a string consisting of 15,000 units as indicated by equation (10).

Westerly Whaling Corp. composed of 300
shares, granted by Westerly G. Collier,
now in possession of a holding of 300.

Brown, John Retiring the. Settlement of 1954
is almost by former law benefited
people making a total of 67,500.
Spence, Ward The Division of Civil
Service review up to date. A former officer
of the Service, he has 1,111 cases.
Trotter, Robert Admits he has Dismissal of
one employee because Mr. G. V. Lewis, official
and attorney, was holding a hearing on the case
of one dismissed employee for William Lee
before either party could discuss making a complaint
or a defense.
Conrad, Almon Says Dismissal of 1,280
employees is not unusual.

Office and Director, Building + Setting, etc.

MISSOURI AND KANSAS, 1860-1865
estimated shares by C. J. C. Smith, without
including a total of 2,415 additional persons.


Washington Barbers Corp. Acquisitions
and expansion plans by John M. Smith,
General manager, a billion at 10,000.

Navy Carriers Ferry USAF Planes Abroad



Keeping U.S. Air Force agendas constant, supplied with new aircraft and replacement parts for flight safety, overall, the U.S. Navy's Sea Transportation Service and a low numbered brigades have formed L173 flights and masters bases Branksome AFB, also known 1954. Major portions of the base has been borne by the Ruislip "strip" covers a U.S. Troops and CAS (Safe) (strip left), one located at Branksome and a North American (Safe) (strip right). The strip was closed down shortly after they F-86s moved in taken over control station, their department (above), while below left, an F-86E taken over based the Troops via a clockwise counter-clockwise F-86Ds. F-86s and T-6s are well down on the Troops' right during January 1954.





Cherry Adds Aircraft Lockbolts to Fastener Line

Lockbolts for the aircraft industry have been added to the extensive line of aircraft fasteners produced by the Cherry Rivet Division of Townsend Company at its plant in Santa Ana, California.

Cherry Aircraft Lockbolts save weight, offer higher clamping action than rivets, more uniform clinch than bolts and nuts. Their use makes possible an effective seal and tight joints with high shear and tension values. Fitting operations are simplified which helps increase production and results in a lower installed cost.

High production applications of the aircraft industry are especially adapted to the use of lockbolts since they combine the advantages of riveting and bolting—eliminate the disadvantages.

For information on Cherry Lockbolts, write for new bulletin TCA-115 to Townsend Company, Cherry Rivet Division, P.O. Box 2357-N, Santa Ana, California.

CHERRY RIVET DIVISION SANTA ANA, CALIFORNIA

Townsend Company

ESTABLISHED 1916 • NEW BRUNSWICK, N.J.

**Here's why the
Scott
OXYGEN
CONSOLE
is standard
on the new
Aero Commander 680**



*** COMPLETE.** Fixed oxygen system supplies as many as five persons — more with dual manifold plugs.

*** SIMPLE TO USE.** Set of crimping sleeves and plug-in masks, both outlet is on ON-OFF valve.

*** LIGHT WEIGHT AND CON-
FACE.** Measures 7" x 8" x 1 1/2". Weighs only three pounds. fits anywhere in the cabin of the airplane. Does not require removable instrument panel space.

Will you send me Scott Oxygen Console
and complete instructions?
Please specify your aircraft.



SCOTT AVIATION CORP.
35-100 New York Avenue
Long Island City, New York 11101
(212) 785-1000 Telex 24-2111

Orange M-2, vacuum reaction studies in the high temperature arc (AF 310001-1)
jet and rocket materials from N.Y. research team sponsored studies of reaction rates of thermal decomposition of organic compounds at temperatures AF 310001-21, 46-102740.

Research at the University of California has shown that the use of a vacuum chamber can reduce the time required for a complete analysis CAP 100001-100, Jan 1955. New York University Washington Square Park, N.Y., has conducted a series of tests on a sample AFSC CAP 100001-1239, Jan 1955. Research at the University of Wisconsin AF 310001-9. Research at U.S. N.Y. research committee of Research on chemistry of intermetallic compounds CAP 100001-1231, Jan 1955.

University of Colorado, Boulder, in the CEC, has conducted a series of tests CAP 100001-100, Jan 1955. Research at the University of Michigan, New York City, N.Y. research committee of Research on the effect of temperature on the physical properties of organic materials CAP 100001-1232, Jan 1955.

California Institute of Technology, Pasadena, Calif., continues its investigation of reactions due to heat and combustion processes CAP 100001-1233, Jan 1955.

Pennsylvania Institute of Technology, Philadelphia, Pa., research to determine temperature dependence CAP 100001-1234, Jan 1955.

Rensselaer Polytechnic Institute, Troy, N.Y., research on the effect of temperature on the physical properties of organic materials CAP 100001-1235, Jan 1955.

Massachusetts Institute of Technology, Cambridge, Mass., research on the effect of temperature on the physical properties of organic materials and reactions CAP 100001-1236, Jan 1955.

Princeton University, Princeton, N.J., research on the effect of temperature on the physical properties of organic materials CAP 100001-1237, Jan 1955.

Wright Research Laboratory, Wright-Patterson Air Force Base, Ohio, research to change ionizing energy requirements of hydrogen CAP 100001-1238, Jan 1955.

State University, New Haven, Conn., research on the effect of temperature on the physical properties of organic materials CAP 100001-1239, Jan 1955.

University of Illinois, Urbana, Ill., research on the effect of temperature on the physical properties of organic materials CAP 100001-1240, Jan 1955.

The University of Texas, Austin, Texas, research on the effect of temperature CAP 100001-1241, Jan 1955.

WICHITA AIR NATIONAL GUARD, Wichita, Kan., research on the effect of temperature on the physical properties of organic materials CAP 100001-1242, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1243, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1244, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1245, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1246, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1247, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1248, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1249, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1250, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1251, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1252, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1253, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1254, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1255, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1256, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1257, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1258, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1259, Jan 1955.

Mississippi State College, Starkville, Miss., research on the effect of temperature on the physical properties of organic materials CAP 100001-1260, Jan 1955.



NEW CHERRY "700" Aircraft Rivet

Gives More Effective Fastening

A new, more effective fastener for the aircraft industry has been developed. The new rivet is now being produced at the Cherry Rivet Division in Santa Ana, California. Designated the Cherry "700," the new rivet provides a wide grip range, positive hole fill, high clench, uniform shear retention and positive 100% positive inspection.

The "700" rivet is versatile and in many cases can length of each diameter will cover all thicknesses of material. Also, the sheet holes are not set in and with either rivet or bolt the design allows for positive hole fill even in oversize holes. The sheet design adapts to fit the hole which affords high shear retention independent of hole size.

The interior of which the "700" rivet is set provides high clench by drawing the sheets together

tightly and uniformly. When the "700" rivet is set, the sheet shoulder protrudes above the rivet head. This shoulder is designed so that the sheet upset is properly formed, the sheet hole is filled and the rivet is properly set.

This latest fastener advancement is a typical example of how the Cherry Division has paved the industry with new and improved fasteners and the tools and accessories for applying them—all of which are designed, developed and produced in the Santa Ana plant.

The plant is devoted exclusively to the manufacture of products for the aircraft industry.

For information, write for the new Cherry "700" bulletin to Townsend Company, Cherry Rivet Division, P.O. Box 2357-N, Santa Ana, California.

CHERRY RIVET DIVISION

SANTA ANA, CALIFORNIA

Townsend Company

ESTABLISHED 1916 • NEW BRUNSWICK, N.J.

© 1964 The Townsend Company, Inc., Cherry Rivet Division, P.O. Box 2357-N, Santa Ana, California.



FEATURES OF JOY AXIVANE FANS GIVE SPACE-SAVING VENTILATING SYSTEM

LOCKHEED'S SUPER CONSTELLATION features a "packaged" air conditioning assembly built right into the aircraft. This space-saving ventilation was made possible because of the compact, in-line design of the Joy Axivane Fan—an integral part of the system.

Airplane fans are space-saving characteristics, the Joy Axivane Fan was selected for this job because it produced the largest air volume with the least power consumption, required little duct work, and contains the simplest electrical control assembly.

Because Joy Axivane Fans are insulated at the face, they can be located in any part of the plane that has

deicing. Light-alloy magnesium and aluminum construction, low weight but give the greatest vibration-resisting and shock-resisting strength.

FROM 30 CFM TO OVER 6000 CFM in the range of sizes of Joy Axivane Axial Fans—available from 10 ounces to 50 pounds, Joy Axivane Axial Fans are working, today, in Goemann, North American, Douglas, Martin, and Sikorsky Aircraft. You can put them to work in yours, too. For details write **Joy Manufacturing Company, Oliver Building, Pittsburgh 22, Pa. In Canada: Joy Manufacturing Company (Canada) Limited, Galt, Ontario.**

Write for FREE Bulletin 79-59



All Joy Axivane aircraft fan designs are built to customer specifications. Write for free catalog over to **JOY MANUFACTURING COMPANY, OLIVER BUILDING, PITTSBURGH 22, PA.** Our wide range of performance ratings and sizes are guaranteed.

Consult a Joy Engineer

www.joy.com

JOY
WORLD'S LARGEST MANUFACTURER
OF VANE-AXIAL FANS

1000 ft. headroom. CTRR P.R. MA-4410070
1100 ft. headroom. CTRR P.R. MA-4410071

Leopold Corp., Inc., 1000 Webster Street, San Leandro, Calif. 94577, U.S.A. and
are also available: HEPA P.R. MA-4410072
P.R. MA-4410073

Alcoa Corp., Lyndon, N.Y. 14214.
B. Alcoa Corp., independent distributor
of aluminum products, 1000 ft. headroom
and 1000 ft. headroom. CTRR P.R. MA-4410074

Brown & Root, Inc., 1000 ft. headroom.
Pittsburgh, Pa. 15222. Repair of both
units. CTRR P.R. MA-4410075

Carrier-Milwaukee Corporation, W.H.M. Association, Div. Westinghouse, 1000 ft. headroom. CTRR P.R. MA-4410076

Westinghouse Electric Corp., 1000 ft. headroom.
Pittsburgh, Pa. 15222. Repair of both
units. CTRR P.R. MA-4410077

Electric Industries Corp., Morristown, N.J.
1000 ft. headroom. CTRR P.R. MA-4410078

Furness Corp., Philadelphia, Pa. 1400 ft. headroom.

General Electric Co., 1000 ft. headroom.

Honeywell, Inc., Minneapolis, Minn. 1000 ft. headroom.

Imperial Metal Products, Inc., 1000 ft. headroom.

Johns-Manville Corp., New York, N.Y. 1000 ft. headroom.

Kennedy Engineering Co., Inc., 1000 ft. headroom.

Leopold Corp., Inc., 1000 ft. headroom.

McDonnell Aircraft Corp., St. Louis, Mo. 1000 ft. headroom.

McDonnell Douglas Corp., St. Louis, Mo. 1000 ft. headroom.

Metropolitan Life Insurance Co., 1000 ft. headroom.

National Cash Register Co., Dayton, Ohio. 1000 ft. headroom.

National Gypsum Co., Chicago, Ill. 1000 ft. headroom.

National Lead Co., New York, N.Y. 1000 ft. headroom.

National Steel Corp., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.

National Zinc Co., New York, N.Y. 1000 ft. headroom.



Every excess ounce costs its weight in Gold!

Excess aircraft weight is estimated to cost \$100 a pound in terms of
maximizing strength and performance... or just about the cost of gold!

It's a high price to pay for needless weight—particularly unnecessary weight.
But Leland inventories average many pounds less than military weight
specifications. Yet they meet or surpass all other military specifications.

Take a look at the chart below. See the weight savings Leland engineering
skills make possible. Bring your AC or DC power supply requirements to Leland.
And see why, in aircraft power generation, Leland leads all others.

\$8,000 W. Inverters to MIL-T-803E

Unit/P.W.	Weight Requirements	Unit Weight	Weight Savings
SE-152	MECHANICAL/CFR Type MIL-S	45	4 lbs. or \$1,000
SE-165	MECHANICAL/CFR Type MIL-S	50	4 lbs. or \$1,000
SE-202	MECHANICAL/CFR Type MIL-S	65	8 lbs. or \$1,000
SE-224	MECHANICAL/CFR Type MIL-S	75	8 lbs. or \$1,000
SE-229	MECHANICAL/CFR Type MIL-S	85	10 lbs. or \$1,000
SE-231	MECHANICAL/CFR Type MIL-S	95	12 lbs. or \$1,000

Or greater weight if required for the applicable aircraft.



THE LELAND ELECTRIC COMPANY

Dayton 1, Ohio
Division of AMERICAN MACHINE & FOUNDRY COMPANY

Current Openings

NOW EXIST IN THE
FIELDS OF:

CIRCUITRY
MICROWAVES
SERVO-MOTORS
MAGNETIC AMPLIFIERS
DIGITAL COMPUTER PROGRAMMING
FIRE CONTROL SYSTEMS
OPTICS
PROCESSING
TRANSMISSIONS
WAVELENGTH COMPUTER DESIGN
ROTATION
BASIC DESIGN
FIELD SERVICE
INFRA-RED

TO APPLY

Send resume of
education and experience to:
Technical Director, Box 325
Westinghouse Electric Corp.
2500 Williams Street
Baltimore 3, Maryland

YOU CAN BE SURE...IF IT'S
Westinghouse

spoke and component parts. 864-873, 874
EP-1 1991-1992 157-175

Parkin-Drake - 4400 - Worldwide down
hole and surface optical measurement instru-
ment systems. P.O. BOX 1-102-2011. Tel:
970-262-3000.

Paragon Design Technologies Corp. - 2000 Images
Avn., San Angelo, TX 76901. High speed
magnetic core memory. P.O. Box 860 875-1
Christian, July 1992 issue.

WALTER RÖHRS, D.R., Berlin AFB, Germany
Abstract-Pulse CO₂ lasers can produce structures of considerable laser beam position and orientation resolution (HFR/16) (local resolution 1.2% to 2%).
Key words: CO₂ lasers, HFR/16, 2D/3D resolution, HFR/16, 2D/3D resolution, HFR/16, 2D/3D resolution.

JOHN WRIGHT, Ensign, Cushing & J. Corp., Rockville, Maryland, and manager of materials processing division, PRC/Institut, Glendale, CA.

REVIEWERS Reviewers' names or initials are listed in the *Table of Contents* following each article.

Area Environmental Team British Steel propone la
suspension de la licencia ambiental de la planta de
Horní Slavkov (República Checa) para la construcción de
una planta de tratamiento de residuos.

B. C. Cooper, 1861-6 Michigan air
gunner at the American submarine base,

Scandinavian American Arbitration Inst., 17114
Elmwood-Bluff 39188, presents their arbitration
service brochure on file at仲介会館

THESE CAREER ADVANTAGES

- CREATIVE OPPORTUNITIES ON
ADVANCED PROJECTS.**
Typical of the advanced projects at the Bellarmine Division is the guidance and control phase space wavelet development for the MM-98 DOMARD, a planned interplanetary mission.
**UNLIMITED OPPORTUNITIES FOR
ADVANCEMENT.**
YOU CAN PURSUE BOTH M.S.
AND PH.D. WORK AT COMPANY
EXPENSE.
**TOP INCOME AND COMPLETE
EMPLOYEE BENEFITS.**
**EXCELLENT HOUSING FACILITIES
IN OUR IDEAL GEOGRAPHIC
LOCATION.**



date 1970 at 1970 fiscal year end Producers (including affiliated and unaffiliated) \$480—\$490 million. Budget of three joint divisions of New Hampshire, Inc.—Lynnwood Advanced Development Division—in production, engineering, development, software components, and platform parts.

Avco Lycoming
lifts America
into a
new era of flight

A few moments from now, gold
whalebirds will alight you shift, speed
you hundreds of miles away... and deliver
you—narrator later—a *few days* from
your destination.

To give America the new get-up-and-go, Alcoa's Licensing division is readying sure, dependable power in unprecedented volume. Today, engine built by Licensing drove more "long-haul" trucks than engines in the world. And Licensing scientists, who recently created the first gas turbine for "long-haul" use, will be the Army's new utility Bell XH-46, eventually replacing ten aircraft at "vortex power."

Helicopter travel—like private business flight—is one of the great American possibilities being hastened toward general reality by the unique power of Lessening.

Please contact, "Helicopter Power Plants,"
as far help as my problem involving previous
work, please re-write to Avco Defense
and Industrial Products, Stratford, Conn.

BUDGETS WANTED Rewarding entries for outstanding rates. Write to Vice President, Industrial Relations, Stratford, Conn.

2004-2005 ANNUAL REPORT OF THE STATE INSURANCE COMMISSIONER, BOSTON, MASSACHUSETTS
2004-2005 ANNUAL REPORT OF THE STATE INSURANCE COMMISSIONER, BOSTON, MASSACHUSETTS

defence and industrial products

TRADE & INDUSTRY DEPT., 1980-1981. THE BUREAU OF INVESTIGATION, 1980

YOUR FUTURE IS... NOW...AT **CONVAIR** **FORT WORTH**

It's a bigger and better future, where you choose a career at Convair - Fort Worth setting new standards of achievement in aircraft design and development.

Convair engineers enjoy full freedom in exercising creative ability and are supplied the finest technical facilities with which to carry out assignments. Convair engineers receive professional recognition by management in the form of award achievement.

The skills of all Convair engineers are required daily on special projects connected with supersonic flight, rocket and missile power. A diversified choice of engineering fields is offered to you at Convair - Fort Worth. You are given extensive training required for your specific field while on full pay. Convair - Fort Worth also offers you the opportunity to further your education on the graduate level without cost to you. Convair employee benefits are top in the industry, offering you life insurance protection, hospitalization benefits for you and your dependents, and an outstanding retirement plan.

IF YOU QUALIFY, YOU CAN ASSIST US IN SOLVING SOME OF THE MOST INTRIGUING PROBLEMS OF THE FUTURE IN THESE AREAS:

PROPOSITION

Aircraft Analysis • Solid Aerodynamics • Transonic Flow Studies • Flight Flow • Skin Friction and Normal Force Prediction • Aerodynamic Cooling and Air Conditioning

PROPELLER DESIGN

Electrical Control Systems and Power Distribution Design • Multi-Mode Design • Propulsion Control Systems • Aeromarine Design • Propeller Thermodynamics, Roll and OM System Design • Motor-Driven Components • Fluid Dynamics System Design • Aircraft Propulsion and Special Electronic Systems Integration

ENGINEERING TESTS

Wind Tunnel • Vibration • Design • Technical Electronics • High-Voltage and Precision Components • Solid State • Clean Room • Acceleration • Dynamic • Electrical Behavior • Strength and Durability • Instrumentation Testing

OPERATIONS RESEARCH

Systems Analysis • Operations Research • Air Traffic Control • Weather • Navigation • Space Communications • Radar • Cost Analysis • Weight Systems • Manufacturing and Assembly Process Planning

PAGE

usually extra assignments in the areas of AERODYNAMICS, AEROPHYSICS, STRUCTURAL ENGINEERING, AND ELECTRONIC EQUIPMENT AND DEVELOPMENT. Write now for complete details.

Address inquiries to: 1940 Main Street

MR. H. A. HORNER
Engines by Peacock, Technical Employment
CONVAIR FORT WORTH 76101



CONVAIR
FORT WORTH



* A DIVISION OF GENERAL DYNAMICS CORPORATION *

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-121; F-122; F-123; F-124; F-125; F-126;
F-127; F-128; F-129; F-130; F-131; F-132;
F-133; F-134; F-135; F-136; F-137; F-138;
F-139; F-140; F-141; F-142; F-143; F-144;
F-145; F-146; F-147; F-148; F-149; F-150;
F-151; F-152; F-153; F-154; F-155; F-156;
F-157; F-158; F-159; F-160; F-161; F-162;
F-163; F-164; F-165; F-166; F-167; F-168;
F-169; F-170; F-171; F-172; F-173; F-174;
F-175; F-176; F-177; F-178; F-179; F-180;
F-181; F-182; F-183; F-184; F-185; F-186;
F-187; F-188; F-189; F-190; F-191; F-192;
F-193; F-194; F-195; F-196; F-197; F-198;
F-199; F-200; F-201; F-202; F-203; F-204;
F-205; F-206; F-207; F-208; F-209; F-210;
F-211; F-212; F-213; F-214; F-215; F-216;
F-217; F-218; F-219; F-220; F-221; F-222;
F-223; F-224; F-225; F-226; F-227; F-228;
F-229; F-230; F-231; F-232; F-233; F-234;
F-235; F-236; F-237; F-238; F-239; F-240;
F-241; F-242; F-243; F-244; F-245; F-246;
F-247; F-248; F-249; F-250; F-251; F-252;
F-253; F-254; F-255; F-256; F-257; F-258;
F-259; F-260; F-261; F-262; F-263; F-264;
F-265; F-266; F-267; F-268; F-269; F-270;
F-271; F-272; F-273; F-274; F-275; F-276;
F-277; F-278; F-279; F-280; F-281; F-282;
F-283; F-284; F-285; F-286; F-287; F-288;
F-289; F-290; F-291; F-292; F-293; F-294;
F-295; F-296; F-297; F-298; F-299; F-300;

Convair F-106 jet fighter (FPR-146-04-00);
Convair B-58 Convair, Inc., 1958; Convair Avro-
Vickers V-3000, 1960; F-102A, 1960; F-105
Thunderchief, 1962; F-106; F-107; F-108;
F-109; F-110; F-111; F-112; F-113; F-114;
F-115; F-116; F-117; F-118; F-119; F-120;
F-



DOES LABORATORY FLYING INTEREST YOU?

The laboratory groundwork involved in proving the flight characteristics of a new aircraft design provides a wealth of interesting experience to test the ingenuity and ingenuity of brilliant Engineering minds.

Qualified Engineers who are interested in career opportunities of unusual scope are invited to inquire for further information.

R.D.V.P.
JIM WADE
ENGINEERING PROFESSIONAL PLACEMENT
LOCKHEED
AIRCRAFT CORPORATION DEPT. AWP 204
731 Peachtree H. E., ATLANTA, GEORGIA

Military Takes Over Argentine Airline

SANTIAGO AIRPORT. The Argentine government has placed the state-controlled Aerolineas Argentinas under the jurisdiction of the Aviation Ministry. It had been run by the Ministry of Transport since 1948.

The Minister of Aviation, Art Comandante Julio Cesar Krause, in a press conference declared that the government will administer the airline.

"The situation has been taken," he said, "to end a strike campaign which has greatly impeded the development of air transport in the country." He added that the move was also intended to curb manipulation of the airline by private capital, presently foreign.

Art Comandante Krause said that airline personnel may be called upon to "resuscitate" or renew Aerolineas Argentinas, but that only civilian pilots will fly planes outside Argentina. All existing commercial agreements and investments will be respected, he added.

The airline now is entering a 45-day period under a civilian administrator personally for managing the airline's operations and books. During this interval, Krause said, no vital decisions as to the future of the airline will be taken owing to the minister's personal assumption, he added, that otherwise the airline's plans and resources will be held in abeyance until some future date.

Heading over the ocean to the Air Ministry is several times as fast as one of the recommendations of Dr. Radul G. Poreshch, economic advisor to the Argentine government, who advised that the line be sold to private capital.

By the end of the year, engine, Avionsud Argentina had piled up a deficit estimated at well over \$100 million pesos (\$10.5 million dollars) at the effect of 18.5 million miles. The line was losing money at the rate of \$120 per flying hour in 1955.

Operating statistics show that planes of this line fly an average of 3 hours 25 minutes a day during 1953-55, as against an associated average of 10 hours per day. In 1955 and 1956, according to unofficial figures, the average went down below three hours per day per plane.

Aerolineas began in 1946 with 44 planes and was 90 planes including 17 DC-3s, 5 DC-4s, 5 DC-6s, 4 Convair 240s and 7 Short Sunderland flying boats.

Net worth is estimated by the insurance underwriter at 1,000 million pesos, (about \$55.6 million) at the official exchange rate of \$25 million at the last market rate.

INDIVIDUAL PROFESSIONAL DEVELOPMENT

for engineers

in
supersonic propulsion

Marquardt, the leader in supersonic propulsion, has announced a program of Individual Professional Development for its engineers. You can help us measure the leadership of our future of supersonic propulsion.

I.P.D. gives our engineers a chance to advance in their assignments positioned in solid rocket fields; and those beyond... in a climate of continuing professional growth from a place overseas and more than fifty current contracts in Southern California's leading aerospace industry being added.



I.P.D. offers an in-depth and aggressive basic industry company training program so that a great each engineer an opportunity to grow and plan his development toward his own goal and on his own time表.

Joining us follows a job placement procedure being added.

I.P.D. is part of an overall expansion program which anticipates a marked increase in our engineering and research staff. This serves tremendous additional opportunities for advancement. You are invited to desire an appointment. Write for details.

marquardt AIRCRAFT CO.

Attention: Professional Personnel
Individual Education Department • 10555 S. Jersey St., Phila., Pa.
MARQUARDT HAS THE POWERPOINT FOR THE SONIC AND SUPERSONIC Missiles



How anti-icing "NESA"® windshields are used in the Convair F-102A



A report from

THE PITTSBURGH AIRCRAFT GLAZING FILE

The Century F-102A all-weather supersonic jet interceptor has been assigned the job of stopping enemy bombers before they reach major U.S. targets. It's the world's fast delta-wing aircraft, and is capable of exceeding high operational altitudes.

PPG electronically-heated NESA windshields with metal insert Flexfoil® edges, give the F-102A improved visibility and safety. The windshield consists of 1/8" and 1/2" thick glases of tempered polished plate glass with a 1/2" vinyl filter. Electrical current, carried by the NESA coating of the inboard number of the outboard glass, prevents ice formation and gives freedom from frost and fogging.

Pittsburgh Plate Glass Company makes all types of glass for aircraft applications. A Pittsburgh technical

representative will work with you on any aircraft glazing problem, to help you develop the proper glass combination to meet the specific requirements of your aircraft design.

For more information write to Pittsburgh Plate Glass Company, Room 827B, Post Duquesne Boulevard, Pittsburgh 22, Pennsylvania.



PAINTS • GLASS • CHEMICALS • BRUSHES • PLASTICS • FIBER GLASS

PITTSBURGH PLATE GLASS COMPANY
IN CANADA: CANADIAN PITTSBURGH INDUSTRIES LIMITED

BUSINESS FLYING



CONVAIR DOUGLAS B-26 in passenger transport, owned Haughton Gold Corp., operates cross-country at 120 mph.

On Mark Rebuilds B-26s

Glenville, Calif.-Haughton Gold Corp., owner of Haughton Air Park in El Dorado, recently took delivery of a Convair Douglas B-26B twin-engine executive transport modified by On Mark Engineering Co. It was the 10th B-26 modified by On Mark, which specializes in this model for business transportation. Also in its stable are B-26s for Diamond Match Co., Colorado GM & Gas Co., H. K. Porter Co., and Colorado Interstate Gas Co.

The conversion includes a completely new dual-control cockpit, dual press windows to reduce noise levels, a hydraulically operated air star door, automatic temperature control system and a large luggage area.

The Haughton B-26 is powered by two P&W R-2800-75 engines developing 2,000 hp each on takeoff. It has a maximum speed of 360 mph, a range of 2,000 miles and a ceiling of 31,000 ft. The cockpit's maximum allowable weight is 1,000 lb., including 31,000 lb. of payload, about 12,200 lb. Equipment includes a Collins integrated flight avionics and Honeywell A-17 autopilot with approach cockpit. A Learjet S-30 31,000-lb. loader is installed in the cabin and has a ground blower. A Model S-100 100,000-lb. blower is in the nose section. Either loader can service both cabin and cockpit.

Normal range is 2,000 mi. Diamond Match Co.'s B-26 will have auxiliary external storage fuel tanks providing a total of 1,665 gal. The tanks will have individual pumps, vaporization system and dump valve.



ONBOARD CARRIAGE TV screen and stereo music system. Seats are being lowered.



INTERIOR AREA behind the cockpit for a jump seat (right). Double-pane windows help keep noise to comfortable level.



FINAL CONVERSION shows extensive modernization. Seats are manufactured black. Antipar is mounted between seats.

Problem in Aerial Lenses...



As part of its never-ending war on weight, the Air Force has asked Perkin-Elmer to problem-solve a way to save the heft of its aerial and telephoto lenses — without impacting their optical performance.

Drawing on the experience of a staff that has designed and built some of the world's most complex optical and electro-mechanical equipment, PE came up with a definitive report on lightweight lens redesigns. Using three new techniques, PE took a large lens system weighing 190 pounds, cut it in half, and down to a total 70 pounds — with no loss in optical performance.

Even more dramatic weight reductions are in the offing. PE has recently developed a method for mass-producing aspheric lenses. This new method will make possible lens systems with greatly simplified optical elements. Here again, the answer was found by a PE staff whose experience went far beyond mere spoodumene.



Perkin-Elmer
CORPORATION
NEWHAVEN, CONNECTICUT

OPTICS • INSTRUMENTS • ELECTRONICS

Other projects that recently in Perkin-Elmer's history include: solving problems and "seeing it work."

RDTI Mark I (Recording Optical Testline Instrument) for tracking the flight of guided missiles;

- Airbase infrared detection system for military use;
- The 1-4 bombing perforator for the B-52;
- Prototype optical and radar landing and navigation system now designated MA-1 for use on the B-52;
- Most of the large aerial photographic lenses in use today by the Air Force;
- Reactor periscopes for the Nautilus and Seawolf submarines.

In planning your next project, contact Perkin-Elmer to get in our staff and engine facilities in helping your project to fulfill your needs better than you may ever realize.

In planning your next project, consider Perkin-Elmer. We have expertise in photodetectors, electron optics and many others. We can offer low expenditures for advancement in a rapidly growing aerospace field, backed where sensible by substantial financing if needed.

Utility Plane Exports Increase Over 36%

An increase of more than 36% has been recorded in exports of U.S. aircraft and utility planes weighing 5,000 lb or less during March compared to the same month last year. Five companies delivered 72 planes valued at \$534,267 to 29 foreign countries, bringing U.S. airplane exports for the first quarter to 215 aircraft valued at \$2,283,211. Last year's monthly average was 53 planes valued at \$624,468.

The companies represented were Avco Dugay & Engineering, Rock Creek, Paper and Television Ships Inc. (parent), by country Argentina (2), Cambodia (1), Costa Rica (4), Chile (8), Colombia (7), Costa

Rica (1), Egypt (1), El Salvador (1), France (2), French Equatorial Africa (1), Holland (1), Italy (1), Mexico (1), New Zealand (1), Norway (1), South Africa (1), Spain (1), Union of South Africa (1), Venezuela (3). Eight planes were sent to Alaska and 1 to Puerto Rico.

Lightplane Imports Sought by Argentina

Buenos Aires—Argentina's Civil Aviation Administration is in the market for \$1 million worth of light aircraft for pilot training, agricultural duties and public services such as congested medical and dental assistance. Government plans to encourage the development of these services were announced



Executive DC-3 Cruises at 218 Mph.

A cruise speed of 218 mph, of 10-100 ft using 700 hp from each of the executive DC-3 P&W R1830-75 engines was accomplished easily by installing four American Avenger-type propeller feathering gear drives. Motor's existing ring mountings and a Douglas retractable tail wheel. Color (below) and 24-plane for Union Chemical & Materials, Inc., Chicago, IL was converted by Executive Aircraft Service, Inc., Dallas, Tex.



New!

Mobile for Catalog 6-1

Electronically timed heat cycle



ZEPHYR

Electronic MICROBRAZER

- Amplitude, damped heat pulse
- Eliminates overheating
- High energy
- Electrode rejects and trouble shooting
- Silver soldering to 1250°
- Automatic compensation for assembly losses

Free Demonstrator—in your plant

ZEPHYR Manufacturing Co., Inc.
1000 North Main Street • Toledo, Ohio 43604

HELICOPTER aerodynamicist

FOR SUPERIOR AERODYNAMICS POSITION

We are engaged in several long-range research and developmental programs. These include the design and analysis of aircraft configurations with consideration given to aerodynamics, stability and control, and the investigation of flight mechanics. These programs require the services and knowledge of persons with extensive experience primarily in the helicopter field.

This is an interesting, well-paying opportunity to work with highly qualified and dynamic professionals of general and specialized backgrounds. We offer excellent working conditions, salary commensurate with ability and background.

White or color [color]


MR. ERICK G. JAMES

Director of Engineering

HUGHES TOOL COMPANY
AIRCRAFT DIVISION

Calico City, Calif.

AUGUST 6, 1956



NEW AIR RESEARCH and DEVELOPMENT COMMAND edition

Timed to include the details, plans and policy of the forthcoming Research & Development program as determined by the 1957 Airpower budget which is now undergoing debate and will become effective July 1, 1956.

Manufacturers and suppliers having a business interest in Research & Development are guaranteed the largest and most significant audience in this field through Aviation Week's August 6, ARDC issue. Presenting exclusively the story of this major command, the ARDC issue will include a detailed budget analysis as referred to above with special reports on research in Missile Engineering, Astronautics, Aviation, Super Aerodynamics and Human Factors.

These reports are now being prepared through, on-the-spot writing, by AVIATION WEEK's technical staff (largest and most experienced of any aviation publication) in the 12 research, development and testing centers of the Air Research and Development Command of the United States Air Force.

EXCERPT FROM HEADQUARTERS ARDC LETTER TO AVIATION WEEK:

"There have been so many changes, improvements and advances that neither special ARDC nor aerospace may easily fit previous editions of the news. It will greater benefit and interest than the 1955 edition."

AVIATION'S LARGEST MILITARY, ENGINEERING AND MANAGEMENT AUDIENCE WILL BE WAITING FOR THIS SECOND EXCLUSIVE ARDC ISSUE. BE SURE YOU ARE THERE!"


*AVIATION WEEK covers all and ARD audiences 200,000 to 300,000. This figure includes the 100,000 ARDC readership, research by Airframe Research Production shows 24 credits for every subscriber copy of AVIATION WEEK (readability determined by personal interview using adult recognition test). Current joint issue 10,000 copies.



AVIATION WEEK

A McGRAW-HILL PUBLICATION

Signal Hill, New York 14, 100 W. 45th Street, Philadelphia 2, Atlantic City, 200 E. Seaside St., Stamford 2, 1011 Park Ave. Bldg., Chicago 11, 100 W. Madison Ave., Suite 2, Chicago 3, 1011 Park Ave., Suite 4, 101 N.W. Lake St., Atlanta 2, 101 Peachtree Bldg., 5th and 10th floors, Atlanta 5, 101 Peachtree Bldg., Atlanta 3, 101 Peachtree St., Suite 2, 2, Miami Beach 5.



Single-Axis Autopilot Cost \$495

A new landing control for light business and private planes is the Aeropilot Elect 1 price at \$495, which comes in kit form. It consists of two units, a low-speed device (consisting of a standard mechanical link adjustment) and an actuator, connected by a cable. Its ability to maintain constant altitude prevents the often fatal "ground spiral." Unit is made and distributed by Air Associates, Inc., Teterboro, N.J.

In Brig. Gen. Carlos Garcia Camara, assistant director of civil aviation.

Intensive work on the building up of the country's fleet of small aircraft includes:

- Obtaining dollar exchange from the Central Bank for the purchase and import of the latest type of 181 aircraft imports to handle on a developmental scale of approximately 361. The National Bank is being asked to develop

- a special credit system for financing airplane purchases.

- Flying clubs and other private plane users are evaluating data concerning the type of planes they want.

- The government plans to pay direct subsidies to flying clubs to encourage wider flying, including the present rate of per cent calculated on hours of flying time. The National Civil Aviation School will be reorganized this year.



Piper Tests Twin-Engine Tri-Pacer

Feasibility of suspending propellers to give single engine-inertial trim-engine reliability is being evaluated by Piper Aircraft Corp. on the Tri-Pacer turboprop having two 30-hp Continental racing radial engines. Piper explains that the project has no immediate applications, it may be used on future liaison lightplane.



AVIATION WEEK, May 14, 1956

General Electric Offers a Complete Line of Instruments for Both Commercial and Military Aviation

ELECTRICAL EQUIPMENT

Voltmeters and Ammeters
Frequency Meters
Wave Velocity Meters
Time Test Sets

ENGINE SPARES

Turbine Generators
Turbine Inducers

POSITION

Tachometers
Indicators

PART POWER

Transformer
Inductors
Power Supply

MATERIALS

Directional Coaxial Systems
Rearview Coaxial Transmitters
Oven

HARDWARE

Transducers
Indicators
Thermocouple Assemblies
Thermocouple Harnesses

TRANSPORTS

Portable Radios
Space Radios
Sonic Motors
Temperature Sensors
Gyro Motors

TRANSMISSIONS FOR AIRCRAFT

For further information on any of the complete line of General Electric aircraft instruments, contact your nearest G.E. Aerospace Sales Office or write Section 381-1, General Electric Company, Schenectady 1, N.Y.

GENERAL ELECTRIC



J. E. Jost (left) Stress Group Engineer; L. A. Kindner (center) Design Supervisor, and J. A. Johnson, head of the Structures Engineering Department, discuss structural effects of high thermal gradients in skin wall pressure vessels.

TRANSIENT THERMAL STRESS IN MISSILE SYSTEMS

The ever increasing performance requirements of guided missiles are paralleled by structure problems that grow constantly in complexity. Of course, transient thermal stress is one of the most urgent in light of projected new developments.

Better approaches offer solutions to this problem. Both new design concepts and advanced methods of analysis, utilizing the most modern computers, present favorable avenues of solving structure problems such as transient thermal stress.

Other areas of interest include:

- Thermal buckling and stress investigation
- Structural optimization in time-temperature environment
- Structural dynamics including acoustic vibration, flutter, vibration isolation and dynamics of elastic bodies
- Evaluation of materials for high temperature strength and short time creep properties

Those possessing a high order of ability and interest in these fields are invited to write. Please address inquiries to the Research and Engineering Staff at Van Nuys.

Lodged MISSILE SYSTEMS DIVISION
LOCKHEED AIRCRAFT CORPORATION

VAN NUYS • PALO ALTO • SUNNYVALE • CALIFORNIA

PRIVATE LINES

Friedrich Krupp, Essen, has been a Lester ML. 1000 twin-jet transport Krupp chief pilot Capt. Maxell Freib lead the plane from Santa Monica to Germany, with stops at New York, Goose Bay and Keflavik at an average speed of 275 mph, including 40 min holding time.

Two airport deliveries of parts and supplies to five metropolitan New York area are made by Von Dornier aircraft Steigere's Aviation Division, Teterboro Airport, N. J. Supply house will do less than 7,000 miles an year in phone orders by means of a regular truck service departing each week-day morning and returning at same 17 months.

Working press in the New York area can call 1-5710 Paper Clipper Septic Control at nominal rates to learn how to fit it for pleasure or business. Septic Plass supplied by the Plass factory, is based in Soho Flying Service, Inc., Tuxedo, N. Y. this spring and summer Normal life of 60 hr. occurs and insurance protection will be provided for \$75/yr.

First Coffey WPAF Climax weather order for a Convair 580 has been installed by Affiliated Aviation Services, Los Angeles. The executive 140 is owned by Continental Oil Co.



600 H-3 (1941) - flying boats — 7000 ft. 1940-46

from langley to luna...

The builders and pilots of the early bamboo, cloth and wire aircraft were men of great courage and vision—they had to be.

Today's methods of construction are distinctly different. New, every part going into a plane is carefully tested by all possible methods. Different too, are the men who design and build these planes. Each man is not only an engineer, but a specialist in a particular field. The avionics that can have in common with the early builders are vision, resourcefulness and a penetrating spirit.

For men of this type, Bell Aircraft offers an unparalleled opportunity to work on the more advanced types of aircraft, including:



CORONA 310 PRO 310 is picked up at the factory, 30-60 to 90' within La Foux, rendered independent and operative of Strat and T-33. First flight was on June 1957, with pilot the very best on land over the mountains of the South and Southwest. Warner Chromer (left) West Texas Corona distributor, gives La Foux the keys to his airplane, while Edies Blvd, regional sales manager for the Southwest, looks on.

GROWING MISSILES • HYPERSONIC ROCKET VEHICLES • SUBCONVENTIONAL AIRCRAFT

An unusual challenge in any of the following experience levels.

SENIOR STRUCTURES ENGINEER
JUNIOR STRUCTURES ENGINEER
PROJECT STRUCTURES ENGINEER

INQUIRIES WRITE, CONTACT MANAGER, ENGINEERING PERSONNEL.

Assignments available in the following:

- PROTOTYPING DESIGN
- CRITICAL AND STABIL
- STRESS ANALYSIS
- STRUCTURAL RESEARCH
- STRUCTURAL TEST
- WEIGHTS ANALYSIS



DEPT. 23P P.O. BOX 1 • BUFFALO, N.Y.

EMPLOYMENT OPPORTUNITIES



Positions Vacant
Positions Wanted
Part Time Work

CLASSIFIED

The information contained in this section is for educational purposes only. It does not constitute an offer or invitation to apply for employment. All applications must be submitted in writing to the appropriate personnel manager at the address indicated. No telephone calls please.

Send RESUME AND AN APPLICATION FORM TO: Goodwill Industries, Inc., 1000 K Street, N.W., Washington, D.C. 20004. For other cities, see classified advertising section.

Subject to space and location.

Civil Service Opportunities
Selling Opportunities Wanted
Buying Opportunities Offered
Employment Agencies
Employment Services
Other Business

UNCLASSIFIED

No. 10 for 100 columns. \$1.00. To those whose resumes
are not suitable for publication in the Classified section, we
offer the services of a professional resume writer who can
analyze your qualifications and prepare a resume that
will be most effective in attracting attention.

Send resume and \$1.00 to a member of the Goodwill
Industries Board of Directors.

TOP AIRCRAFT ENGINEER for PRELIMINARY DESIGN CHIEF

Canadian Limited Montreal. Company's largest aircraft producer requires a Chief of Preliminary Design capable of developing and supervising aircraft preliminary design programs. This is a valuable opportunity to help formulate and carry out Company development policy.

Applicants should have considerable previous experience in profile body design and general aircraft design. Supervisory and technical brother experience is also desirable.

CANADAIR OFFERS:-

- Top salary commensurate with the importance of this position
- Generous relocation incentives
- Liberal employee benefits including Company supported pension plan, life insurance, disability insurance, and hospitalization plan with major medical insurance.
- Cultural, educational and recreational advantages of Montreal, one famous for its interesting cosmopolitan way of life.

Concurrent expense paid interview will be arranged for qualified candidates. Please send detailed resume of qualifications, including salary history, in confidence to:

F. C. PHILLIPS
CHIEF OF AERODYNAMICS AND
PRELIMINARY DESIGN

CL CANADAIR
A subsidiary of General Dynamics Corporation

NEW YORK, N.Y. WASHINGTON, D.C.
A subsidiary of General Dynamics Corporation

ENGINEER, HIGH LEVEL SPECIALIST IN STRESS ANALYSIS

Mr. V. G. L. LAMBERT, Director of Research and Development, Goodwill Industries, Inc., 1000 K Street, N.W., Washington, D.C. 20004, has an immediate opening for a highly qualified engineer in stress analysis. The individual selected will be responsible for the development of methods and procedures for the analysis of aircraft structures and components. He will also be required to conduct research in the field of aircraft structures and components, and to keep up-to-date with current developments in the field.

For further information contact:

Mr. Ward Phillips
Personnel Recruiting Director
Goodwill Industries Inc.
Albuquerque, New Mexico 87101

GENERAL ELECTRIC
Chicago, IL 60616

RESEARCH and DEVELOPMENT Attractive Openings—All Levels

RESEARCHERS—
Mechanics
Physics
Design
Electrical

For ENGINEERS with solid
Rotary Wing experience

Good salary and excellent working conditions will be offered.
Administrative Assistant
Administrative Assistant

KELLETT AIRCRAFT CORP.
Box 448, Gardiner, N.Y. 14530

Your Inquiries to:
Advertisers Will
Handle Special Envelope

For more information about
the advertiser, if you receive their publications. Advertisers would like to receive your resume. If you are not interested in the particular advertiser, write the publication to let them know. Many advertisers now have telephone numbers and post office boxes listed on their advertisements.



from Fancy to FLIGHT in 10 weeks' time

Meet the "Gizmo"—245 pounds of portable versatility.

The "Gizmo" was born in the mind of a Goodyear Aircraft engineer. And, recognizing its importance to today's fast-moving armed forces, Goodyear Aircraft engineers transformed the idea into this low-cost, safe and simple one-man helicopter in 10 short weeks. Another great tribute to creative engineering—specialty of the house at Goodyear Aircraft.

Of course, significant developments like this are not accidental. They are the harvest of imagination and ingenuity, cultivated by freedom of thought and expression.

The Goodyear Aircraft engineer knows that here his every idea has a chance. And, he knows, too, that at his disposal are the most modern facilities available, including one of the largest computer laboratories in the world. Here engineers find the stimulation of creative challenge and the satisfaction of realistic accomplishment.

If you are a creative engineer with faith in your ideas and confidence in your ability to make them work, here's your opportunity to become a vital part of this great creative team. For our growth and diversification make it necessary to expand our engineering staffs at both Akron, Ohio, and Littlefield Park, Arizona. Opportunities are unlimited for creative engineers in all specialties.

Salaries and benefits are, of course, liberal. And if you wish to continue your academic studies, company-paid tuition courses leading to advanced degrees are available at nearby colleges.

For further information on your career opportunities at Goodyear Aircraft, write:

Mr. C. G. Jones, Personnel Department, Goodyear Aircraft Corporation, Akron 15, Ohio.

GOOD YEAR AIRCRAFT
THE TEAM TO TEAM WITH IN AERONAUTICS

WANTED: MECHANICS
2500 NEW ENGLAND AVENUE, P.O. BOX 1000
NEW YORK, N.Y. 10016
TELEGRAMS: "GOODYEAR" NEW YORK
TELEPHONE: 212-537-1000
CABLE ADDRESS: GOODYEAR NEW YORK
UNITED AIR LINES
1000 NEW ENGLAND AVENUE
NEW YORK, N.Y. 10016
TELEPHONE: 212-537-1000

PILOT — SALESMAN
Must have Jet Pilot Engine Pilot right and
experience in selling aircraft parts and accessories.
Must be able to speak Spanish.
Apply to: Goodyear Aircraft Company
1000 New England Avenue
New York, N.Y. 10016

FLIGHT TEST INSTRUMENTATION ENGINEERS

Do you yearn for some of those unique and difficult problems often offered by Republic Aviation? The opportunity for growth and professional advancement is exceptional, the salaries are top, the benefits many — including Republic's famous profit sharing plan. Republic's Flight Test Engineers program offers (1) an entry-level into the company; (2) a comprehensive plan for entry into a strenuous career with Republic and (3) a continuing plan for entry into a strenuous career with Republic and a plan in training your continuation.

Positions open for:

PROJECT FLIGHT TEST INSTRUMENTATION ENGINEER

17 years experience. Must be capable of (1) supervising the activities of an engineering group; (2) translating the flight test engineer's requirements into instrumentation specifications capable of fulfilling the specific test requirements; (3) performing the basic systems engineering tasks.

FLIGHT TEST INSTRUMENTATION ELECTRONIC ENGINEER

Antennae, Intergrate, Sys. Specifcns
Operating in engine, primarily involved in the development and/or use of aircraft instrumentation systems for flight test applications. Must have a thorough knowledge of the present day art of the art and a good understanding of FTRM and PFM systems.

Science: Appendix

2 years experience minimum. Must have a thorough understanding of FTRM and PFM instrumentation systems and be capable of direction the activities of the flight test engineer and manager of the instrument system. This responsibility extends to all subcontractors. Send the full \$2000 and \$200 to: Director, Careers.

FLIGHT TEST INSTRUMENTATION DEVELOPMENT ENGINEER

27 years experience. Must be capable of supervising the activities of a development group. It will be working directly at the heads started levels of physics related activities with heavy emphasis in advanced flight test instrumentation. Responsible for (1) systems analysis, design, development and production of flight test equipment; (2) development of specialized instrumentation instruments are required; (3) study and development of methods of stability and techniques required to make various instruments compatible with various methods of operating.

FLIGHT TEST INSTRUMENTATION ENGINEERS

15 years experience. Several systems in electrical equipment and subsystems with no instrumentation background. Work is to be done in the development of aircraft systems for flight test applications. Flight test instrumentation. Standardized Design engineers are required for developing the installation of instrumentation in flight test aircraft.

Please forward complete resume, including details of prior technical experience, to:

Assistant Chief Engineer
Instrumentation
Mr. R. L. Bentler

REPUBLIC AVIATION
THE AVIATION LEADERSHIP TEAM • NEW YORK

Your future is assured
as a United Air Lines

FLIGHT OFFICER

Your career at excellent pay
in a growing industry is
assured as a Flight Officer with
United Air Lines!

United is taking delivery this year and next on 45 new four-engine airplanes... followed by the first of 30 DC 8 Jets in 1969. United's steady expansion means future advancement. You're paid well with training at United's extensive Flight Training Center at Denver, Colo. You receive 10 days vacation plus 10 days sick pay as you go on line duty. And United offers a broad commissary program, retirement insurance plan, other benefits.

To qualify you must have a commercial pilot's license with 165 hours or more (no multi-engine time required), be U.S. citizen, 21-30, between 5'7" and 5'11" tall, a high school graduate, and able to pass a flight physical without waivers. Applications with C.A.A. instrument rating and superior flight qualifications will be accepted through age 32.

Sand the coupon today for details on the opportunity awaiting you as a United Air Lines Flight Officer.

C. O. Name _____
Address _____
City _____ State _____ Zip _____
Phone _____
Date _____
Age _____
Flight hours _____

Name _____

Title _____

City _____ State _____ Date _____



TO THE FINE ENGINEERING MIND
SEEKING THE CHALLENGING PROJECTS IN
AERODYNAMICS

AERODYNAMIC ENGINEERS AND SCIENTISTS are rapidly needed now at Convair in beautiful, sunny San Diego, California. Dual-line career opportunities exist for path and senior engineers for aerodynamics, performance and heat transfer analyses related to advanced projects in the aerospace, Mach number range. A balanced background in experimental and theoretical aerodynamics is ideal for these positions. Analytical aerodynamic studies using analog and digital computers are an integral part of this work. Challenging positions are also available for aerodynamicists experienced in research and development wind tunnel and flight stage tests.

SMOG-FREE SAN DIEGO, lovely, sunny city on the coast of Southern California, offers you and your family a wonderful, new way of life — a way of life judged by most the Nation's finest for climate, natural beauty and crop (famous outdoor) living. Housing is plentiful and reasonable.

Generous travel allowances to engineers who are married. Write at once enclosing full resume to: H. T. BROOKS, ENGINEERING PERSONNEL DEPT., 137

CONVAIR

A Division of General Dynamics Corporation

3302 PACIFIC HIGHWAY • SAN DIEGO, CALIFORNIA

DEVELOPMENT ENGINEERS

Honeycutt's *Annotated Bibliography* is one of several Honeycutt-Dobson publications in geriatric research. An *Aging and Aging* monograph, *Geriatric and Geriatric Psychiatry*, contains 100 articles on topics such as Alzheimer's disease, depression, and dementia.

- Top development priorities are now for assessment, including digital and electronic cameras. The major complaint about development responsibility lies with components and systems in the field of materials, fast measurement systems, initial guidance systems, vertical and rate gyroes, stabilization platforms, and entry optics.
 - As a design engineer you will probably encounter decisions for electronic imagers, model studies and evaluation of sensors and sensor packages. A distinguishing characteristic of management may include experience with off-the-shelf or vendor equipment procurement.

**CONSIDER
THESE ADVANTAGES**

- Minneapolis, the city of lakes and parks, offers you metropolitan living in a suburban atmosphere. No commuting.
 - Your local and state zoning expense paid.
 - Cafeteria, insurance, pension programs, plant and technical facilities are all included.

■ Honeywell, leader in control systems, manufactures of over 40,000 different products, offers unusual diversification and security. A sound growth company, automatically expanding, it offers personnel opportunities for 1964.

WRITE TO US

If you are interested in a career at Honeywell, call collect or send your resume to Jason Wood, Dept. AW-446, Personnel Division, 3400 Robert路 Road, Minneapolis, MN.

MINNEAPOLIS
Honeywell

First in Controls

**Design Mechanical Portions
of
Aircraft Nuclear
Power Plant Equipment**

Demand mobility may reflect the specified response to a new opportunity to increase market influence, and may therefore be associated with growth in market share.

we are in a much position for this kind of the research in the storage and retrieval process of the memory of children. I think a further research will be needed to examine more precisely this issue. In some cases 3-4-5 years old children can remember the information about the past events. But it seems to me that this is a great cause of apprehension in parents and teachers. So I would like to conclude my talk by a question to Rostovtseva.

OPENING IN OHIO AND
KANSAS (WABCO)

Editor: Stephen Sartori, Ph.D., from 1993
Editor: Steve Shurtliff

W. A. Baily
P. O. Box 120
Cleveland 17, Ohio

**PROJECT
ENGINEER**
**AIRCRAFT
DUCTING
SYSTEMS**

Large manufacturers of surface treatment rods would have more to consider and might play the effects of Discretionary Sales and Production departments in order to improve company's performance to surface-generating characteristics, production costs, and consumption, allowing profit maximization, job shop design, customer satisfaction. **PFISTER** in 2004 had at least 4 years' experience in design, manufacture or application engineering of surface-generating equipment. **Salary:** \$102,000-\$122,000/year, depending on experience. **Location:** San Diego, California.

For continuous return, and
Home +1 response, holding
maximum response, to

AVIATION WEEK
330 W. 42nd St., New York 36, N.Y.



what helps an engineer grow?

"Technical support"

— Dr. J. P. Sauer, specializing in thermodynamics, hydrodynamics in reactor design, formerly with Naval Reactor Division of Argonne National Laboratories, now with Avco Advanced Development Division. His arrival reflects both the thinking and opportunity in this new Avco division devoted entirely to advanced research and development.

"An engineer should be given plentiful technical assistance. His potential cannot be fully realized when his creative energies are consumed by roteless duties."

Helping talented engineers and scientists reach full effectiveness is the best way we, at Aero-Advanced Development, know of helping our own growth. For substantiating men, Aero's long-range expansion—in missiles and in all the physical sciences—offers unprecedented opportunity. Write Dr. E. H. Park, Vice-President in Charge of Research, Room 409, Aero-Advanced Development Division, Stratford, Conn., or Phone Stratford, Conn. Bldg. 6-5631.

WANTED
Leaders in the exploration of new areas of Science
Physical Scientists
Advanced degree preferred in—Physics • Aerodynamics • Electronics • Metallurgy • Physical Chemistry • Mathematics • Thermodynamics
Engineers
Electrical • Mechanical • Aeronautical
Chemical

avco
Advanced Development Division

www.oxford-university-press.com

within the scientific elite, and associated histories of former divisions of Ares manufacturing there. Both *Ares* and *Omega*—which currently supply power plants, weapons, armaments and munitions to the



Long Range Opportunities for ENGINEERS

A continued expansion of Raytheon's Missile Systems Division has created long range opportunities for experienced engineers. Raytheon's Missile Systems Division is based in a modern factory less than 20 miles from Boston in a country setting and offers a stimulating working environment. Excellent facilities, opportunities and proximity to the educational, cultural and entertainment advantages of Boston.

Raytheon's Missile Systems Division has prime contracts for missile systems, electronic countermeasures, space systems design, including all three guidance, sensor and control systems. The Bureau is engaged in all phases of missile development from study programs through design, development, test flight testing to production.

Diversity and advancement commingles with ability. Ideal candidates rank lasers, guidance and flight mechanics and a commanding project control. Future incentive plan for engineers covers retirement savings plan.

AERONAUTICAL ENGINEERS
Requirements include design, testing and mechanical analysis of aircraft structures, aircraft systems and engine applications.

Mechanical Engineers
Necessary experience includes design and analysis of liquid and gas propellant rocket engines, solid rocket motors, thermal insulation, thermal protection systems, noise control, heat transfer, etc.

STRUCTURAL ENGINEERS
Experience available for persons with experience in missile or aircraft stress analysis, design and analysis, and load analysis of the rotating and translating mechanisms of missile structures.

If you are interested please send us a few lines concerning your experience. It naturally concerns time and place of interview of qualified applicants will be arranged. Address D.P. O'Halligan.



MISSILE SYSTEMS DIVISION—BEDFORD MASS.

PROJECT ENGINEER

ALL-METAL HONEYCOMB SANDWICH MATERIAL

Large manufacturer of automotive components seeks aggressive engineer with extensive experience in the design, development and manufacture of stampings, die sets and Production departments. In addition, new or improved materials must be developed for the fields of high speed aircraft and missiles. Job will require extensive knowledge of aircraft, aircraft structures and materials, with emphasis on aircraft design. A proven record of success in related fields such as aircraft structural design, aerospace design, development of production processes, and quality control. Compensation: \$14,000 to \$18,000 per year, depending on experience. Location: New Mexico, California.

For confidential interview, send resume of education and experience to:

Box P1322, Aviation Week
33 W. 42nd St., New York 36 N.Y.

SALES-ENGINEERING CHALLENGE

■ We need a man with a broad technical background in electronics, particularly structures. WITH DESIGN-ROBOT EXPERIENCE and a strong intelligent personality suitable to represent our company.

■ As a permanent liaison representative, we need a sales engineer as a direct employee of our company to represent our products and conduct all sales and engineering activity with our customers located between Boston and Washington, D.C.

■ Most of our customers produce aircraft, missile engines and related equipment. Our selling efforts will be directed to them at commercial as well as at a government level. Required is a good grasp of aircraft and missile design. Related to this requires a thorough knowledge of structures and materials plus computational skills.

■ Close liaison is required with our sales office as well as periodic visits to our factory. Age and family conditions are dictated by performance. Salary open.

■ Send resume and salary requirements for consideration. Ten year firm personnel personnel interview will be held in New York City, week of May 21. All negotiations strictly confidential.

F 115-14-96
JOHN T. MERRILLY
RAYTHEON COMPANY

AVIATION WEEK May 14, 1956

Your Application...



With your ideas and experience in electronics, it's time to see what you feel the need for in marketing and trial order with real promise for the future.

Here at Philco we welcome men with creative talents who can think outside the box and unique ways to do things to make profitable contributions, underline our leadership in guided missiles and high speed data processing. Great opportunities in electronics and conventional electrical engineering and research are open to men who apply now.

East Coast, Philco has one of the most liberal training, restoration and insurance programs in all industry.

ENJOY THESE CONVENiences

- Delaware Valley, Center of Industrial Activity
- Choice of City or Suburban Residence
- Unusually Short Commute—just 20 minutes to Philadelphia's business center
- Abundant Shopping and Entertainment Centers
- New Homes, Apartments
- Schools and Colleges with Highest Ratings
- Home Owners and Mortgagors Ready
- Many Professional Society Chapters

Long Range Industrial and Diversified Military Engineering Fields

- Guided Missiles - Radar - TRANSAC Digital Computers - Underwater: Guidance - Breaking and Fire Control Systems - Sonar - Mechanics - Microwave Communication Systems - Jet-in-Rad Detectors - Transistor Circuit Applications - Multiplex Equipment - Television Relay Systems - Industrial TV - Color Broadcast Equipment - Forward Scatter Correlators - Fire Control Systems - RADAR

Please, Please Call, or Apply in person to John T. Merrilly
Your Inquiry will be held in Strict Confidence

PHILCO CORPORATION
GOVERNMENT AND
INDUSTRIAL DIVISION * PHILADELPHIA 46
PENNSYLVANIA



ENGINEERS

HERE'S BIGGER
OPPORTUNITY
WITH A
GROWING
COMPANY
IN JET VTO

Look in the future with
more stability, greater
levels of experience—where jet
aircraft are...and in the station.
Our need staff of engineers and workers
continues to grow. We invite you to send us
your resume—enclosed in the mail or
use a reference nomination form—and we'll
send a letter on VTO results.

You'll find working at Ryan can be exciting.
In fact, many of our present engineers will be with the aircraft
industry's most famous flight test organizations. Please write Engineering Personnel, Ryan
Aeronautical Company, San Diego 12, California
to be held in strict confidence.

JOHNSTON AIRCRAFT DIVISION

Aircraft Designers • Electronics Engineers • Aerodynamics • Systems Analysis
Structures and Weight Control Engineers • Propulsion Engineers



RYAN AERONAUTICAL COMPANY

1700 El Cajon Boulevard, San Diego 12, California

FLIGHT TEST ENGINEERS

These key positions of technical leadership are available for flight test engineers
due to a recent reorganization of our flight test function. Our Flight Test Department
now has separate basic and three engineering divisions reporting directly to the
Vice President Engineering with responsibility for all aircraft, missile, one
engine and electronic test programs. Join us now and grow with our expanding
Flight Test operation!

One immediate opening is for:

EXPERIMENTAL TEST PILOTS

(Requires engineering degree plus one year of civilian or military experimental
test flying.)

FLIGHT TEST ENGINEERS

(For data reduction, electronic instrumentation, test planning and coordination.)

Responsible assignments available for R&D-pilot engineers as well as
hardware engineers to assist production. 3 months, clean mid. Detailed
experience resume required.

TECHNICAL PLACEMENT SUPERVISOR
P.O. Box 516, St. Louis 3, Missouri

MCDONNELL Aircraft Corporation

ENGINEER MECHANICAL ENGINEER OF PHYSICI

Infrared System Design
and Application Analysis

Qualifications: BS in Electrical, Mechanical, or Industrial Engineering, or equivalent, with 3 years experience in infrared system design and application analysis. Experience in infrared system design and application analysis, particularly in the field of aircraft and missile systems, desired. Good communication skills, good writing ability, and ability to work independently.

GENERAL ELECTRIC
Columbus 12, Ohio

ENGINEER FIELD SERVICE

We are seeking Airframe and Power Systems Engineers to support our program with customers as unique power systems are installed in field service departments. Should be 18 to 35 years old, college graduate, experienced in troubleshooting, electrical equipment in company units, aircraft maintenance, aircraft powerplants, aircraft structures, reference planes.

Address resume to:
J. M. Winkler, Personnel Manager
New York Maintenance Center
101 Morris Avenue
Los Angeles 26, California

DIGITAL ENGINEERS

For Long Range Program Airborne Control Applications

The Long Range Program is a major project for the U.S. Air Force. It will provide long range strategic communications between fixed locations and conventional aircraft. Major tasks include:

- Computer Organization
- Computer Programming
- Advanced Circuit Design
- Laboratory Development
- Packaging and Reliability

Send resume to:
Technical Placement Dept. 2-80

ARMA

Atlanta 31, Georgia
Aviation Division, Avco-Orbital
Avco-Lycoming, Inc., 1900
Linn Street, N.W.

Abilities demanded
by this position
call for an
engineer
qualified to
earn up to
\$15,000

Project Leader— AIRBORNE FIRE CONTROL RADAR ...

Specific responsibilities desired in pulse radar transmitters, microwave techniques, timing and display circuits, servomechanisms. Capable of technical and administrative leadership of engineers.

Excellent salary will be only the first of many satisfactions in this unusual opening with an electronics pioneer and leader!

To arrange confidential interview, send resume to:

F. J. H. 101-101-101-101-101-101

Engineers:
take one minute
to face your future

Find out about the unequalled opportunities at Martin—developers of the
Saturn Satellites (Vanguard, ICBM (T-3)
and Molniya) and the revolutionary
Baconite.

Outstanding opportunities exist for:

INSTRUMENTATION ENGINEERS PROPELLSION ENGINEERS

STRUCTURES ENGINEERS MECHANICAL ENGINEERS

VIBRATION & FLUTTER ENGINEERS • FLIGHT SIMULATION ENGINEERS

Your resume will be treated with utmost
confidence. Write to J. M. Hollyday,
Dept. AWOS, Martin, Baltimore 2, Md.

Where the frontiers of tomorrow
are the projects of today

INDIVIDUAL RECOGNITION

ENHANCED
ACHIEVEMENTS

**SMALL
COMFORT ATMOSPHERE**

ENGINEERS OPPORTUNITIES FOR CAREER IMPROVEMENTS

typical assignments

- JET AIRCRAFT →
- HELICOPTER →
- COMMERCIAL →
- Parallel Precision-Design
→ Design Thesis Defense
→ Pilot Flight Test Programs
→ Conduct Acoustics/Fatigue Analyses
→ Design Roll-on/Roll-off Movements
→ Develop Data-Link Systems
→ Design and Monitor Air Conditioning and Pressurization Systems
→ Complete E&I Documentation Program

For complete information write:
Professional Electrical Engineers Dept. 494

Cessna
Business Aircraft & Parts Division

THE LEADING PRODUCERS OF BUSINESS AIRCRAFT

V T O L

AERONAUTICAL ENGINEERS

Miscellaneous interesting design and development problems available in:

- AERODYNAMICS
- STRUCTURAL DESIGN
- TEST EQUIPMENT
- MECHANICAL DESIGN
- ENGINEERING DRAFTSMAN

For immediate work in the New Pratt V T O L Aircraft Development Program

Send resume to:

JOHN HARRIS INC., 940
2330 N. Western Ave., Toluca, Calif.
AFSC: N/A 2000, Chief Engineer

DOAK AIRCRAFT CO., INC.

TRAINING SPECIALIST

Experienced instructors with non-instructional experience in aircraft maintenance and flight instruction. Also will be given preference to individuals with considerable experience in other aircraft related professions. Good opportunities for advancement in technical, academic, educational and administrative fields. Excellent compensation and benefits. Send background information and qualifications to: Remmert-Werner Company, Inc., 1000 W. Michigan Street, Indianapolis, Indiana 46204. All inquiries held in strict confidence.

P.O. Box 11-10

SPECIAL SERVICES TO THE AVIATION INDUSTRY

OVERHAUL & MAINTENANCE

Remmert- Werner

Box 11-10
St. Louis
Lambert Field
Toluca, Calif.
Remmert Airport

Contractor to:
DC3
LODESTAR TWIN BEACH
Maintenance Department
Customer Service

BALTIMORE AERO SERVICE

AIRCRAFT AND ENGINE
OVERHAULS
BREKIN FIELD BALTIMORE 21, MD
AT&T 4-6810

PARTS & SUPPLIES

NAVCO

Lambert Field
St. Louis, Mo.
Remmert Airport
Toluca, Calif.
Customer Service
Parts Department
Sales Department
Engineering Department

AIRCRAFT DEALERS

BUYERS AND SELLERS

of all type aircraft.
Our requirements and capabilities are unique.
We'll be glad to discuss.

MAP PACKAGE

2000 Cedar Ave., Philadelphia, Pa.

SALES REPRESENTATIVES

GEORGE E. HARRIS CO. INC.

SALES ENGINEERING REPRESENTATIVES
1251 Westchester, White Plains, N.Y.
Remmert Airport, P.O. Box 100,
Toluca, Calif. (Phone: 214-1212)

99.07*
and DESIGNERS
Stay with



PIONEERING
OPPORTUNITIES
in the following fields:
• MISSILE Guidance
SYSTEMS
• JT/TURBO PROP
ENGINE CONTROLS
• BOMBING
NAVIGATIONAL
COMPUTER SYSTEMS
• AIRBORNE FIRE
CONTROL
• UHF
COMMUNICATIONS
• MICRO-WAVE
EQUIPMENT

THE ELECTRONICS DIVISION OF GENERAL MOTORS



Our current monthly turnover figures are phenomenally good. Have been, we are proud to say, for years. It speaks well for the job opportunities, working conditions and the wages we pay our Engineers and Designers. Investigate for your future. Write us today.



Write today for Employment Applications
Mr. John F. Heffinger, Supervisor of Selected Personnel

AC SPARK PLUG • THE ELECTRONICS DIVISION
GENERAL MOTORS CORPORATION
Milwaukee 2, Wis. Flint 2, Mich.

A SAFETY FIRST
SKILLED PILOT
LIA A. F. PILOT
PILOT INSTRUCTION
PILOT EMPLOYMENT AGENT
TOLUCA 2-1111, Toluca, Calif.
Phone 214-1212

MANUFACTURERS AGENT
FOR THE AVIATION INDUSTRY
TO THE AIRPORTS OF THE WORLD
GEORGE E. HARRIS CO. INC.
1251 WESTCHESTER, WHITE PLAINS, N.Y.
TOLUCA 2-1111, Toluca, Calif.
Phone 214-1212

An employment advertisement in the EMPLOYMENT OPPORTUNITIES section will help you find the position you need. If it's an engineer, how about instead of seeking competent personnel for your organization job in the Aviation field?

Twin Beech, Lodestar and DC-3 owners.

Retractable Table—for fun or work



installs in
limited space

→ Opens up to 28" wide by 18" deep

Extends only 4 1/4"
from wall when closed →

Weight is 12 lbs.

Affordable in only 10 days.

THE OHIO AVIATION CO.
HICKORY BARNHART
Dayton Municipal Airport
Vandalia, Ohio

FOR SALE!

I LOCKHEED LODESTAR

Model 10—S/N. 2400—Flash canted.

I LOCKHEED 14

Excellent Condition. Formerly airline President's personal plane.
Aircraft available for immediate inspection and delivery or our
Miami facility.

AIR CORP. OF MIAMI
P.O. Box 428
Miami International

AIR CORPORATION OF MIAMI
550 Fifth Ave.
New York, N. Y.

"Take a Heading for Reading"

By the BEST MAINTENANCE • OVERHAUL • MODIFICATION • INSTALLATION
BERINGER AVIATION SERVICE, INC.
Specialized aircraft



RAS
Berlinger Aviation Service, Inc.
Specialized aircraft

FOR SALE Executive Lodestar

Beechcraft Model 180 aircraft, serial number 10-100000. This aircraft has 8,249 hours since new. It has 10 Pratt & Whitney engines as well as several RINGO MOTORS, all 450 horsepower. The aircraft is in excellent condition. Includes cabin, interior, exterior, engine, propellers, instruments, radio equipment, etc. All systems are functional. This aircraft is ideal for private use, executive flights, or for charter. It is well suited for executive flights.

SLICK AIRWAYS, INC.
2000 North Euclid Avenue, Rockford, Ill.
Sunday 7:30 AM

P&W R-1340's

More info at dinner dates 8-25/28/31
8-29/30/31 or 9-1/2/3 at Rockford airport
as well as several RINGO MOTORS, all
450 horsepower immediately available. All
aircraft models manufactured by Lockheed from 5-100000 plus.

Lodestar Aviation, Inc.
220 Fox Hill, Rte. 100
Rockford, Ill. 61101

AIRBORNE RADAR

X-Band — C-Band

BENDIX — COLLINS LEAR — ARC

Communication — Navigation
Systems

White or Wine

PAGE AIRWAYS INC.

Schenectady Airport
Rochester, N. Y.

Call
Schenectady 739-1-Lock Electronics 139

FOR SALE

at location of new car

Portable Living Grid Shed Airfield Landing Mats

Used for aircraft landing mats
Made of steel wire mesh
Size 10' x 10' x 1' thick
Weight 100 lbs
Each mat costs \$100.00

ALTER CO.
1750 E. Rockbridge Road
Baltimore, Md.
John, Frank & George Hartman

**WEIGHT and PRATT WHITNEY
ENGINES and ENGINE PARTS**
California Aerospace Corp.
7116 VINEGARD AVE.
WEST HOLLYWOOD, CALIFORNIA

FOR SALE

NAVION
Serial N4282K
New Engine, Complete Radio
Radio of J. E. Evans, Jr.
Gulfport, Miss.

WANTED

We Buy DC-3 and C-47

More info at dinner dates 8-25/28/31
8-29/30/31 or 9-1/2/3 at Rockford airport
as well as several RINGO MOTORS, all
450 horsepower immediately available. All
aircraft models manufactured by Lockheed from 5-100000 plus.

AIRCRAFT WANTED

More info at dinner dates 8-25/28/31
8-29/30/31 or 9-1/2/3 at Rockford airport
as well as several RINGO MOTORS, all
450 horsepower immediately available. All
aircraft models manufactured by Lockheed from 5-100000 plus.

Vest Aircraft Co.'s Skymaster

Box 1200, Jersey St., Cedarhurst, N.Y.

Engines For Sale

ES EACH	\$1620.55
37	-56W
3	-50
13	-44
67	-37
4	-26

115 DE MORE \$295.00 EACH

OVER 100 #3600
ENGINES AVAILABLE

Southland Aero Supply Co.
TU 7-3531 PO Box 1035, I.A.E.
Miami 48, Fla.

Send Directly
With Check

U.S. Wire Pipe

120 ft. per roll
10 ft. per roll
Width 120 x 27


All Steel
Corrugated

Standard

Quality
Corrugated
and send delivery
of your order
within 24 hours of
receipt of your order.

1000 ft. x 120 ft.

100



build your future with

NEW ELECTRONIC ACHIEVEMENTS

Here at AEM we're nearly 100 advanced electronic and electro-architectural projects are in progress—projects whose long-range implications are moving toward the fruition of technical know-how.

Most of the work is well in advance of reputational publications given confidential status. The aim was to keep ahead of this unique and highly rewarding research is to be in it.

At Adventures you'll work with men of every

to your professional standing in a congenital atmosphere. You'll have access to the very latest digital and analog data processing equipment. You'll have the opportunity to contribute to the advances in electronics and the mechanics and the working facilities that are our center. What's more, you'll be living in Southern California.

Write now for complete information. Your inquiry will be handled promptly and confidentially.

ЛІНІОВІ ОФФОРТШІТИ В РОСІ

Computer Specialists	Basic Mechanical Designers	Environmental Test Engineers	Electronics Component Evaluators
Instrumentation Engineers	Fire Control Systems Engineers	Flight Control Systems Engineers	
Electronics Research Specialists	Computer Programmers	Computer Application Engineers	Automatic Controls Engineers
Electronic Fabrication Workers	Industrial Instrument Developers	Preliminary Analysis and Design Engineers	
	Equipment Test Engineers		

Also mentioned the customers and Testimonials

新編增訂版下：第1章 第2節

Engineering Personnel Office Automation, Dept. 901-000-00
10101 E. Alameda Blvd., Denver, Colo.

Autonetics



ADVERTISERS IN THIS ISSUE

AVIATION WEEK—MAY 18, 1958

MOOG
Servo Valves
Deliver
High Dynamic
Performance



Type ... Single phase/line
electro-inductive
Equipment Time Constant...
as low as 15 microseconds
Output Power ... 0.5 to
80-0 WPS
Control Currents ... 0.0 to
40-0 milliampere
Frequency ... 1000 Hz
Standby Power
Weight ... as low as 15.000
Maximum Dimensions ...
as low as 0.5 x 0.5 x 0.5 m

M
O
O
G

2

卷之三十一

LETTERS

Expectant Visitor

I have received two instances of your article "Expectant Visitor," which appeared in *Aerospace Week*, as well as one letter to the editor (March 13, 1964). I read it with great interest and am sure that the author's fears are shared by many others.

I do not think that I will ever see United States Air Force. For me, as a government employee, a visit to the United States would be out of protocol if I had the opportunity to meet our foreign visitors and to see our space division.

I do not believe that I will get the necessary permission to such a short time and I feel that it will have to postpone my trip to the USA.

For my pleasure, to meet you personally and to continue will be a treat while in the States.

With best personal regards,

M. S. STEPHENS
GOMBERG
W.M. GOMBERG

(Dr. Michael S. Stephens is PDSI managing director of the 30-minute production, which handles the show to promote overall magazine interests and services. Dr. Stephens still teaches at Royal Holloway University.—ED.)

Fastener Status . . .

Refer to your issue of April 25 and to the lead editorial, "USM Slaps its Standard Fasteners" (p. 35) and to your Editorial "Who Is to Blame?" in the April 25 issue (p. 71). The *Industrial Order* (D-01H14-9), issued August 2, 1951, states that the various types of fasteners may in certain areas be subject to certain attacks by corrosion and that implementers will be made responsible for fasteners. It is for this reason that the rules were established by the authority of the Secretary of the Air Force.

No Consultation

This article is a sound rebuke from one who seems to be ignorant of the needs of the aircraft industry. It is also a rebuke to the performance of the product design for production and maintenance. It has also placed the present Secretary of the Air Force, Donald Quarles, in the embarrassing position of ordering or cancelling as early as possible all contracts for aircraft.

Mr. Quirk's article did not mention that AFSC has the airtight culture, the replies of 16 major companies quoted in the T.O. giving engineering and policy reasons.

This article did not state the fact that AFSC has been in contact with the aircraft industry since the changes went into existence. The chairman of this industry is the airtight company. This committee is a spokesman for the aircraft industry and the National Aerospace Standards Council spoke out for this segment of the aircraft industry before which its membership is drawn.

Therefore, I wish to endorse the suggestion of the committee to the former AFSC chairman, Mr. Edward D. Fife, in his letter (T.O. 16, No. 3, T-3, "To be kept below under 300 words and give a positive identification . . . We will and must understand that the quality of service will be reflected in the quality of products."

Perhaps that the following has 40 years but did not cause them except for the AFSC. The study did not agree with the AFSC. The AFSC was not asked to make a decision. In a general discussion paper given and that the point of the research as applied to the industry is the price of these items and the cost of the parts. The catalog's estimate, from 10.00% to 75% would add another "item" of each maintenance cost and would increase maintenance costs in the repair of millions of dollars.

Insensitive Ignorance

It is the intent and purpose to destroy the T.O.'s in the class of products to be used by capable design engineers so here have remained existing links the aerospace area of life and live, adopted the Command principle of control instead of authority. We then the health, competition and the need to make us go to work for what?

Government
If this policy is continued, we should consider temporary partnerships and the like with the Patent Office and the manufacturers of aircraft.

It will be interesting to see how Mr. Quirk meets this type of military directive.

J. ALAN JONES
President
Eaton Industries
22 Spring Valley Rd.
Pomona, N. J.

And AIA Role

The belief of the National Aerospace Standards Council is that the role of the AIA (Aircraft Industry Association) is interesting because standards developed in its present form are to be adopted in the April 16 issue of *Aerospace Week*.

The article states that "AIA members are to be consulted before any new standard is issued." However, the Aircraft Industry Association (AIA) and other "so-called" organizations of AIA's National Aerospace Standards Committee, in fact, have not sent questionnaires to airmen, industry, users

Aircraft Spokesmen

These statements indicate that the AIA through its National Aerospace Standards Committee is spokesman for these airmen, manufacturers. This association is a spokesman for the aircraft industry and the National Aerospace Standards Committee speaks out for this segment of the aircraft industry which its membership is drawn.

much aircraft and aircraft designers and producers. See, for instance, comments furnished by NASA membership, although this is not included in response to the original article in the committee's decision.

For the record, "AIA has favored twice as often the subject of this *Set-Fast* proposal. The first reason is a lack of knowledge, indeed, the committee, is unfamiliar of the content of this, as Every Technical Data. The substance of the light sequence does not seem to be of interest to the committee, in effect that this is a minor AFSC Project work pertaining to the maintenance of these items, this production and data are. The subject was dropped with no further work.

USAF Response

The same aircraft Committee, which was very familiar with the *Set-Fast* proposal, has requested from the aircraft industry the consideration of the proposal. One might presenting views of the aircraft industry, they have been more or less strong than the AFSC proposal. The aircraft industry has supported the *Set-Fast* proposal, but opposed the use of this feature as a standard for aircraft production.

As a result, opposition from industry on maintenance of aircraft has been strong and that AFSC is to blame for the company whose products may be competitive with the *Set-Fast* feature.

S. D. DAVIS
Technical Service
McDonnell Douglas
Airplane Division
St. Louis, Mo.

More British Reaction

Your article concerned me until speed reading it after April 25, p. 172, in *AW*. The aircraft are not the ones that have an aircraft concern holds the speed record now. Rightly belonging to Great Britain as well as competitor can not take off in its prime concern. While there can should give up the aircraft could do this.

Source: British Aircraft Committee, London, England.

Willing Draftsman

All that about "Explosive destruction of aircraft" is a lie. The aircraft industry, as the aircraft without the benefit of a college education who are willing artisans and capable to advance further the engineering field.

Sometimes I check the responses are too busy looking out into the refugee to see the actual potential risks to either their own or others.

After 15 years in myself with aerospace industry, I am wondering who the father is.

Letter to the Editors
101 N. Western Street
Sherman, California

when Manhattan Island

looks like this . . .



one relay can be mighty important . . .

Yes, the higher and faster aircraft and missiles are, the more we need the kind of dependability LEACH is famous for. One "spaced" relay, being constantly in the pulse of your hand, can mean the difference between a successful mission and a violent plane crash.

The unique problem brought about by higher and faster flight can only be solved by special devices designed around their unique system designed. And that's where Louis Helzer has earned his industry-leading reputation; we solve the design challenges that others avoid . . . build rather than send off "off-the-shelf" relays. Here, for example, we have solved our problems and the Lockheed Taliesin (such a complex, hermetically sealed control package) that solved them . . .

ON THE GROUND . . . immensely high and ground power will cause serious equipment damage.

LEACH'S ANSWER . . . HRS-Phase Sequence Relay, which includes a 3-phase full range timer and control switches. When the predetermined phase sequence is applied at normal voltage, the relay will switch the main contacts in close

IN THE AIR . . . relay must operate from low level ordnance, thermocouples, or load-breakers, unless it is a dry contact or a temperature light.

LEACH'S ANSWER . . . RSI-1, a combination of relay and magnetic amplifier is sensitive to 250 microvolts, immune to shock as great as 50 g in addition to a temperature light.

ON COURSE . . . gyro compass drift of 0.005°, input slope, let the back EMF dry granular builds several steps closed for 15-30 minutes.

LEACH'S ANSWER . . . QSD, Close-Differential Relay, a combination of magnetic amplifier, rectifier, and relay which works the pilot of a dry-groove voltage. It is unaffected by thickness variation.

LEACH CORPORATION / LEACH RELAY DIVISION

1500 KELLOGG AVENUE • 100 AMARILLO 3, CALIFORNIA
DISTRICT OFFICES AND REPRESENTATIVES IN PRINCIPAL CITIES OF U. S. AND CANADA

SERVOmechaNISMS
INC.

$$\alpha = \frac{N w f_t(M)}{S P_s} + f_c(M)$$

$$\frac{P_e}{P_s} = \left[\frac{(g+1)^{k+1} M^{2+k}}{2^k (2+M^2 g+1)} \right]^{\frac{1}{k+1}}$$

J. Trigge

WESTERN DIVISION
Hawthorne, California

EASTERN DIVISION
Westbury, L.I., New York

MECHATROL DIVISION
Westbury, L.I., New York

MECHAPONENTS DIVISION
El Segundo, California